1 '2 1975

New VITOZONE

FLEA AND TICK KILLER AND REPELLENT

FOR USE ON DOGS AND CATS

| ACTIVE INGREDIENTS | |
|--------------------------------------|---------|
| Pyrethrins | 07% |
| * Piperony I butoxide technical | 14 % |
| N Octyl B.cycloheptene Dicarhoximide | 23% |
| Methoxychlor Techy and | 50 % |
| 2.3 4,5 Bis (2 butylene) tetrahydro | 30 |
| 2 turaldehyde | 20% |
| Petroleum distillate | 2 36% |
| INERT INGREDIENTS | 96 50% |
| TOTAL | 100 00% |

- *Euc valent to 112 (butylcarbity (6 propy p peronyl) ether and 028 related compounds
- **Equivalent to 0.44% 2,2% bis (p. mothoxyptieny); 1.1.1 tr chloroethar e and .06% other somers and reaction products D.S. Pat. No. 2,420,928
- *** MGK Repellent 11 US Pat No. 2610 116

CAUTION: Keep Out Of Reach Of Children. CONTENTS UNDER PRESSURE See rear panel for additional precautions

NET WT. 12 OZ.



Manufactured by

FULD-STALFORT, IN:).
Havre de Grace, Md. 21078

KILLS: FLEAS, LICE & TICKS

REPELS: FLIES, MOSQUITOES & GNATS

DIRECTIONS FOR USE

Press actuator and spray from a distance of 4 - 6 inches from the dog or cat. Start spraying at the tail moving upward to the back of the neck including the legs and under the body. While spraying fluff the hair to allow spray to penetrate or until hair is damp. Spray ticks directly. Avoid spraying eyes, face or scrotum. Repeat as needed but not more often than once every 7 days. Treat bedding, kennel and quarters with the spray, contact as many insects as possible with the spray.

In use this spray makes a slight hissing sound and occasion ally nervous animals may become frightened on initial use, however, they soon become accustomed to treatment.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator.

CAUTION: Keep (our of Reach of Children

EPA Reg. No. 257 302 EPA Est. 257 MD 1