264-663

06 02 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mike See, Ph.D. Bayer CropScience 2 TW Alexander Drive P.O. Box 12014 Research Triangle Park, NC 27709

JUN 2 2011

Subject: Notification per PR Notice 98-10 – Removal of Reference to Patents and Patent Numbers Remove Herbicide EPA Reg. No. 264-663 Application Dated: May 6, 2011

Dear Dr. See:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.


The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of this notice. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please feel free to contact Maggie Rudick at (703) 347-0257 or <u>rudick.maggie@epa.gov</u>.

Sincerely,

Kathryn Montague, Product Manager 23 Herbicide Branch Registration Division (7505P)

Please read instructions on i	reverse before com	ting form.		POIN MOR		OMB No	20170	0080		val av-	
\$EPA	ر Environmenta	Inited States	v ,			Registi Amend Other	atior	n			Number
		Application	for Pesticio	de - Sect	tion						
. Company/Product Numbe 264-663	r		1	Product Man n Montagu	-	Stone		3. Prop	oosed Cl	assific	ation
Company/Product-(Name) Remove Herbicide).							الي	None		Restricted
. Name and Address of Ap	nlicent <i>(Include 7/R Co</i>					•	<u>l</u> _				
Bayer CropScience 2 TW Alexander Drive Research Triangle Pa	e PO Box 12014		(b)(i), m to:	edited Rev ny product i Reg. No	s sim	lar or ider	itical i	n com	positio	n and	labeling
Check if this	s is a new address		Produ	ct Name							
			Section - I	1							
Amendment - Explair	n below. oonse to Agency letter	dated		Final printed Agency lett "Me Too" A	er dat	ad .	se to 				
Notification - Explain	• •			Other - Expl			NOT	rific	:ATIO	N	
· · · · · · · · · · · · · · · · · · ·				·				N =	2 201	1	
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame	atent numbers from the l ion per the attached lett inded by e-mail 15 July	Remove Herbicid ter. The current re 2010) wherein the	evision is made to t e container disposa	label. BCS withe latest and al language w	ould lik most (/as upo	e to withdra current labe lated per Pl	w (with for Re R Notic	nout pre move l e 2007	ejudice) t Herbicide -4. Attaci	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin	atent numbers from the l ion per the attached lett inded by e-mail 15 July ng the removal of all ref	Remove Herbicid ter. The current re 2010) wherein the	e end use product evision is made to t e container dispose	label. BCS withe latest and al language works. No other	ould lik most (/as upo	e to withdra current labe lated per Pl	w (with for Re R Notic	nout pre move l e 2007	ejudice) t Herbicide -4. Attaci	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection 1. Material This Product Wil	atent numbers from the l tion per the attached lett anded by e-mail 15 July ng the removal of all ref I Be Packaged In :	Remove Herbicid ter. The current re 2010) wherein the	e end use product evision is made to t e container disposa ts and patent numb Section - II	label. BCS we the latest and al language w pers. No other	ould lik most (/as upo	e to withdra current labe lated per Pl les have be	iw (with I for Re R Notic en mac	nout pre move I e 2007 de to th	ejudice) t Herbicide -4. Attaci	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection I. Material This Product Wil	atent numbers from the l ion per the attached lett inded by e-mail 15 July ng the removal of all ref	Remove Herbicid ter. The current re 2010) wherein the	e end use product evision is made to t e container dispose is and patent numb	label. BCS we the latest and al language w pers. No other	ould lik most (/as upo	e to withdra current labe lated per Pl	iw (with I for Re R Notic en mac	nout pre move l e 2007 de to th	ejudice) t Herbicide -4. Attaci	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin I. Material This Product Wil Child-Resistant Packaging	atent numbers from the l ion per the attached lett inded by e-mail 15 July ng the removal of all ref I Be Packaged In: Unit Packaging	Remove Herbicid ter. The current re 2010) wherein the	e end use product evision is made to t e container disposa ts and patent numb Section - II Water Soluble Pa	label. BCS we the latest and al language w pers. No other	ould lik most (/as upo	e to withdra current labe lated per Pl les have be	f Conta	nout pre move l e 2007 de to th einer tal stic	ejudice) t Herbicide -4. Attaci	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin 1. Material This Product Wil Child-Resistant Packaging Yes	tent numbers from the l tion per the attached lett inded by e-mail 15 July ng the removal of all ref I Be Packaged In: Unit Packaging Yes	Remove Herbicid ter. The current re 2010) wherein the erences to patent	e end use product evision is made to t e container dispose ts and patent numb Section - II Water Soluble Pa Yes	label. BCS we the latest and al language w pers. No other	ould lik most o vas upor r chang	e to withdra current labe lated per Pl les have be	f Conta Pla: Gla	ainer tal stic ss	ejudice) t Herbicide -4. Attac e label.	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection 1. Material This Product Will Child-Resistant Packaging Yes No * Certification must be submitted 3. Location of Net Contents	I Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information	Remove Herbicid ter. The current re 2010) wherein the erences to patent	e end use product evision is made to t e container dispose is and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt	label. BCS withe latest and al language woers. No other lackaging No. per	ould lik most o vas upo r chang	e to withdra current labe lated per Pl les have be	f Conta Plas Gla Oth	nout pre move I e 2007 de to th einer tel stic ss per ter (Sp	ecify)	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection I. Material This Product Wil Child-Resistant Packaging Yes No Certification must be submitted I. Location of Net Contents	I Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information Container	Remove Herbicid ter. The current re 2010) wherein the erences to patent erences to patent No. per contøiner	e end use product evision is made to t e container dispose is and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container	label. BCS withe latest and al language woers. No other lackaging No. per	5. Loc	e to withdra current labe lated per Pl es have be 2. Type o	f Conta Plas Gla Oth	nout pre move I e 2007 de to th einer tel stic ss per ter (Sp	ecify)	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection I. Material This Product Wil Child-Resistant Packaging Yes No Certification must be submitted I. Location of Net Contents	I Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Information Container	Remove Herbicid ter. The current re 2010) wherein the erences to patent erences to patent No. per container 4. Size(s) Retai	e end use product evision is made to t e container dispose is and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container	label. BCS withe latest and al language withe latest and al language withers. No other latest shows a straight straights	5. Loc	e to withdra current labe lated per Pl es have be 2. Type o	f Conta Plas Gla Oth	nout pre move I e 2007 de to th einer tel stic ss per ter (Sp	ecify)	that no e (Appl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin I. Material This Product Wil Child-Resistant Packaging Yes No Certification must be submitted . Location of Net Contents LabelC Manner in Which Label is	Affixed to Product	Remove Herbicid ter. The current re 2010) wherein the erences to patent No. per container 4. Size(s) Retai Lithogra Paper gl Stencile	e end use product evision is made to t e container dispose ts and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container ph ued Section - IN	label. BCS withe latest and al language wither pers. No other ackaging No. per container	5. Loc	e to withdra current labe lated per Pl es have be 2. Type o	f Conta Plas Gla Doth	nout pre move l e 2007 de to th einer tal stic ss her (Sp rection	ecify)s	hat no e (Appl hed, pl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin I. Material This Product Wil Child-Resistant Packaging Yes No Certification must be submitted LabelC Manner in Which Label is I. Contact Point (Complete Name	Affixed to Product	Remove Herbicid ter. The current re 2010) wherein the erences to patent No. per container 4. Size(s) Retai Lithogra Paper gl Stencile	e end use product evision is made to t e container dispose ts and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container ph ued Section - IN	label. BCS withe latest and al language wither pers. No other mers. No other meckaging No. per container	5. Loc	e to withdra current labe lated per Pl es have be 2. Type o	f Conta A Noticen mace f Conta A Pap Oth bel Dir	ainer tal stic ss er (Sp ections	ecify) splication	hat no e (Appl hed, pl	tification ication
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflection 1. Material This Product Wil Child-Resistant Packaging Yes No * Certification must be submitted 3. Location of Net Contents Label C 3. Manner in Which Label is 1. Contact Point (Complete Name Mike See I certify that the state	Affixed to Product items directly below f	Remove Herbicid ter. The current re 2010) wherein the erences to patent No. per container 4. Size(s) Retai Lithogra Paper gl Stencile for identification T Certificati this form and a	e end use product evision is made to t e container dispose is and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container Package wgt Section - IN of individual to be itle Registration Mana on II attachments the	label. BCS withe latest and al language wither pers. No other ackaging No. per container	5. Loc if neco	e to withdra current labe lated per Pl es have be 2. Type o 	f Conta A Notice en mace f Conta A Ne Blas Gla Pap Oth bel Dir	e 2007 de to th e 2007 de to th einer tal stic ss her cections e this a phone b) 549-2	ecify) erify) s ecify) s pplicatio No. (Incl 2913 Receit	on.)	rea Code) ation
references to patents and pa and replace it with a notificat Dated 21 May 2010, as Ame one copy of the label reflectin 1. Material This Product Wil Child-Resistant Packaging Yes No Certification must be submitted 3. Location of Net Contents Label C 3. Manner in Which Label is 1. Contact Point (Complete Name Mike See I certify that the state I acknowledge that an	Affixed to Product items directly below f	Remove Herbicid ter. The current re 2010) wherein the erences to patent No. per container 4. Size(s) Retai Lithogra Paper gl Stencile for identification T Certificati this form and al misleading state	e end use product evision is made to t e container dispose is and patent numb Section - II Water Soluble Pa Yes No If "Yes" Package wgt I Container Package wgt Section - IN of individual to be itle Registration Mana on II attachments the	label. BCS withe latest and al language withe latest and al language wither sers. No other models and the latest and ackaging No. per container deckaging No. per container deckaging No. per container deckaging deckaging excented and the latest and deckaging No. per container deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging deckaging	5. Loc if neco	e to withdra current labe lated per Pl es have be 2. Type o 2. Type o 4. 	f Conta A Notice en mace f Conta A Ne Blas Gla Pap Oth bel Dir	e 2007 de to th e 2007 de to th einer tal stic ss her cection e this a phone b) 549-2	ecify) erify) s ecify) s pplicatio No. (Incl 2913 Receit	on. J	rea Code) ation



06 May 2011 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U. S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

- Attn: Ms. Kathryn Montague (PM 23) Mr. James Stone (PM Team 23)
- RE: Remove[™] Herbicide (EPA Reg. No. 264-663). Removal of Reference to Patents and Patent Numbers. **NOTIF** per PR Notice 98-10.

Dear Ms. Montague and Mr. Stone:

Bayer CropScience (BCS) previously submitted a notification per PR Notice 98-10 (Dated 02 May 2011) to inform the Agency that BCS was removing all references to patents and patent numbers from the Remove Herbicide end use product label. BCS would like to withdraw (without prejudice) that notification and replace it with a notification per this letter. The current revision is made to the latest and most current label for Remove Herbicide (Application Dated 21 May 2010, as Amended by e-mail 15 July 2010) wherein the container disposal language was updated per PR Notice 2007-4. Attached, please find one copy of the label reflecting the removal of all references to patents and patent numbers. No other changes have been made to the label.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Please contact me at your earliest convenience if you have any questions or require additional information.

Sincerely Mike See. Ph.D.

Registration Manager Phone: (919) 549-2913 Fax: (919) 549-2545 e-mail: mike.see@bayer.com

REMOVE[™] HERBICIDE

JUN - 2 2011

A Selective Herbicide For Use Exclusively To Eliminate Non-Glufosinate-Ammonium Tolerant Corn, Soybean and Cotton Plants In Seed Propagation.

ACTIVE INGREDIENT: glufosinate-ammonium: butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-,			
monoammonium salt		18.19%*	
INERT INGREDIENTS:		<u>81.81%</u>	-
*Equivalent to 1.67 pounds of active ingredient per U.S. gallon.	TOTAL	100.00%	

*Equivalent to 1.67 pounds of active ingredient per U.S. gallon.

EPA Reg No. 264-663

EPA Est. No. 407-IA-2

KEEP OUT OF REACH OF CHILDREN

WARNING – AVISO

Si usted no entiende la etiqueta, busque a alquien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

If swallowed	Rinse mouth thoroughly with plenty of water.				
	Do not induce vomiting.				
	Get medical attention immediately.				
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Get medical attention if irritation develops or persists.				
If on skin or clothing	Take off contaminated clothing.				
	Wash skin immediately with plenty of soap and water.				
	Get medical attention.				
If inhaled	Move person to fresh air.				
	Get medical attention if breathing difficulty develops.				
	For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577. he product container or label with you when calling a poison control center or doctor or going for treatment.				

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if absorbed through skin. Causes moderate eye irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

LCLG Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart. С сε

Applicators and other handlers must wear:

Coveralls worn over short-sleeved shirt and short pants; chemical-resistant gloves such as barrier laminate, butyl rubber 514 mils, nitrile rubber ≥14 mils, neoprene rubber ≥14 mils, polyvinyl chloride (PVC) ≥14 mils or Viton® ≥14 mils; chemical resistant footwear plus socks; protective eyewear. Wear a chemical resistant apron when mixing/loading and cleaning equipment. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detorgent and hot water. Keep and wash PPE separately from other laundry.

ι ι ιιιιι ι ι ιιτιί

εεεειε

ENGINEERING CONTROL STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [(40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. .
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. .
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash . thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from washing of equipment or containers must be disposed of by applying it to a use-site listed on this label or at an approved waste disposal facility. Unused product must be returned to Bayer CropScience or disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning, or puncture and dispose of in a sanitary landfill.

SEED DISPOSAL: To dispose of out-of-date or otherwise unmarketable seed from plants which have been treated with REMOVE™ Herbicide, broadcast and lightly incorporate seed into field soils using disc or other suitable implement. Any resulting crop may be destroyed by chemical or mechanical means. Alternatively, seed may be destroyed by deep burial, incineration or landfill disposal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product until you have read the entire label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REOUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry-interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls worn over short-sleeved shirt and short pants; chemicalresistant gloves such as barrier laminate, butyl rubber >14 mils, nitrile rubber >14 mils, neoprene rubber >14 mils, polyvinyl chloride (PVC) >14 mils or Viton >14 mils; chemical resistant footwear plus socks; protective eyewear.

دددر

ι ι ειειει

ccccc

GENERAL INFORMATION

REMOVE™ Herbicide is a water-soluble herbicide for foliar spray application to selectively eliminate plants that do not carry a gene that imparts tolerance to glufosinate-ammonium in corn, soybean and cotton seed production fields. REMOVE™ Herbicide may be applied to remove susceptible "segregates", i.e., undesirable corn, soybean and cotton plants that do not contain a glufosinate-ammonium tolerance gene during seed propagation. Inbred lines or breeding material not possessing the glufosinate amonium tolerance gene will be severely injured or killed if treated with this herbicide. CECE ŧ.

FOLIAR APPLICATION

Apply REMOVE™ Herbicide as a post-emergent foliar or directed spray to genetically modified cotton to kill susceptible "sogregates", and grass and broadleaf weeds. Inbred cotton plants not possessing the glufosinate-ammonium tolerant gene will be killed or injured. Apply REMOVE™ Herbicide only for seed propagation and screening-out inbred cotton plants not possessing the glufosinateammonium tolerant gene. ι ι ιιειι

USE PRECAUTIONS

Thorough spray coverage is necessary.

- For maximum effectiveness apply when cotton plants and weeds are small and actively growing.
- Herbicide effects will be visible within 2 to 4 days after application if applied when cotton plants and weeds are actively growing.
- Heavy dew, fog or mist, rain, stress due to drought, cool temperatures and extended periods of cloudiness following application
 may delay or reduce herbicide effects.
- Rainfall within 4 hours of application may necessitate a second application to achieve the herbicidal effect needed.
- Do not apply during windy weather which may result in drift to off-site vegetation.

CLEANING INSTRUCTIONS

Before using REMOVE[™] Herbicide, wash with a commercial cleaner and triple rinse sprayer. Make sure any rinsate or foam is removed from the spray tank and boom.

After using REMOVE[™] Herbicide, triple rinse the spray equipment and clean with a commercial tank cleaner before using for crops not labeled LibertyLink® or warranted by Bayer CropScience. Make sure any rinsate or foam is thoroughly removed from spray tank and boom. Rinsate may be disposed following the pesticide disposal directions on this label.

MIXING INSTRUCTIONS

REMOVE[™] Herbicide must be applied with properly calibrated and clean equipment. REMOVE[™] is specially formulated to mix readily in water. Prior to adding REMOVE[™] to the spray tank, ensure that the spray tank is thoroughly clean and free of other pesticides that may injure cotton. See above *Cleaning Instructions*.

Mix REMOVE™ Herbicide with water to make a finished spray solution as follows:

- 1. Fill the spray tank half-full with water.
- 2. Start agitation.
- 3. If mixing with a dry flowable/wettable powder tank mix partner listed on this label, prepare a slurry of the proper amount of the tank mix partner in a small amount of water. Add the slurry of dry materials to the spray tank.
- 4. If mixing with a liquid tank mix partner listed on this label, add the proper amount of the liquid tank mix partner.
- 5. Complete filling the spray tank with water.
- 6. Add the proper amount of REMOVE[™] Herbicide and continue agitation.
- 7. If foaming occurs, use a silicon-based anti-foam agent.

Flush out any air or water from the spray system lines before starting application to the crop. Keep bypass line on or near bottom of tank to minimize foaming.

If a tank mix partner specified on this label is added, maintain good agitation at all times until the contents of the tank is sprayed. If the spray mixture is allowed to settle, thorough agitation is required to resuspend the mixture before spraying is resumed. Keep bypass line on or near bottom of tank to minimize foaming. Screen size in nozzles or line strainers must be greater than 50 mesh.

APPLICATION DIRECTIONS FOR CORN AND SOYBEAN SEED PROPAGATION

APPLICATION TIMING

Applications of REMOVE[™] Herbicide on corn may be made from emergence until corn is 24" tall or in the V-8 stage of growth, i.e., 8 developed collars, whichever comes first. Applications of REMOVE[™] Herbicide on soybean may be made from emergence to the bloom growth stage. REMOVE[™] Herbicide is a foliar-active material with no soil-residual activity. Best results are obtained when applications are made to actively growing plants. REMOVE[™] Herbicide is rainfast 4 hours after application and rainfall within 4 hours may necessitate retreatment. Do not apply when wind causes drift to desirable vegetation as injury may occur.

RATE RECOMMENDATIONS

For the detection and control of susceptible corn "segregates", REMOVE[™] Herbicide may be applied at up to 40 fluid ounces (2.5 pints) per acre when corn is in the V-3 to V-4 stage of growth, i.e., 3 to 4 developed collars and may be repeated, if necessary, when the corn is in the V-6 to V-8 stage of growth or up to 24" tall.

For the detection and control of susceptible soybean "segregates", REMOVE™ Herbicide may be applied at up to 40 fluid ounces (2.5 pints) per acre when soybean is in the third trifoliate stage and may be repeated, if necessary, up to the bloom growth stage of soybean.

MIXING INSTRUCTIONS

	C L	C C C C
REMOVE [™] Herbicide must be mixed with water to make a finished spray solution as follows:	CCCCCC	
1. Fill the spray tank with the required amount of water.	ι. ι.	
2. Add the proper amount of this product and mix.		

APPLICATION METHODS

Ground Application: REMOVE™ Herbicide should be applied broadcast in a minimum of 10 gallons of water per acré. Élăt fan nozzles are recommended. Use a spray pressure of 30 to 40 pounds per square inch.

c

CLLCLL

NOTES FOR REMOVE™ HERBICIDE FOLIAR APPLICATIONS TO CORN OR SOYBEAN WHICH IS BEING GROWN FOR GLUFOSINATF-AMMONIUM TOLERANT SEED PROPAGATION

- Apply REMOVE™ Herbicide exclusively to corn or sovbean seed production fields in which the desired plants are glufosinate-1. ammonium tolerant.
- Seed from treated plants must only be used for breeding purposes, commercial corn hybrids or commercial soybean varieties. 2. Seed from treated plants must be labeled as follows: "Do not use for feed, food or oil purposes".
- DO NOT use treated corn grain, forage, silage or fodder for food, feed or oil purposes. З.
- 4.....DO NOT use treated soybeans, forage, hay, straw or vines for food, feed or oil purposes.
- **DO NOT** apply this product through any type of irrigation system. 5.

. .

- Take necessary precautions such as hooded sprayers and not spraying in windy conditions to minimize drift to desirable plants that 6. do not contain a glufosinate-ammonium tolerance gene.
- Thoroughly triple rinse sprayer and use a commercial tank cleaner before using in other crops. Make sure any rinsate or foam is 7. thoroughly removed from spray tank and boom. Rinsate may be disposed of in noncrop areas that do not contain desirable vegetation.
- DO NOT apply more than two applications of REMOVE™ Herbicide to the corn or soybean crop. DO NOT exceed 80 ounces of 8. REMOVE[™] Herbicide on corn or soybean per growing season.

APPLICATION DIRECTIONS FOR COTTON SEED PROPAGATION

INSTRUCTIONS FOR SEED HANDLING, STORAGE, AND USE

Seed from treated cotton plants must be held in secured storage until used for planting purposes or destroyed. Seed from treated cotton plants must be labeled as follows: "Do Not Use for Feed or Food Purposes. Store Away from Feed and Food Stuffs." In addition, label the planting-seed with the "Seed Disposal" statements found in the "Storage and Disposal" section of this label.

RESTRICTIONS TO THE DIRECTIONS FOR USE IN COTTON SEED PROPAGATION

- DO NOT use cottonseed, gin trash or any cottonseed processed commodities obtained from plants treated with REMOVE™ 1 Herbicide for food or feed consumption.
- DO NOT apply more than 40 fluid ounces per acre of REMOVE™ Herbicide to cotton in a single application. 2.
- 3. **DO NOT** apply more than 80 fluid ounces per acre of REMOVE™ Herbicide to cotton per season.
- DO NOT plant rotation crops in a field treated with REMOVE™ Herbicide for 120 days or more after the last application of this 4. product with the exception of wheat, barley, buckwheat, millet, oats, rye, sorghum, and triticale which may be planted 70 days or more after the last application of this product. Corn, soybeans, canola, or sugarbeets tolerant to glufosinate-ammonium may be planted at any time.
- **DO NOT** apply this product through any type of irrigation system. 5.

APPLICATION METHODS FOR COTTON SEED PROPAGATION

Uniform, thorough spray coverage is important to achieve consistent weed control. For best results, use flat-fan nozzles.

Ground Application: REMOVE™ Herbicide should be applied broadcast in a minimum of 15 gallons of water per acre. Use a spray volume of 20 to 40 gallons of water per acre under dense weed and crop populations so that thorough spray coverage will be obtained. Apply REMOVE™ Herbicide using 80-degree or 110-degree flat-fan nozzles. Select a sprav pressure between 30 to 60 pounds per square inch (measured at the nozzle) that will achieve a droplet size of about 300 microns. If Turbo TeeJet[®] spray tips are used, a spray pressure of 60 or more pounds per square inch will be required to get thorough coverage of the weed and crop foliage. Flood-jet nozzles, raindrop nozzles, controlled droplet application equipment or air-assisted spray equipment do not provide adequate coverage and are not recommended.

Do not apply when winds are gusty or when conditions will favor movement of spray particles off the desired spray target as injury to off-site vegetation may occur. Apply REMOVE™ Herbicide with the spray boom as low as possible while maintaining a uniform spray pattern. **ιιι** ι

Rate Recommendations and Timing for Cotton Seed Propagation

For the selection of susceptible cotton plant "segregates", apply REMOVE™ Herbicide as an over-the-top foliar spray or as a postdirected spray from emergence up to the early bloom stage. Up to 40 fluid ounces of REMOVE™ Herbicide per acre may be used per application. Do not apply more than 80 fluid ounces per acre of REMOVE™ Herbicide per season.

ccc

Ç,

TANK MIX RECOMMENDATIONS FOR USE IN COTTON SEED PROPAGATION

REMOVE™ Herbicide may be applied in tank mix combination with labeled rates of the herbicides listed below, provided that the herbicide is needed for weed control. The tank mix must be used in accordance with label instructions. Notabel dosage tates may be exceeded. REMOVETM Herbicide cannot be mixed with any product containing a label prohibition against such mixing Refer to the specific crop section for rate recommendations and other restrictions. The following herbicides may be mixed with REMOVE™ Herbicide to enhance weed control and provide residual control.

AlM[™] Herbicide Caparol[®] 4L Herbicide Cotoran[®] 4L Herbicide Cotoran[®] DF Herbicide Glyphosate Direx[®] 4L Herbicide Direx[®] 80DF Herbicide Karmex[®] DF Herbicide MSMA Pendimex[™] 3.3 Herbicide Prowl[®] 3.3EC Herbicide Staple[®] Herbicide

APPLICATION DIRECTIONS FOR CORN SEED TREATMENT

REMOVE^{IM}-Herbicide may be applied as a seed treatment for the control of susceptible corn "segregates" during the propagation of glufosinate-ammonium tolerant seed. Apply REMOVE Herbicide to seed in liquid or slurry treaters at a rate of up to 80 fluid ounces per 100 pounds of seed. REMOVE Herbicide may be applied with other registered seed treatment insecticides and fungicides.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Federal law requires that bags containing the treated seed shall be labeled with the following statement: "This seed has been treated with glufosinate-ammonium herbicide. Do not use for feed, food or oil purposes. Store away from feed and foodstuffs". In addition, label treated corn seed with the "Seed Disposal" statements found in the "Storage and Disposal" section of this label.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

Remove is a trademark of Bayer. Pendimex is a trademark of Dow AgroSciences. Karmex and Staple are registered trademarks of E.I. duPont de Nemours and Co. Aim is a trademark of FMC Corporation. Cotoran is a registered trademark of Makhteshim Agan North America. Direx is a registered trademark of Griffin Corporation.



Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

Remove Herbicide (MASTER) Approved 5/1/02, Notification 05/24/10, Notification 05/06/2011

