


264-1036

8/23/2011

jacket 10417

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p>	<p>EPA Reg. Number: 264-1036</p>	<p>Date of Issuance: AUG 23 2011</p>
	<p>Terms of Issuance: Unconditional</p>	
<p>NOTICE OF PESTICIDE: <u>XX</u> Registration <u>XX</u> Reregistration (under FIFRA, as amended)</p>	<p>Name of Pesticide Product: TRILEX® ADVANCED PAK</p>	
<p>Attention: Mel Tolliver Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p>EPA received a label amendment request submitted by email on August 18, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for Triadimefon and Tolerance Reassessment for Triadimenol have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p>		
<p>Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.</p>		
<p>If you have any questions or comments regarding this letter, please contact Heather Garvie at (703) 308-0034 or via e-mail at garvie.heather@epa.gov.</p>		
<p>Signature of Approving Official:  Tony Kish Product Manager (Team 22) Fungicide Branch Registration Division</p>	<p>Date: AUG 23 2011</p>	

2017

TRILEX[®] ADVANCED PAK

TRILEX[®] ADVANCED PAK is a multi-pack that contains 64 fl. oz of TRILEX Flowable Fungicide (Component A), 25 fl. oz. of BAYTAN[®] 30 Flowable Fungicide (Component B) and 75 fl. oz. of ALLEGIANCE[®]-FL Seed Treatment Fungicide (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON COTTON SEED. Do not use any component separately.

TRILEX[®] FLOWABLE FUNGICIDE

ACTIVE INGREDIENT:

Trifloxystrobin22%

OTHER INGREDIENTS78%

TOTAL100%

BAYTAN[®] 30 FLOWABLE FUNGICIDE

ACTIVE INGREDIENT:

Triadimenol.....30%

OTHER INGREDIENTS70%

TOTAL100%

ALLEGIANCE[®]-FL SEED TREATMENT FUNGICIDE

ACTIVE INGREDIENT:

Metalaxyl.....28.35%

OTHER INGREDIENTS.....71.65%

TOTAL100.00%

EPA Reg. No.264-1036

EPA Est.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes skin irritation. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants, socks and chemical-resistant footwear and chemical-resistant gloves (such as barrier laminate, nitrile rubber > 14 mils, butyl rubber > 14 mils, neoprene rubber > 14 mils or Viton > 14 mils). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spilled treated seeds, complying with any regulations.

Groundwater Advisory: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

Pesticide Storage: Store in a cool dry location. Do not store in direct hot sunlight. Do not store above 90°F for prolonged periods of time. After prolonged storage in intense cold, allow product to return to approximately 75°F before using.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Rigid Non-refillable containers small enough to shake (capacities equal to or less than 5 gallons).

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Offer for recycling, if available. If not recycled, then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

USE PRECAUTION

Seed treated commercially or for sale must be dyed an unnatural color using an EPA approved dye before being sold.

LABELING OF TREATED SEED

Seed treated commercially or for sale with TRILEX ADVANCED PAK must be labeled in accordance with all applicable requirements of the Federal Seed Act. All bags containing treated seed must be labeled or tagged as follows:

- "This seed has been treated with trifloxystrobin, triadimenol and metalaxyl.
- Do not use for feed, food or oil purposes.
- Store away from feed and food.
- Do not plant any crop without trifloxystrobin tolerances until 30 days after planting treated seed."

PRODUCT INFORMATION

TRILEX Flowable Fungicide provides seed and seedling protection against seed-borne fungi causing seed decay and the soil-borne pathogen, *Rhizoctonia solani*. BAYTAN 30 Flowable Fungicide provides protection against seedling diseases caused by *Thielaviopsis basicola* (suppression; for control, total amount of triadimenol should equal 0.021 to 0.062 lbs ai/100 pounds of seed) and *Rhizoctonia solani*. ALLEGIANCE-FL Seed Treatment Fungicide provides control of Pythium rot and damping-off.

DIRECTIONS FOR USE

TRILEX ADVANCED PAK contains 64 fl. oz. of TRILEX Flowable Fungicide, 25 fl. oz. of BAYTAN 30 Flowable Fungicide and 75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide. TRILEX ADVANCED PAK will treat approximately 5 bulk boxes or 100 hundredweights of cotton seed. Apply all three components of TRILEX ADVANCED PAK together at the following application rates: 0.64 fl. oz. of TRILEX Flowable Fungicide (Component A) per 100 pounds of cotton seed, 0.25 fl. oz. of BAYTAN 30 Flowable Fungicide (Component B) per 100 pounds of cotton seed and 0.75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide (Component C) per 100 pounds of cotton seed. Use commercial seed treating equipment. Do not use in a hopper box, planter box, slurry box or other farmer-applied applications.

ROTATIONAL CROP RESTRICTIONS

Areas planted with treated seed may be replanted immediately with any crop for which tolerances exist for trifloxystrobin, triadimenol and metalaxyl. Do not plant any crop without trifloxystrobin tolerance until 30 days after planting treated seed.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

TRILEX, BAYTAN and ALLEGIANCE are registered trademarks of Bayer

Hundred Weight of Seed to be Treated	Fluid Ounces of Product to Apply		
	Component A	Component B	Component C
1	0.64	0.25	0.75
2	1.28	0.5	1.5
3	1.92	0.75	2.25
4	2.56	1	3
5	3.2	1.25	3.75
6	3.84	1.5	4.5
7	4.48	1.75	5.25
8	5.12	2	6
9	5.76	2.25	6.75
10	6.4	2.5	7.5
11	7.04	2.75	8.25
12	7.68	3	9
13	8.32	3.25	9.75
14	8.96	3.5	10.5
15	9.6	3.75	11.25
16	10.24	4	12
17	10.88	4.25	12.75
18	11.52	4.5	13.5
19	12.16	4.75	14.25
20	12.8	5	15
21	13.44	5.25	15.75
22	14.08	5.5	16.5
23	14.72	5.75	17.25
24	15.36	6	18
25	16	6.25	18.75
26	16.64	6.5	19.5
27	17.28	6.75	20.25
28	17.92	7	21
29	18.56	7.25	21.75
30	19.2	7.5	22.5
31	19.84	7.75	23.25
32	20.48	8	24
33	21.12	8.25	24.75
34	21.76	8.5	25.5
35	22.4	8.75	26.25
36	23.04	9	27
37	23.68	9.25	27.75
38	24.32	9.5	28.5
39	24.96	9.75	29.25
40	25.6	10	30
41	26.24	10.25	30.75
42	26.88	10.5	31.5
43	27.52	10.75	32.25
44	28.16	11	33
45	28.8	11.25	33.75
46	29.44	11.5	34.5
47	30.08	11.75	35.25
48	30.72	12	36
49	31.36	12.25	36.75
50	32	12.5	37.5

**TRILEX
ADVANCED PAK
Application Rate
Card**

7 of 17

Hundred Weight of Seed to be Treated	Fluid Ounces of Product to Apply		
	Component A	Component B	Component C
51	32.64	12.75	38.25
52	33.28	13	39
53	33.92	13.25	39.75
54	34.56	13.5	40.5
55	35.2	13.75	41.25
56	35.84	14	42
57	36.48	14.25	42.75
58	37.12	14.5	43.5
59	37.76	14.75	44.25
60	38.4	15	45
61	39.04	15.25	45.75
62	39.68	15.5	46.5
63	40.32	15.75	47.25
64	40.96	16	48
65	41.6	16.25	48.75
66	42.24	16.5	49.5
67	42.88	16.75	50.25
68	43.52	17	51
69	44.16	17.25	51.75
70	44.8	17.5	52.5
71	45.44	17.75	53.25
72	46.08	18	54
73	46.72	18.25	54.75
74	47.36	18.5	55.5
75	48	18.75	56.25
76	48.64	19	57
77	49.28	19.25	57.75
78	49.92	19.5	58.5
79	50.56	19.75	59.25
80	51.2	20	60
81	51.84	20.25	60.75
82	52.48	20.5	61.5
83	53.12	20.75	62.25
84	53.76	21	63
85	54.4	21.25	63.75
86	55.04	21.5	64.5
87	55.68	21.75	65.25
88	56.32	22	66
89	56.96	22.25	66.75
90	57.6	22.5	67.5
91	58.24	22.75	68.25
92	58.88	23	69
93	59.52	23.25	69.75
94	60.16	23.5	70.5
95	60.8	23.75	71.25
96	61.44	24	72
97	62.08	24.25	72.75
98	62.72	24.5	73.5
99	63.36	24.75	74.25
100	64	25	75

PRODUCED FOR



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

Trilex Advanced Pak (PENDING) 07/21/2011, Resubmitted 08/17/2011

TRILEX[®] ADVANCED PAK

TRILEX ADVANCE PAK is a multi-pack that contains 64 fl. oz. of TRILEX Flowable Fungicide (Component A), 25 fl. oz. of BAYTAN 30 Flowable Fungicide (Component B) and 75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON COTTON SEED. Do not use any component separately.

COMPONENT A

TRILEX[®] Flowable Fungicide

ACTIVE INGREDIENT:

Trifloxystrobin22%

OTHER INGREDIENTS:78%

TOTAL 100%

EPA Reg. No. 264-1036

EPA Est.

KEEP OUT OF REACH OF CHILDREN CAUTION

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, socks plus shoes, chemical-resistant gloves made of any waterproof material, such as barrier laminate > 14 mils, butyl rubber > 14 mils, nitrile rubber > 14 mils, neoprene rubber > 14 mils, polyvinyl chloride > 14 mils and Viton > 14 mils and protective eyewear.

Engineering Controls: When handlers use closed systems in a manner that meets the requirements listed in the Worker protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spilled treated seeds, complying with any local regulations.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PROHIBITIONS:

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

STORAGE

Store in a cool dry location.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Rigid Non-refillable containers small enough to shake (capacities equal to or less than 5 gallons).

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Offer for recycling, if available. If not recycled, then puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, chemical-resistant gloves made of any waterproof material, such as barrier laminate > 14 mils, butyl rubber >14 mils, nitrile rubber >14 mils, neoprene rubber >14 mils, polyvinyl chloride (PVC) > 14 mils and Viton > 14 mils, shoes plus socks and protective eyewear.

DIRECTIONS FOR USE

TRILEX ADVANCED PAK contains 64 fl. oz. of TRILEX Flowable Fungicide, 25 fl. oz. of BAYTAN 30 Flowable Fungicide and 75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide. TRILEX ADVANCED PAK will treat approximately 5 bulk boxes or 100 hundredweights of cotton seed. Apply all three components of TRILEX ADVANCED PAK together at the following application rates: 0.64 fl. oz. of TRILEX Flowable Fungicide (Component A) per 100 pounds of cotton seed, 0.25 fl. oz. of BAYTAN 30 Flowable Fungicide (Component B) per 100 pounds of cotton seed and 0.75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide (Component C) per 100 pounds of cotton seed. Use commercial seed treating equipment.

1109 17

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET CONTENTS: 2 QT.

TRILEX, BAYTAN and ALLEGIANCE are registered trademarks of Bayer

PRODUCED FOR



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

Trilex Advanced Pak Comp A (Pending) 07-21-11, Resubmitted 08/17/2011

TRILEX[®] ADVANCED PAK

TRILEX[®] ADVANCED PAK is a multi-pack that contains 64 fl. oz. of TRILEX[®] Flowable Fungicide (Component A), 25 fl. oz. of BAYTAN[®] 30 Flowable Fungicide (Component B) and 75 fl. oz. of ALLEGIANCE[®]-FL Seed Treatment Fungicide (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON COTTON SEED. Do not use any component separately.

COMPONENT B

BAYTAN[®] 30 Flowable Fungicide

ACTIVE INGREDIENT:

Triadimenol30%

OTHER INGREDIENTS:70%

TOTAL 100%

Contains 2.65 pounds Triadimenol per gallon

EPA Reg. No. 264-1036

EPA Est.

KEEP OUT OF REACH OF CHILDREN CAUTION

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt, long pants, shoes, socks, and chemical resistant gloves (such as or made out of any waterproof material, selection Category A). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, chewing tobacco or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover treated seeds that are visible on soil surface, especially in end rows and turn areas. Clean up spilled treated seeds to reduce exposure to wildlife.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE

Store in a cool, dry place.

PESTICIDE DISPOSAL

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Rigid Non-refillable containers small enough to shake (capacities equal to or less than 5 gallons).

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Offer for recycling, if available. If not recycled, then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

TRILEX ADVANCED PAK contains 64 fl. oz. of TRILEX Flowable Fungicide, 25 fl. oz. of BAYTAN 30 Flowable Fungicide and 75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide. TRILEX ADVANCED PAK will treat approximately 5 bulk boxes or 100 hundredweights of cotton seed. Apply all three components of TRILEX ADVANCED PAK together at the following application rates: 0.64 fl. oz. of TRILEX Flowable Fungicide (Component A) per 100 pounds of cotton seed, 0.25 fl. oz. of BAYTAN 30 Flowable Fungicide (Component B) per 100 pounds of cotton seed and 0.75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide (Component C) per 100 pounds of cotton seed. Use commercial seed treating equipment.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET CONTENTS: 1 PT. 9 FL.OZ.

TRILEX, BAYTAN and ALLEGIANCE are registered trademarks of Bayer

PRODUCED FOR



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

Trilex Advanced Pak Comp B (Pending) 07/21/2011, Resubmitted 08/17/2011

TRILEX[®] ADVANCED PAK

TRILEX[®] ADVANCED PAK is a multi-pack that contains 64 fl. oz. of TRILEX Flowable Fungicide (Component A), 25 fl. oz. of BAYTAN[®] 30 Flowable Fungicide (Component B) and 75 fl. oz. of ALLEGIANCE[®]-FL Seed Treatment Fungicide (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON COTTON SEED. Do not use any component separately.

COMPONENT C

ALLEGIANCE-FL Seed Treatment Fungicide

ACTIVE INGREDIENT:

Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester28.35%

OTHER INGREDIENTS:71.65%

TOTAL 100.00%

Contains 2.65 pounds Metalaxyl per gallon

EPA Reg. No. 264-1036

EPA Est.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Causes skin irritation. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: Coveralls over short-sleeved shirt and short pants, socks and chemical resistant footwear and chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate). Follow manufacturer's instructions for

160417

cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory: This chemical is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

IMPORTANT: Read the entire **Directions for Use** and the **Limited Warranty Statement** before using this product.

STORAGE AND DISPOSAL

PROHIBITIONS:

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE

Store in a cool dry location. Do not store in direct hot sunlight. Do not store above 90°F for prolonged periods of time. After prolonged storage in intense cold, allow product to return to approximately 75°F before using.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Rigid Non-refillable containers small enough to shake (capacities equal to or less than 5 gallons).

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Offer for recycling, if available. If not recycled, then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, socks and chemical resistant footwear, chemical-resistant gloves made of any waterproof material, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, and protective eyewear.

DIRECTIONS FOR USE

TRILEX ADVANCED PAK contains 64 fl. oz. of TRILEX Flowable Fungicide, 25 fl. oz. of BAYTAN 30 Flowable Fungicide and 75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide. TRILEX ADVANCED PAK will treat approximately 5 bulk boxes or 100 hundredweights of cotton seed. Apply all three components of TRILEX ADVANCED PAK together at the following application rates: 0.64 fl. oz. of TRILEX Flowable Fungicide (Component A) per 100 pounds of cotton seed, 0.25 fl. oz. of BAYTAN 30 Flowable Fungicide (Component B) per 100 pounds of cotton seed and 0.75 fl. oz. of ALLEGIANCE-FL Seed Treatment Fungicide (Component C) per 100 pounds of cotton seed. Use commercial seed treating equipment.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT ALLOWED BY LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET CONTENTS: 2 QT. 11 FL. OZ.

TRILEX, BAYTAN and ALLEGIANCE are registered trademarks of Bayer

PRODUCED FOR



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

TRILEX ADVANCED PAK Comp C (Pending) 07/21/2011, Resubmitted 08/17/2011