454



NET WT.

6 LBS.

ACCEPTED

R THE FEDERAL INSECTICION

JC JIDSBE ለህወ ድርጥናሌ፣[በርካይ ACT

FOR LCONOMIC FOISON REGISTER-ED UNDER NO SUBJECT

COPPER COMPOUND No. 53

FOR USE IN THE CONTROL OF CERTAIN FUNGOUS DISEASES OF PLANTS.

U. S. D. A. Reg. No. 279-423 ACTIVE INGREDIENTS:

*Copper expressed as metallic ---- 53.0%

100.0%

*The copper is in the form of basic copper sulphate.

CAUTION

HARMFUL IF SWALLOWED.

USAGE CAUTIONS

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

Rinse equipment and dispose of wastes in noncrop lands away from water supplies. Bags should be disposed of by burying with wastes or by burning. Keep out of smoke.



NIAGARA CHEMICAL DIVISION FMC CORPORATION MIDDLEPORT N. Y.

DIRECTIONS FOR USE

For Early and Late Blight of Potatoes use 4 lbs. in 100 gallons of water. Start applications when the plants are 6 inches high and continue at 7 to 10 day intervals. Do not apply more than 150 gallons of finished spray per acre.

For Early and Late Blight and Anthracnose of Tomatoes, use 4 lbs. in 100 gallons of water. Apply twice in seed beds and at intervals of 10 days to two weeks until Tomatoes are picked. Do not apply more than 150 gallons of finished spray per acre.

For Early and Late Blight of Celery use 4 lbs. in 100 gallons of water and make weekly applications. Do not apply more than 125 gallons of finished spray per acre.

For Downy Mildew of Cucumbers use 2 lbs. plus 2 lbs. of Hydrated Spray Lime in 100 gallons of water and apply at weekly intervals. Do not apply more than 125 gallons of finished spray per acre.

For Black Rot and Downy Mildew of Grapes use 2 lbs. plus 2 lbs. of Hydrated Spray Lime in 100 gallons of water. Apply when first leaves appear, before blossoms open, after petal fall and after at 2 week intervals until within two weeks of harvest. Do not apply more than 75 gallons of finished spray per acre.

a sticker is desired in the above sprays, use 1/2 lb. owdered Zinc Sulphate plus 1/2 lb. Hydrated Spray Lime er 100 gallons of water.

This material is compatible with organic insecticides, such as Pyrethrum, Derris, Cube, Nicotine Alkaloid (Black Leaf 155) DDT, and Arsenicals.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESTRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the lobel, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKE NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out a handling or use of the product attributable to such causes. No person is authorized to waive any statement contained herein.

109-454

Printed in U. S. A.