

Code 1040

Net Contents
Gallons

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification

Phoskil® 6 Miscible

DANGER—POISON— PRECAUTIONS



DO NOT SWALLOW

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if inhaled.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



DO NOT BREATHE

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Insecticide

EPA Reg. No. 279-1019 EPA Est. 279-

Active Ingredients
†Parathion
Inert Ingredients

By Wt
62.50%
37.50%
100.00%

10, O-Diethyl O-p-nitrophenyl thiophosphate
Contains 6.0 lbs. Parathion per gallon

BEST DOCUMENT AVAILABLE

STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach
of children

POISON

See side panels
for antidote
and precautions

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. (4) Wear heavy duty, natural rubber gloves.

ACCEPT

NOV 21 1980

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 279-1019

FMC

FMC Corporation
Agricultural Chemical Group
2000 Market Street
Philadelphia PA 19103

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

FOR EMERGENCY ASSISTANCE CALL
716-735-3765
POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

Environmental Hazards

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not allow this material to drift onto neighboring crop or noncrop areas, or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur.

Physical or Chemical Hazards

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not store below 0° F. Keep container closed. Leaking packages should be removed to a safe place. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in an approved landfill or bury in a safe place. Do not cut or weld this container. Do not reuse this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

This material is a concentrated formulation of parathion containing six pounds of active ingredient per gallon. One pint of this material contains the same amount of parathion as five pounds of a 15% wettable powder formulation.

Do not use in undiluted form.

Beans: for control of Aphids, Leafhoppers, Thrips, Leafminers - Use 1/4 pint per 100 gals. water or 1/4 pint per acre. Do not apply within 15 days of harvest.

Broccoli, Cabbage, Brussels Sprouts, Cauliflower, Collards, Kale, Kohlrabi, Lettuce, and Greens, Rutabaga, Turnips: for control of Aphids, Thrips, Cabbage-worm, Diamondback Moth - Use 1/4 pint per 100 gals. water or 1/4 pint per acre. Do not apply within 7 days of harvest.

Cucumbers, Squash (Summer and Winter), Melons, Pumpkins: for control of Thrips, Aphids, Leafminers, Melonworms, Pickleworms, Leafhoppers, Mites - Use 1/4 pint per 100 gallons of water or 1/4 pint per acre. Do not apply to cucurbits unless plants are dry. Make no application before plants start to vine. Do not apply to Cucumbers or Squash within 15 days of harvest, to Pumpkins within 10 days of harvest, nor to Melons within 7 days of harvest.

Grapefruit, Kumquat, Lemon, Lime, Orange, Tangelo, Tangerine: for control of Florida Red Scale, Purple Scale, Snow Scale, Yellow Scale, Mealybugs - Use two (2) pints per 500 gallons of water. Do not apply within 14 days of picking. Do not use more than 1300 gals. finished spray per acre.

Lettuce, Spinach: Aphids - Use 1/4 pint per acre in sufficient water to cover for ground or air application. Do not apply within 21 days of harvest.

Peaches (Areas other than California): for control of Plum Curculio, Catfacing Insects, Oriental Fruit Moth, Aphids, Peachtree and Lesser Peachtree Borer, Mites, Cottoncushion Scale - Use two (2) pints per 500 gals. water. Do not apply within 14 days of picking. Do not apply more than 1300 gals. finished spray per acre. Do not apply more than 5 lbs. of actual parathion per acre per year.

Tobacco: for control of Aphids, Suckly, Splitworm, Vegetable Weevil - Use 1/4 pint per acre in sufficient water to cover for ground or air application. Do not use within 5 days of pruning or 14 days of cutting. Avoid contact with plant juices when cutting the crop.

Tomatoes: for control of Leafminers and Mites - Use 1/4 pint per 100 gals. water or 1/4 pint per acre. Do not apply within 10 days of harvest.

Dealers Should Sell in Original Packages Only.**Terms of Sale or Use**

On purchase of this product buyer and user agree to the following conditions. **Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

BEST DOCUMENT AVAILABLE