

CODE [279-1179] Lof2
1298

NET WEIGHT
50 LBS.

KOLODUST[®] MALATHION 4 DUST

FUNGICIDE-INSECTICIDE

DIRECTIONS FOR USE

Start applications after petal-fall and repeat at 7 to 10 day intervals or more often as required to maintain control. Dust fruit and foliage thoroughly. Observe use limitations. Observe days interval between last application and harvest as indicated in following the crop.

APPLES (3): Scab, Aphids, Mites, Mealybug, Codling Moth, Curculio, Leaf Rollers - Use 40 to 50 pounds per acre.

PEACHES (7): Scab, Brown Rot, Oriental Fruit Moth, Curculio, Mites - Use 40 to 50 pounds per acre.

Applications of dusting or spraying materials containing Sulfur should not be made just prior to or during periods of excessively high summer temperatures.

Nov 20, 1968

USDA REG. NO. 279-1179

ACTIVE INGREDIENTS:

Sulfur	72.0%
†Malathion	4.0%

INERT INGREDIENTS: 24.0%

100.0%

†O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

Sulfur fineness 98% thru 325 mesh

This product contains Bentonite Sulfur. Bentonite Sulfur is made by the absorption of fused sulfur into Bentonite in the proportion of thirty parts sulfur and seventy parts Bentonite. A portion of the sulfur particles are very minute, some of them colloidal. The process of granulation and the character of the sulfur particles impart to the product distinctive properties with respect to toxicity to certain fungi, persistence on plants, suspensibility in spray tank and safety to host plants.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.


CAUTION KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid prolonged breathing of dust. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion, upon repeated prolonged or careless use, may cause cholinesterase inhibition. Atropine is antidotal.

DISPOSAL WARNING: Dispose of wastes by burying in non-crop lands away from water supplies. Burn bag. Keep out of smoke.

{279-1179} 2062



LABEL

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THE MATERIAL TO FREE FLOW NEAR BORING. IF POSSIBLE, USE PLAKAS OR USE IN A MANNER WHICH ALLOWS LESS THAN 1/2 INCH ACCORDING WITH STANDARDS FOR THE ANIMAL, PLANT OR CROP IN USE. HIGHLIGHTS OF OTHER UNDESIRABLE RESULTS MAY OCCUR.

Effects of salt on the development of the *Chrysanthemum* flower bud.

W A N D A L I S M T H E C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y
T H E C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y
C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y
C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y C O M M U N I T Y

Digitized by srujanika@gmail.com



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK



THE UNIVERSITY OF TORONTO LIBRARIES
UNIVERSITY OF TORONTO LIBRARY