

CODE
1300

TOXAKIL 20 PHOSKIL 2 DUST

Net Contents
50 LBS.

INSECTICIDE

DIRECTIONS FOR USE

This material is for use in dust applications for the control of certain insects attacking cotton and vegetable crops.

Applications should be made at the rate of 15 to 20 pounds per acre, depending upon the size of the plants. On rank vegetation, such as large tomato and potato plants, highest dosages may be required. Repeat applications as required to maintain effective control. Best results will be obtained if applications are made when the air is calm. Applications which are washed off by rain within 24 hours should be repeated.

BEANS: Thrips, aphids, armyworms, Mexican bean beetle, leaf roller, cabbage loopers, leaf miner, red spider mites - Do not apply within 7 days of harvest. Do not feed treated vines to dairy animals or animals being finished for slaughter.

BROCCOLI: Aphids, armyworms, diamond-back moth larvae, imported cabbageworms - Do not apply after edible parts begin to form or within 30 days of harvest.

CABBAGE: Aphids, climbing cutworms, thrips, armyworms, diamond-back moth larvae, imported cabbageworms - Do not apply after heads start to form.

LETTUCE: Aphids, cucumber beetles, climbing cutworms, cabbage loopers - Do not apply after seedling stage on leaf lettuce. Do not apply after heads begin to form on head lettuce.

PEPPERS: Climbing Cutworms, flea beetles, cucumber beetles, aphids, serpentine leaf miner - Do not apply after peppers begin to form.

TOMATOES: Aphids, Colorado potato beetle, flea beetles, leafhoppers, thrips, whitefly, serpentine leaf miner - Do not apply on tomatoes within 10 days of harvest.


COTTON: Boll weevil, bollworms, legworm, jugs bugs, stink bugs, fleahoppers, aphids, red spiders, grasshoppers - Do not hand pick or harvest within 7 days of application. Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season. Do not feed trash from treated cotton to such animals. For stink bugs on cotton use 30 pounds per acre; do not apply after bolls begin to open.

E. P. A. Reg. No. 279-1225

ACTIVE INGREDIENTS:

*Toxaphene	20.0%
**Parathion	2.0%
INERT INGREDIENTS:	78.0%
	<u>100.0%</u>

*Technical chlorinated camphene 67-69% chlorine
**O,O-Diethyl O-p-nitrophenyl thiophosphate



KEEP OUT OF REACH OF CHILDREN

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

WARNING: POISONOUS. If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

For emergency assistance call
716-735-3765

USAGE CAUTIONS


WARNING: Continuous exposure of the dusting crews to this product is undesirable at any time. Should symptoms of illness occur, the individual should be removed from the operation and taken to a doctor at once.

Workers entering treated areas within 24 hours of application should wear protective clothing.


This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when runoff is likely to occur. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn containers; bury with wastes.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ON TO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USE: On purchase or use of this product, buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, if purchased by Niagara, conforms to the ingredients and name on the label, and that it is reasonably fit for the purpose stated in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer and user's exclusive remedy for claims for breach of warranty or negligence shall be the purchase price of the product. Damages, including consequential damages, for which a claim may be asserted to Niagara shall be limited to the purchase price of the product. Buyer and user hereby release, defend, indemnify and hold Niagara harmless for such damages.

EXCUSE FROM NON-CONTROLTABLE: Niagara shall not be liable for claims for damages, including consequential damages, for which Niagara has no control, and user, as a condition of purchase or use, assumes responsibility for and releases Niagara from liability arising out of the handling or use of the product attributable to such damages. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION

