CODE

20036

TOXAKIL **PHOS** 10

INSECTICIDE

Directions For Use

For best results application should be made when the air is calm. Make repeated applications during the growing season as required to protect the plants and crops as they develop.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER: Aphids, Imported cabbage worm, Cabbage looper, Serpentine leafminer, Armyworm, Cabbage webworms, Climbing cutworms, Thrips - Use 20 pounds per acre.

Do not apply after heads start to form on cabbage.

Do not apply on broccoli, Brussels sprouts and cauliflower after edible parts begin to form or within 30 days of harvest.

PEPPER: Aphids, Armyworms, Climbing cutworms, Thrips, Fleabeetle, Leafhoppers - Use 20 pounds per acre. Do not apply to peppers within 15 days of harvest.

CORN: Corn earworm or Fall Armyworm (Feeding in the whorl) - Use 20 - 30 pounds per acre. Repeat weekly or more often depending on the severity of the infestation. Do not feed forage to dairy animals or animals being finished for slaughter. Do not apply within 12 days of harvest.

U. S. D. A. Reg. No. 279-1367 **ACTIVE INGREDIENTS:**

*Toxaphene -----10.0% **Parathion ---- 2.0% INERT INGREDIENTS: ---- 88.0%

100.0%

*Technical chlorinated camphene 67-69% chicrine.

**O, O-Diethyl O-p-nitrophenyl thiophosphate.



KEEP OUT OF REACH OF CHILDREN FIRST AID TREATMENT

ANTIDOTE: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician IMMEDIATELY! If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

ATROPINE IS ANTIDOTAL: Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (gr. 1/100) and call physician at once.

PHYSICIAN: Enough atropine must be given in the shortest practical time to produce dilation | this product is highly toxic to been exposed to direct treatment. of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine; Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

WARNING: POISONOUS If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soup and water before eating or smoking. Washall contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this libel.

or residues on crops. Protective information may I trong your Coeperative Agricultural Extension Service

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not re-use container. Smash and bury with wastes. DO NOT BURN.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



5-16-69

LABEL

Dellers Shalld Sell in Original Packages Only.

DO NOT ALL WITHIS MARKETAL LOCKEL CONTO NEIGH-HORING CROED OR A TOLL FOARDA OR USE IN A MAN-NER OR AT A CIMUL ORDER THAN IN ACCORDANCE WITH LARFE COMPLETE A HER NOTE ANIMAL, PLANT OR CROED INCOME. A SECULTER OR OTHER ON LUSIBARGE RESTOLENCE.

CAMPACINE DE LA CAMPA



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

