NIACIDE** M4 SEVIN* 10 DUST

FUNGICIDE-INSECTICIDE

USDA REG. NO. 279-1623

DIRECTIONS FOR USE

APPLES: Apple Scab, Apple Aphid, Apple Maggot, Codling Moth, Red Banded Leaf Roller - Use at the rate of 40 pounds of dust per acre. Apply during normal cover applications, beginning 15 days after petal fall. Dust trees thoroughly. For Red Banded Leaf Roller control, it is important to dust lower surface of leaves. When Apple Maggot becomes active, apply at 10 day intervals for optimum centrol. Do not apply within 1 day of harvest.

Application of Scrin within 30 days after full bloom may also provide fruit thinning. To avoid this, delay use until at least 30 days after bloom. May cause foliar injury if used before second cover on York and McIntosh apples.

ACTIVE INGREDIENTS:	
† Manganous dimethyldithiocarbamate	2.74%
† Manganous benzothiazylmercaptide	0.14%
+2,2'-Dithiobisbenzothiazole	0.12%
† Thiram (tetramethylthiuram disulfide)	0.70%
††Carbaryi (1-naphthyl N-methylcarbamate)	10.00%
INERT INGREDIENTS:	86 30%

100.00%

†Niacide M licensed under U. S. Pat. Nos. 2,765,254; 2,765,327 and 2,614,952 ††Sevin, U. S. Pat. No. 2,903,478; 3,009,855

CAUTION KEEP OUT OF REACH OF CHILDREN.

Harmful if inhaled or swallowed. Avoid prolonged or repeated breathing of dust. Do not take internally. Skin contact may be harmful. Avoid prolonged or repeated contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.


NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

USAGE CAUTIONS

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application. Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following dusting.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.



ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



LABEL

Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGH-BORING CROPS OR NON-CROP AREAS OR USE IN A MAN-NER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UN-DESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE OR USF. On purchase or use of this product buyer and user agree to the following conditions.

WARRANTY Niagara warrants that this product as of me time of sale by Niagara 1 contists to the ingredient statement in the label and 20 is reasonably fit for the purposes set forth in the Directions for Use EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED

DAMAGES. Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or coursequential famages. Notice of any claim must be reported to Now era within 10 days of fise very by buyer or user. Colling a pen beginn rouser waives any claim for such damage.

EXCUSE FROM NON CONTECLIABLE CONDITIONS. Be cause of certain critical anditions created in incurred by buyer in user it were shield Nongara has no control, buyer and user as a condition of purchase or user, a countrol responsibility for and release Niagoni from Chability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or years any statement contained herein

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

