

5279-16924

PHOSDRIN 4 EC

INSECTICIDE

CODE
1345

Net Contents
1 Gallon

CONTENTS OF BOTTLE

ACTIVE INGREDIENTS
*Alphacytol® O, 20% (methylidene)

Dimethyl Ether

Isopropyl Alcohol

Terphenyl, Hexane

Terphenyl, Heptane

27.0%

18.0%

45.0%

10.0%

INERT INGREDIENTS

*Fragrance, 4% Ethylacetate

100.0%

CONTENTS OF BOTTLE NOT RELATED TO THE PRODUCT

DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

See Antidote statement and other required warning statements on the back panel.
Phosdrin® is a registered trademark.

MANUFACTURED BY FMC

A DIVISION OF FMC CORPORATION

AGRICULTURAL CHEMICALS GROUP

1000 FMC Boulevard, Philadelphia, PA 19104

FMC
Agricultural Chemicals Group

Philadelphia, PA

TRANSPORTATION: Do not expose to temperatures above 120°F (49°C). Store in a cool, dry place. Wear protective clothing and respirator when handling. Avoid contact with skin or eyes. Wash hands after handling. When using, wear protective clothing and respirator. Do not apply to or near waterways, streams, ponds, lakes or reservoirs. Avoid application to open ground. Avoid application to areas where children may be present. Avoid application to food crops. Do not store near food or feed products. Wash hands after handling. Do not apply to seedbeds or to lawns or ornamentals. Wash hands after handling. Wash clothes separately from other laundry.

FIRST AID TREATMENT

If Swallowed: Give two spoonfuls of table salt or a glass of warm water if patient is vomiting; do not induce vomiting in unconscious persons. Call a physician immediately.

If In Eyes: Flush eyes for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: Remove contaminated clothing and shoes immediately. Wash with soap and water. Call a physician immediately.

ANTIDOTE

Note to Physician: Active ingredients are not absorbed orally. If patient has taken a large amount of this product, do not induce vomiting. Give patient a glass of warm water to drink. Report to a physician if patient still appears ill. If vomiting occurs, give a small amount of milk or a soft drink.

USAGE CAUTIONS

Do not spray on or near food, feed, or feed products. Do not spray on or near waterways, streams, ponds, lakes or reservoirs. Do not spray on or near food crops. Do not spray on or near ornamentals. Do not spray on or near lawns. Do not spray on or near seedbeds. Do not spray on or near trees, shrubs, vines, flowers, or grass. Do not spray on or near birds, mammals, or fish.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Do not spray on or near food, feed, or feed products. Do not spray on or near waterways, streams, ponds, lakes or reservoirs. Do not spray on or near food crops. Do not spray on or near ornamentals. Do not spray on or near trees, shrubs, vines, flowers, or grass. Do not spray on or near birds, mammals, or fish.

Do not spray on or near food, feed, or feed products. Do not spray on or near waterways, streams, ponds, lakes or reservoirs. Protective equipment must be obtained from your distributor. Agricultural Distributor, Inc.

Do not spray on or near food, feed, or feed products. Do not spray on or near waterways, streams, ponds, lakes or reservoirs. Protective equipment must be obtained from your distributor. Agricultural Distributor, Inc.

NOT FOR

Household
Aerosol Ground
with hand equ
to stand resar
aircraft mix fl
and volume of

Aerosol in
central Spray
and applica

BEANS, D, BE
CABBAGE, L
FLOWER, 334
EGGPLANTS, 1
TUCE, 1, MU
POTATOE
WATERMI
sufficient water
sum, Chilim
Imported Cabb
Mexican Bean
1/2 to 1 pint, p
more than 1/2 p

PEPPERS, P,
SILAWEEKRI
L, Cuban Le
pepper, see 12

CARROT, Do
not eat in hot
sun, sun
not dried v

DANGER - Causes Irritation to Skin and Eyes. Avoid Skin Contact. Skin Irritation: Absorbent. Do not Spray Directly on Skin or Eyes. Wear a respirator, rubber gloves, protective clothing and goggles. Because of contact with man-made fibers, the spray will irritate skin. Wash hands after use. Use a mask or respirator of the type provided by the U.S. Bureau of Mines or the National Institute of Occupational Safety and Health. Do not drink. Wash clothes separately from other laundry. Do not operate areas or vehicles where they may become covered with dust. Vacated areas should not be reentered in the case of treatment. Do not store near feed and food products. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

FIRST AID TREATMENT

If Swallowed: Give tablespoon of table salt in a glass of warm water. Repeat until vomiting occurs and vomitus is clear. Never induce vomiting in an unconscious person. Call a physician immediately.

If In Eye: Flush eye for 15 minutes with plenty of water. Call a physician immediately.

If On Skin or Clothing: Remove contaminated clothing and shoes immediately. Bathe with soap and water. Call a physician immediately.

ANTIDOTE

Note to Physicians: Active ingredient is a cholinesterase inhibitor. Patients should be kept under observation for 48 hours. Atropine is indicated. Give 1 grain at a time every two hours. Repeat every 2½ hours until no longer needed. If respiratory distress or difficulty breathing occurs, call 716-733-8655.

USAGE CAUTIONS

Do not spray on young plants. Do not spray on flowers.

Do not spray on fruit trees, vines, shrubs, ornamentals, lawns, pastures, roadsides, etc. Do not spray on fish ponds.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Do not spray on areas where fish, birds, deer, elk, moose, caribou, or other mammals are feeding or treated areas where water is kept flowing into lakes and streams. Do not spray on areas where children play. Do not apply when weather conditions permit spray to move off treated area. Do not contaminate water supplies or irrigation systems. Apply this product only as specified on the label.

Do not spray on areas where birds exposed to direct treatment or indirect spray. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not spray on areas where disease organisms and DISEASE OF WASTES by burying at least 18 inches deep in soil. Use sufficient water to spray.

TERMS OF SALE OR USE: On purchase or use of this product, buyer and user agree to the following conditions:

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonable fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. No claim for damages must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user for which FMC has no control, buyer and user shall, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributed to such critical conditions, even if warning statements on the label are violated.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

This material can be used in conventional hydraulic sprayers, low-volume ground applicators, or airplane sprayers. Do not apply with hard equipment. Keep agitated while applying. If allowed to stand, re-agitate before use. When applying this material by aircraft, mix the required amount with sufficient water to provide a minimum of 1 gallon of finished spray per acre.

Apply when insect first appear and repeat as required to maintain control. Spray plants thoroughly. Observe days interval between last application and harvest indicated in the following the crop.

BEANS (1), BEETS (3), BROCCOLI (1), BRUSSELS SPROUTS (3), CABBAGE (1), CANTALOUPE (1), CARROTS (1), CAULIFLOWER (3), CELERY (3), COLLARDS (3), CUCUMBERS (1), EGGPLANTS (1), HONEYDEW MELONS (1), KALE (3), LETTUCE (2), MUSKMELON (1), ONION (1), PEAS (1), PEPPERS (1), POTATOES (1), SPINACH (4), TOMATOES (1), TURNIPS (3), WATERMELON (1). Aphids -- Use $\frac{1}{2}$ to $\frac{1}{2}$ pint per acre in sufficient water to cover. Cabbage Loopers, Corn Earworm, Cutworm (Climbing), Dipterous Leaf Miner (Adult), Grasshoppers, Imported Cabbage Worm, Leafhoppers, Leaf Folder, Lygus Bugs, Mexican Bean Beetle, Mites, Salt-marsh Caterpillar, Thrips -- Use $\frac{1}{2}$ to 1 pint per acre in sufficient water to cover. Do not use more than $\frac{1}{2}$ pint per acre on potatoes.

APPLES (1), PEACHES (1), PEARS (1), PLUMS (1), GRAPES (2), STRAWBERRIES (1). Aphids, Mites, Lygus Bugs, Grasshoppers, Red Banded Leaf Roller, Strawberry Leaf Roller, Salt-marsh Caterpillar -- Use $\frac{1}{2}$ to 1 pint per 100 gallons of water.

CAUTION: Do not apply on apples under conditions of high relative humidity and high temperatures. Applications of this material may cause injury on Golden Delicious, Red Delicious, Stayman and related varieties.

1876