

CODE  
1504

NET WEIGHT  
50 LBS.

# NIACIDE M7 G-3 DUST

CONTAINS 3% GUTHION®  
FUNGICIDE INSECTICIDE



KEEP OUT OF REACH OF CHILDREN

USDA REG. NO. 279-1850

ACTIVE INGREDIENTS:

Manganese dimethylidithiocarbamate . . . . . 4.80  
Manganese benzothiazylmercapte . . . . . 0.24  
Thiram (tetramethylthiuram disulfide) . . . . . 1.24  
2,2'-dithiobisbenzothiazole . . . . . 0.22  
• O,O-Dimethyl S-(4-oxo-1,2,3-benzotriazine-5-  
-4H-ylmethyl) phosphorodithioate . . . . . 5.00

INERT INGREDIENTS: . . . . . 90.50  
-----  
100.00

U. S. Patent No. 2,758,448  
Canadian Patent No. 882,600

Reg. U. S. and Canadian Patent Office by  
Farbenfabriken Bayer, A. G.  
Chemico Corp. Licensee

ACCEPTED

NOV 29 1968

UNDER THE FEDERAL INSECTICIDE,  
FUNGICIDE AND RODENTICIDE ACT  
THIS PRODUCT IS SUBJECT  
TO REGISTRATION SUBJECT  
TO ATTACHED COMMENTS

WARNING: Poisonous. If Swallowed, Inhaled, or Absorbed Through Skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for guthion protection. If you are exposed to 10 percent or more of operating area or greater, there may be danger of drift. Vacated areas should be cleaned up at least two days. Do not eat or drink from treated products. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all fruits and vegetables with soap and hot water before eating.

ANTIDOTE: If swallowed: Give large glassful of water. If in eyes: Wash out with water and rinse. Inhalation: Hold breath, lie down and keep quiet. Call a Physician. Do not delay.

If on skin: If any of contact remove contaminated clothing and immediately wash skin with soap and water.

Guthion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1-100. In case of poisoning take 3 tablets (grs. 1-100) and call physician at once.

Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container; bury with wastes.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



**Dealers Should Sell in Original Packages Only.**

DO NOT ALLOW THIS MATERIAL TO GET ONTO NEIGERIUM  
IRONING CLOTHS OR NON-CORRODED METAL SURFACES IN A MAN-  
NER OF ANY TIME OTHER THAN IN A DRY AND  
WELL VENTILATED AREA. USE AN INSULATING  
CLOTH OR NYLON GLOVES OR OTHER SIMILAR  
DESIRED RESULT IS MAY OCCUR.

TERMS OF SALE OR USE: Dealer agrees to sell  
and/or use this material only in original packages.

WARRANTY: Niagara Chemical Division, Inc., warrants  
that this product will be free from defects in material  
and workmanship at the time of delivery. Niagara Chemical,  
Inc., shall not be liable for any damage resulting from  
the use of this product. NIAGARA CHEMICAL DIVISION,  
INC., MAKES NO WARRANTY, EXPRESSED OR IMPLIED,  
WARRANTY OF FITNESS FOR USE.

DAMAGES: Seller agrees to pay all claims for damages  
arising out of the sale or use of this product, except  
for those arising out of the breach of the express  
warranty of fitness for use. Seller shall not be liable  
for any damages arising out of the sale or use of this  
product.

EXCLUSIONS: Seller agrees to defend and hold  
harmless the manufacturer, distributor, and  
seller against all claims, losses, expenses, and  
damages arising out of the sale or use of this  
product, except for those arising out of the  
breach of the express warranty of fitness for use.

MANUFACTURED BY: FMC CORPORATION



NIAGARA CHEMICAL DIVISION  
FMC CORPORATION  
MIDDLEPORT, NEW YORK



AYER, MAYER & CO., INC., MANUFACTURERS  
OF THE LIQUID FERTILIZER  
SULFUR FLUOREN, MIDDLEPORT, WYOMING, U.S.A.