

CODE
2232



ACCEPTED
NOV 27, 1968

NET WEIGHT
40 LBS.

ZINEB 16.25 PARATHION 1 SEVIN * 5 TOBACCO DUST

FUNGICIDE-INSECTICIDE

DIRECTIONS FOR USE

TOBACCO: Blue Mold, Aphids, Flea Beetles, Japanese Beetle, Plant Bugs, Horn Worms. FIELD USE: Apply 15 to 25 pounds of dust per acre. Good coverage is essential. Make first application as soon as plants are set in the field. Repeat as needed. Do not apply this material to tobacco within 5 days of priming or 15 days of cutting. Avoid the use of this material during flowering and pollination periods.

CAUTION

Do not allow plant juices to come in contact with the skin when cutting the crop. Gloves should be worn in transferring the plants or harvesting if an application has been made within 70 days.

DO NOT ALLOW THIS MATERIAL TO ENTER ANY BODY OF WATER. DO NOT ALLOW THIS MATERIAL TO BE APPLIED OR AFFECTED BY ANIMALS OR MAN. DO NOT EAT, DRINK, OR SMOKE WHILE APPLICATING. BECAUSE ANIMALS CAN BE ATTRACTED TO THE SPRAY, KEEP THEM AWAY FROM THE SPRAY AREA. DO NOT EAT, DRINK, OR SMOKE WHILE APPLICATING.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Birds feeding on treated crops may be killed.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container, bury with wastes.

For protection of honey bees, avoid use of spray during periods when honey bees are visiting the crop. When necessary to use during such periods, warn bee keepers well in advance to locate hives at a safe distance until one week after application. Some phytotoxicity may occur on tender foliage in the presence of sun or high humidity of several days duration following application.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

USDA REG. NO. 279-1926

ACTIVE INGREDIENTS:

Zineb (Zinc Ethylene-Bis-Dithiocarbamate)	16.25
Parathion (O,O-Diethyl-O-(N-Ethyl-N-methylcarbamoyl) Phosphorothioate)	1.00
*Carbaryl (1-naphthyl N-methylcarbamate)	8.00

INERT INGREDIENTS:

Zinc Oxide	77.75
	100.00

Zinc ethylene bisdithiocarbamate
Zinc expressed as metallic zinc 3.85

O,O-dimethyl-O-(N-ethyl-N-methylcarbamoyl) phosphorothioate

* Sevin, U.S. Pat. No. 2,811,478, 3,009,855

WARNING: Persons not to swallow, inhale or Absorb through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and respirator. In case of contact, wash thoroughly with soap and water. Wear a mask or respirator of a type possessed by the U.S. Department of Agriculture for Parathion protection. Keep all untested persons and beneficial animals out of spraying areas frequently where there may be danger of drift. Vacuated areas should not be re-entered until drifting insecticide and volatile residue have disappeared. Do not eat, drink, smoke, and rest after spraying. Wash hands, arms and face thoroughly with soap and water before eating, drinking, washing, or performing other functions with exposed hands or water before re-entering.

ANTIDOTES: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately.

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine.

ATROPOINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1-10. In case of poisoning take 3 tablets (grns. 1-100) and call physician at once.

Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary with time delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Endotracheal may be necessary.

Dealers Should Return Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product, the user shall be deemed to have agreed to the following:

WARRANTY: Seller warrants that the product will be fit for its intended use. Seller further warrants that the product will not contain any adulterants, diluents, or other materials which would impair its effectiveness.

LIABILITY: Seller shall not be liable for any damages resulting from the use of this product.

EXCLUSIVENESS: Seller reserves the right to discontinue this product at any time without notice.

SELLER'S RIGHTS: Seller reserves the right to require the return of any unused portion of this product.

SELLER'S RESPONSIBILITY: Seller shall not be liable for any damages resulting from the use of this product.

SELLER'S LIABILITY: Seller shall not be liable for any damages resulting from the use of this product.

SELLER'S EXCLUSIVENESS: Seller reserves the right to discontinue this product at any time without notice.



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

