

CODE
2400

NET WEIGHT
50 LBS.

NIACIDE[®] M7 ETHION 4 DUST

FUNGICIDE-INSECTICIDE

[279-2075] 17~



DIRECTIONS FOR USE

APPLES - Apply to Apple Scab, European Brown Rot, Spotted Mites, Powdery Mildew, and other diseases of apples. Apply when mites first appear or repeat as required to maintain control.

For control of Apple Scab apply at first sign of disease and repeat at 7-10 day intervals as required to maintain control. Use 40-50 pounds of dust per acre.

Do not apply within 30 days of harvest, and do not spray during the fruiting period.

CAUTION KEEP OUT OF REACH OF CHILDREN.


Handle with care. May be irritating to eyes, nose, throat, and skin. Avoid breathing dust. Wash thoroughly after handling. Avoid contact with clothing.

Keep out of reach of children. Keep out of reach of animals. Apply the product only as specified on the label.

DISPOSAL WARNING: Do not use in waterways. Do not dump or discharge into streams, rivers, or other bodies of water. Keep out of reach of children.

Developed by A. M. H. Davis, D. J. Hess, Margaret P. H. Williams, W. H. R. Red Williams, Yellow Springs, Ohio. In cooperation with the Ohio Agricultural Experiment Station, Columbus, Ohio.

Residue remaining on treated plants will be removed by washing, brushing, or other effective means.



**Trademark. Licensed under U.S. Pat. Nos. 2,765,254, 2,765,327 and 2,614,957

ADDITIONAL INFORMATION APPEARING ON THE LABEL TO WHICH THIS LABEL WILL BE ATTACHED



LABEL



Do not use in... Packaged Only...
See...
See...
See...
See...

TEST...
WEIGHT...
CAUTION...
EXHAUSTIVE...
AUTHORIZED...



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT NEW YORK



AYES...
MIDDLEPORT NEW YORK

**CODE
2400**

NIACIDE** M7 ETC

FUNGICIDE-INSECTICIDE

[279-2075] 192

USDA REG. NO.

DIRECTIONS FOR USE

APPLES: Apple Scab, European Red Mite, Two-spotted Mite - For mite control use 40-50 pounds of dust per acre. Apply when mites first appear and repeat as required to maintain control.

For control of Apple Scab apply at first sign of disease and repeat at 7 to 10 day intervals as required to maintain control. Use 40 to 50 pounds of dust per acre.

Do not apply within 30 days of harvest, not more than 3 times during the fruiting period.

ACTIVE INGREDIENTS:
Manganous dimethyldithiocarbamate
Manganous benzothiazylmercaptide
Thiram (tetramethylthiuram disulfide)
2,2'-dithiobisbenzothiazole
Ethion
INERT INGREDIENTS:

*O,O,O',O'-Tetraethyl S,S'-methyl phosphorodithioate
U. S. Pat. No. 2,873,228

CAUTION **KEEP OUT OF REACH**


Harmful if swallowed. May be harmful if inhaled. Avoid breathing dust. Avoid contact with skin and clothing. Wash thoroughly after use. Store in a cool, dry place. Do not store near food or feed products.

This product is toxic to fish and other aquatic life in any body of water. Apply this product in accordance with the directions on this label.

DISPOSAL WARNING: Do not dump or pour into water. Do not dump into open lands away from water. Keep out of water.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.

[279-2075] 292



Do not sell in original packages only.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS. IT IS A HAZARDOUS SUBSTANCE AND SHOULD BE HANDLED ACCORDING TO THE LABEL INSTRUCTIONS. IT IS A HAZARDOUS SUBSTANCE AND SHOULD BE HANDLED ACCORDING TO THE LABEL INSTRUCTIONS.

KEEP OUT OF REACH OF CHILDREN. See back of container for complete instructions.

ALL INFORMATION ON THIS LABEL IS UNCLASSIFIED DATE 08/14/01 BY 60322 UCBAW/STP

USE ONLY AS DIRECTED. See back of container for complete instructions.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.

DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK



DO NOT USE FOR FEEDING OF ANIMALS. THIS PRODUCT IS NOT TO BE USED FOR FEEDING OF ANIMALS.