



DIRECTIONS FOR USE

This material is intended for use as directed below for the control of certain insects and mites attacking peach trees. Partially fill spray tank and with agitator running add the required amount of this material. Finish filling tank and keep agitated. DO NOT POUR THIS MATERIAL IN-TO EMPTY TANK. DO NOT APPLY DURING OR JUST PRECEDING PERIODS WHEN TEMPER-ATURES ARE NEAR OR BELOW FREEZING. DO NOT USE IF EMULSION HAS BROKEN. For use on PEACHES for the control of San Jose Scale, Forbes Scale, White Peach Scale, Brown Almond Mite, and European Red Mite, use 2 gallons to make 100 gallons of spray. Trees must be thoroughly sprayed. For control of White Peach Scale two applications applied two weeks apart are necessary. USE ONLY ON FULLY DORMANT Harmful if swallowed! May be absorbed through TREES. Do not apply more than 700 gallons of diluted spray per acre.

Do not apply within 2 weeks of a sulfur spray or within 7 days of Captan.

Workers entering treated areas within 24 hours after treatment should wear protective clothing.

U. S. D. A. Reg. No. 279-2174 **ACTIVE INGREDIENTS:**

*Ethion ----- 1.70% Petroleum Oil -----87.39% INERT INGREDIENTS: ----- 10.91% 100.00%

*O,O,O',O'-Tetraethyl S,S'-methylene bisphosphorodithioate U.S. Patent No. 2,873,228

*Niagara Ethion Emulso contains 0.125 pounds actual ethion per gallon.

Unsulphonated Residue -----78%

CAUTION

KEEP OUT OF REACH OF CHILDREN

skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid storage near feed or food products.

NIAGARA CHEMICAL DIVISION. MC FMC CORPORATION. MIDDLEPORT N.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Birds feeding on treated areas may be killed.

This product is highly toxic to be as and should not be applied when bees are actively visiting the area.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

DO NOT STORE AT TEMPERATURES BELOW 32° F.

ONG! ALLOW THIS MATERIAL TO DRIFT UNITO NEIGHBORING CROP PETION-CHOPA-EAS ON USE IN A MANINER OF AT A TIME OTHER THAN IT. ACCOMPANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OF CHOP HOURY, ILLEGAL RESIDUES OR OTHER UNDESTRABLE RESULTS


DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

following conditions:
WAREANTY Numbers worrents that this product, as of the time of safe by Niegwey, (3) conforms to the ingredient softenent on the folds; and (2) is respondely for for the purposes set forth in the Directions for the EXCEPTAS SO WAREANTED THE PRODUCT IS SOLD AS IS NIAGABA MAKE NO OTHER WAREANTEY EXPRESS OR HAPLIED.

DAMAGES Buyers or overs exclusive remedy for damages for breach of war shall be "imited to direct damages not exceeding the purchase price paid or incidented in unanquented dumages. Not, wild any claim must be reported to Nea 10 days of discovery by buyer or user 1, inglish his buyer or user walves any claim.

EXCUSE FROM NON-CONTROLLABLE ! ONDETION

020





DIRECTIONS FOR USE

This material is intended for use as directed below for the control of certain insects and mites attacking peach trees. Partially fill spray tank and with agitator running add the required amount of this material. Finish filling tank and keep agitated. DO NOT POUR THIS MATERIAL IN-TO EMPTY TANK. DO NOT APPLY DURING OR JUST PRECEDING PERIODS WHEN TEMPER-ATURES ARE NEAR OR BELOW FREEZING. DO NOT USE IF EMULSION HAS BROKEN. For use on PEACHES for the control of San Jose Scale, Forbes Scale, White Peach Scale, Brown Almond Mite, and European Red Mite, use 2 gallons to make 100 gallons of spray. Trees must be thoroughly sprayed. For control of White Peach Scale two applications applied two weeks apart are necessary. USE ONLY ON FULLY DORMANT! TREES. Do not apply more than 700 gallons of diluted spray per acre.

Do not apply within 2 weeks of a sulfur spray or within 7 days of Captan.

Workers entering treated areas within 24 hours after treatment should wear protective clothing.

U. S. D. A. F
ACTIVE INGREDIE
*Ethion ----Petroleum Oil INERT INGREDIEN

*O,O,O',O'-Tetra bisphosphorodithic U.S.Patent No. 2

*Niagara Ethion En actual ethion per Unsulphonated Res

> CAL KEEP OUT OF

Harmful if swallowerskin. Avoid breathin contact with skin, example oughly after handling or food products.

