Code 2581

# **Pounds Net Weight**

# Ferbam 7 G-3 Dust

**Contains 3% Guthion** 

# Fungicide-Insecticide

For Agricultural or Commercial Use Only

EPA Reg. No. 279-2234 EPA Est., 279-

Active Ingredients:	By Wt.
**Ferbam	. 7.0%
*O.o-Dimethyl S-[4-oxo, 1,2,3-benzotriazine	-
3(4H)-yl-methyl] phosphorodithioate	. 3.0%
Inert Ingredients:	. 90.0%
	100.0%

\*\*Ferric dimethyl dithiocarbamate

\*Reg. U.S. and Canadian Patents Offices by Farbenfabriken Bayer.

A.G. Chemagro Corp. Licensee.

Canadian Patent No. 552,660

#### KEEP OUT OF REACH OF CHILDREN



If swallowed: Drink 1 or 2 glasses of water and induce vonuting to touching back of throat with linger or blunt object. Do not riduce vomiting or give anything by mouth to an unconscious person Cail is physician immediately

If on skin: In case of contact, remove contaminated clinting and immediately wash skin with soap and water



FMC Corporation Agricultural Chemical Group 2000 Market Street Philadelphia Pennsylvania 19103

#### Atropine is Antidotal

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (grs. 1/100) and call physician at once.

Physician: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary

For Emergency Assistance Call 716-735-3785.

See Other Panels for Additional Precautionary Information.

# PRECAUTIONARY STATEMENTS Hazards to Humans (& Domestic Animals)

Poisonous If Swallowed, Inhaled, or Absorbed Through Skin! Do not get in eyes or on skin. Wear natural rubber gloves protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator, jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Wash hands arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and not water before reuse.

#### **Environmental Hazards**

Highly toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waster. Do not apply when weather conditions favor drift or runoff from the crop area freated. Do not apply to any area not specified on the laber. Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur

### DIRECTIONS FOR USE

It is a violation of Federal law to use to spreduct in a manner  $\phi$  -oresistent with its labeling

# Storage and Disposal

to lead contaminate water food or feed by ito age or disposal in the dumping is prohibited. Pesticide ispray mixture u. + i sale that cannot be used or chemically reprocessed should be diprised of in a landfill approved for pesticioes or buried in a safe place away from water supplies. Dispose of container in an inciderator or landfill approved for pesticide containers, up busy. in a safe place. Do not reuse this container. Consult Federal trate or local disposal authorities for suproved alternative procedures such as to ited open burning. Apply when insects first appear or disease threatens, and repeat as required to maintain control. Observe use limitations

Apples: Aphids Apple Maggots, Apple Scab, Cedar Rust, Codling Moths, Fruittree Leafrollers, Leafhoppers, Plum Curculios, Reobanded Leafrollers—Use 40 pounds of dust per acre. Do not apply within 15 days of harvest or more than 8 times per season. On Golden Delicious, Grimes Golden, Jonathan and other varieties which are especially subject to russeting, the use of this material should be avoided, or it should be used with caution in applications during and shortly after the blossom period.

Cherries: Cherry Leaf Spot. Eyespotted Bud Moth, Fruittree Leafroller Plum Curculio—Use 40 pounds of dust per acre. Do not apply within 15 days of harvest nor more than 8 times per season.

Grapes: Black Rot, Grape Berry Moth, Grape Leafhopper—Use at the rate of 30 to 40 pounds of dust per acre. Do not apply more than 3 times per season nor within 28 days of harvest.

## Dealers Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and ustraphisms agree to the following conditions

**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as ac warranted, the product is sold as is. Buyer and user assume all risk couse and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influences; a factors in the use of this product are beyond the nontrol of the second are assumed by buyer at his own risk.

Use of Product: FMC's recommengations for the use 21th \$1.1% are based upon tests believed to be reliable. The use of the product being beyond the control of the manufacturer no guarantee expressed or implied is made as to the effects of such or the result of obtained if not used in accordance with directions or established practice.

**Damages:** Buyer's or user's exclusive remedy for damages to tireal of warranty or negligence shall be limited to direct damage. If the ceeding the purchase price paid and shall not include inc. With consequential damages.