

CODE
20219

ZM COCS^o CITRUS SPRAY

NET WEIGHT
22 LBS.

FUNGICIDE - NUTRITIONAL

DIRECTIONS FOR USE

This material is intended for use on citrus as a spray for the control of scab and melanose and to aid in correcting deficiencies of manganese and zinc. It should be used at the rate of 22 pounds per 500 gallons of water as directed below. To mix, fill spray tank 1/4 to 1/3 full of water and with agitator running add the required amount of this material. Finish filling tank and keep agitated.

Proper timing and thorough application are very important to good melanose and scab control. For control of melanose an application should be made 1-3 weeks after petal fall. Where the disease has been troublesome a second application should be made about four weeks after the first.

For control of scab two applications are required, one during the dormant period before growth starts and the other at post-bloom when about 2/3 of the petals have fallen. The post-bloom application will also aid in the control of melanose.

Do not apply after fruit is 3/4" in diameter in areas where copper injury is known to occur, or where fumigation with HCN gas is practiced.

U. S. D. A. Reg. No. 279-2402

ACTIVE INGREDIENTS:

*Copper -----	15.23%
INERT INGREDIENTS: -----	84.77%
	<hr/> 100.00%

*Copper is in the form of basic sulphates and chlorides.

Zinc expressed as metallic -----	23.55%
Manganese expressed as metallic ----	10.84%

CAUTION

KEEP OUT OF REACH OF CHILDREN


Harmful If Swallowed.

USAGE CAUTIONS

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label.

Rinse equipment and dispose of wastes in non-crop lands away from water supplies. Bags should be disposed of by burying with wastes or by burning. Keep out of smoke.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, RESIDUAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERM OF SALE OR USE. On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY. Niagara warrants that this product as it appears on the label and as it is described in the literature accompanying it is as represented on the label and in the literature. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESSED OR IMPLIED.


DAMAGES. Buyers and users shall be held liable for damages for breach of warranty or negligence which is limited to direct damages not exceeding the purchase price and shall not include consequential or special damages. Notice of any claim must be reported to Niagara within 30 days of purchase by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLED CONDITIONS. Because of certain conditions which may be created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase, shall release Niagara from liability for any injury or damage to property or loss of life or use of the product or other consequences which may be incurred or authorized to vary or waive any statements contained herein.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLETOWN, N.J. 07043



Approved by
1-1-68