

Code 30495

### RESTRICTED USE PESTICIDE

Net Contents  
Gallons

For retail sale to and use only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification

# Parathion 0.2 Dormant Oil Insecticide

 **DANGER—POISON—  
PRECAUTIONS**



#### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed



#### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



#### POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

#### POISONOUS TO FISH AND WILDLIFE

#### POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

EPA Reg. No. 279-2430 AA EPA Est., 279-

<b>Active Ingredients:</b>		<b>By Wt.</b>
Parathion: O, O-Diethyl O-p-nitrophenyl thiophosphate .....		2.65%
Petroleum Oil .....		95.00%
Inert Ingredients: .....		2.35%
		<hr/> 100.00%

Contains 0.2 pounds of Parathion per gallon.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

#### ✚ FIRST AID TREATMENT ✚

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

#### NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote — administer atropine sulfate in large doses, TWO TO FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**FOR EMERGENCY ASSISTANCE CALL  
718-735-3785  
POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

STOP! READ THE LABEL



**CAN KILL YOU**

#### DANGER

Keep out of reach of children


#### POISON

See side panels for antidote and precautions

### BEST DOCUMENT AVAILABLE

#### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.
- (4) Wear heavy duty, natural rubber gloves.



# FMC

FMC Corporation  
Agricultural Chemical Group  
2000 Market Street  
Philadelphia PA 19103

PA 6 80

### Environmental Hazards

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds and other wildlife feeding in treated areas may be killed. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protection information may be obtained from your Cooperative Agricultural Extension Service.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

### Physical or Chemical Hazards

Warning! Flammable!

Do not use, pour, spill or store near heat or open flame. Keep container closed. Leaking packages should be removed to a safe place.

Do not contaminate feed or foodstuffs.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Storage and Disposal

Do not store below 20° F. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

Not for use or storage in or around the home.

Parathion 0.2 Dormant Oil is designed to be used only in the dormant or delayed dormant period. Do not use in undiluted form.

Do not use this material if it does not emulsify.

#### Directions for Mixing and Application

Be sure spray tank is clean. With enough water in tank to cover agitator shaft add desired amount of this material to the tank with agitator in motion. Pump this mixture through the overflow and back into tank for about two minutes. If this mixture turns white, it indicates good emulsification. Fill the tank with water, adding other desired materials as tank is filling. Keep agitator running at all times.

Use efficient equipment. Avoid use just prior to or during hot weather conditions or during rains. Do not apply just prior to freezing weather conditions. Apply during dormancy when temperature is above 40° F. Use only when trees are in healthy condition, and when moisture conditions are sufficient. Avoid over spraying or double spraying.

**Almonds, Apricots, Cherries, Nectarines, Peaches, Plums and Prunes:** Peach Twig Borer, Brown Apricot Scale, San Jose Scale, Black Scale—Use 2 to 2½ gallons per 100 gallons of water. Olive Scale—Use 2½ gallons. Apply only during the dormant or delayed dormant period using sufficient gallonage of finished spray for complete coverage. (A minimum of 200 gallons of finished spray per acre.) Certain varieties of plums and prunes may be injured by oil sprays, check tolerance to oil prior to treatment. On Peaches and Nectarines do not apply more than 5 pounds actual parathion per acre between January 1 and harvest.

### Dealers Should Sell in Original Packages Only.

**Terms of Sale or Use** On purchase of this product buyer and user agree to the following conditions:

**Warranty** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(30495-PA 6.80)

(279-2430)

BEST DOCUMENT AVAILABLE