Code: 30751

CARBOSUL SULPHUR

Net Weight 50 Pounds

DIRECTIONS FOR USE

ALMONDS, CHERRIES, PEACHES, PLUMS, PRUNES: Brown Rot, Cherry Leaf Spot, Peach Silver Mite, and Prune Rust. NECTARINES, PEACHES: Powdery Mildew - Use at the rate of 40 to 50 pounds per acre in pre-bloom, bloom and post-bloom periods. For Cherry Leaf Spot, apply as a postharvest foliar treatment. For Brown Rot on Plums, Prunes, Nectarines and Peaches apply when fruit starts to ripen. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals.

APPLES, PEARS: Scab and Powdery Mildew — Use 40 to 50 pounds per acre. Apply in pre-bloom, bloom and post-bloom periods. On Pears do not apply after the fruit begins to turn down. Sulphur may injure certain varieties of Apples; check tolerance prior to using.

BLACKBERRIES, BOYSENBERRIES, DEWBERRIES, GOOSEBERRIES, HUCKLEBERRIES, LOGANBERRIES, RASPBERRIES, STRAWBERRIES: Powdery Mildew - Use 10 to 20 pounds per acre. Apply when disease first appears and repeat as necessary.

CITRUS: Citrus Thrips, Citrus Flat Mite, Yuma Spider Mite, Sixspotted Mite and Citrus Rust Mite — Use at the rate of 100 pounds per acre. Apply when pests first appear and repeat as necessary.

GRAPES: Powdery Mildew — Use 8 to 15 pounds per acre. Begin applications when shoots are 6 to 8 inches long and before blossoms open. Repeat as necessary.

VEGETABLE AND FIELD CROPS: Apply recommended rate when pests or disease first appear and repeat as necessary. For disease control keep new growth protected.

BEANS: Powdery Mildew, Rust, Thrips, Spider Mites - Apply 15 to 30 pounds per acre. For Rust control start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application.

CARROTS: Petrobia Mite — Apply 30 to 35 pounds per acre.

COTTON: Strawberry Spider Mite — Apply 35 to 40 pounds per acre when mites first appear and repeat as necessary.

104W

UFACTURED IN U.S.A. BY

FMC CORPORATION AGRICULTURAL CHEMICAL DIVISION MIDDLEPORT, NY YAKIMA, WA FRESNO, CA RICHMOND, CA

ACCEPTED

UNDER THE FEDERAL INSECTICIDE PHINCIGIDE AND RODENTICIDE ACT FUR ECOLUMIC POISON REGISTERED

FUNGICIDE-INSECTICIDE

E.P.A. REGISTRATION NO. 279-2496 AA

ACTIVE INGREDIENT:	BY WT.
Sulphur	95.00%
INERT INGREDIENTS:	
	100.00%

The material in this bag is guaranteed to pass 95% through a 325 mesh screen.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Application of dusting and spraying materials containing sulphur should not be made just prior to or during periods of excessively high summer temperatures. Do not make applications within two weeks of an oil spray. On citrus do not make an oil application within 60 days prior to or after a sulphur application.

Do not allow this material to drift onto sulphur sensitive

For Emergency Assistance Call

716-735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS

ONIONS: Petrobia Mite — Apply 20 to 30 pounds per acre.

PEAS, RUTABAGAS, TURNIPS: Powdery Mildew — Apply 15 to 20

TOMATOES: Tomato Russet Mite — Apply 30 to 40 pounds per acre.

ORNAMENTALS: Rust and Powdery Mildew: Asters, Carnations,

Chrysanthemums, Hollyhock; Powdery Mildew only: Alder, Azalea,

Buttonbush, Catalpa, Cosmos, Crepe Myrtle, Dahiia, Daisy, Del-

Ligustrum, Lilac, Linden, Matrimony Vine, Poplars, Rhododendron,

Silver Vine, Roses, Spirea, and Staghorn Sumac. Dust for complete

Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur. Do not use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

Dealer Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer or user agree to the following conditions.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damages.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein,

FMC Chemicals

pounds per acre.

coverage.

EPA EST., 279-CA-1 Printed in U.S.A.

phinium, Dogwood, Euonymus, Gladiolus, Golden Fleece, Hibiscus, Holly, Honeysuckle, Horse Chestnut, Boston Ivy, Lady's Mantle,