



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

NOT FOR HOME USE

**CODE
2727**



**NET
GAL.**

STOP! READ THE LABEL

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

CAN KILL YOU

ACCEPTED
10 OCT 1973

UNDER THE FEDERAL INSECTICIDE
ACT AND THE FEDERAL
FOOD, DRUG AND COSMETIC ACT
REGISTERED UNDER NO. 279-2561 SUBJECT
TO ATTACHMENT 1

NYNAMITE® 63

ACTIVE INGREDIENTS:	
Toxaphene	52.00%
O,O-Dimethyl O-p-nitrophenyl thiophosphate	26.00%
Xylene base aromatic petroleum solvent	15.34%
INERT INGREDIENTS:	
	6.66%

Contains 6 pounds of Toxaphene and 3 pounds of Methyl Parathion per gallon.



**USE ONLY WHEN WEARING THE
FOLLOWING PROTECTIVE
EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 279-2561 AA

POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Since any symptoms from absorption of this combination product are likely to be those of methyl parathion intoxication, treatment should be directed towards the relief of cholinesterase inhibition.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Methyl Parathion and Toxaphene produce central nervous system excitation which ordinarily responds to the barbituric acid derivatives; but this drug should be considered only if complete atropinization fails to relieve symptoms. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For Emergency Assistance Call
716 - 735-3765

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label instructions.

Printed in U.S.A.

USAGE CAUTIONS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding in treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSAL

Do not re-use empty 2 and 5 gallon containers. Destroy them by perforating or crushing. Return drum to reconditioner or destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

DO NOT CONTAMINATE FEED OR FOODSTUFFS
DO NOT USE IN UNDILUTED FORM
DO NOT STORE BELOW 20° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT FROM THE AREAS TREATED. DO NOT APPLY WHEN RUN-OFF IS LIKELY TO OCCUR DO NOT USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purpose set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, at a condition of purchase or use, assume responsibility for and release Niagara from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained hereon.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR
AROUND THE HOME

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton and soybeans.

For ground application equipment, mix the recommended amount in sufficient water to give good coverage. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of one gallon of finished spray per acre.

COTTON: For early season control of Aphids, Thrips and Fleahoppers — Use 1 quart per acre. For mid and late season control of Boll Weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other Plant Bugs and Leafworm — Use 1½ to 2 quarts per acre. Do not apply within 7 days of hand picking or harvesting. Workers entering fields within 24 hours of application should wear protective clothing. Cotton which has received applications of this insecticide

ACCEPT

OCT 10 197

UNDER THE FEDERAL IN
FUNGICIDE AND RODENT
FOR ECONOMIC POISON
ED UNDER NO. 275

should not be grazed by finished for slaughter. Do to such animals.

SOYBEANS: For control of Cabbage Loopers, Stink B Corn Earworm or Bollworm Beetle — Use 1-1/3 quart provide uniform coverage Repeat applications as required but do not apply within 2 than 2 applications after treated plants or ensilage poultry, dairy animals or ter. Do not feed soybean r

PRECAUTIONS

and other wildlife. Keep out of any body water by cleaning of equipment or disposal of areas may be killed. Apply this product

exposed to direct treatment or residues may be obtained from your Cooperative

DISPOSAL

containers. Destroy them by perforating and destroy it by perforating or place away from water supplies.

NEVER FEED OR FOODSTUFFS IN UNDILUTED FORM STORE BELOW 20° F.

HEAT OR OPEN FLAME. KEEP CONTAINER SHOULD BE REMOVED TO A SAFE PLACE.

UNDER CONDITIONS FAVOR DRIFT FROM THE ONLY WHEN RUN-OFF IS LIKELY TO OCCUR AT A TIME OTHER THAN IN ACCORDANCE WITH ANIMAL, PLANT OR CROP INJURY, UNDESIRABLE RESULTS MAY OCCUR.

Use in Original Packages Only.

purchase or use of this product buyer and user of this product, as of the time of sale by the manufacturer, and (2) is set forth in the Directions for Use. EXCEPT AS SO STATED NIAGARA MAKES NO OTHER

remedy for damages for breach of contract limited to direct damages not exceeding the purchase price of the product. This includes incidental or consequential damages. Remedies available to Niagara within 180 days of discovery by the buyer or user waive any claim for such damage.

WARRANTY CONDITIONS: Because of certain critical conditions of purchase or use, Niagara has no liability arising out of the handling or use of this product. No person is authorized to vary or modify this warranty.

DIRECTIONS FOR USE

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton and soybeans.

For ground application equipment, mix the recommended amount in sufficient water to give good coverage. When applying this material by aircraft, mix the recommended amount with sufficient water to provide a minimum of one gallon of finished spray per acre.

COTTON: For early season control of Aphids, Thrips and Fleahoppers — Use 1 quart per acre. For mid and late season control of Boll Weevil, Bollworm, Thrips, Aphids, Fleahoppers, Lygus and other Plant Bugs and Leafworm — Use 1½ to 2 quarts per acre. Do not apply within 7 days of hand picking or harvesting. Workers entering fields within 24 hours of application should wear protective clothing. Cotton which has received applications of this insecticide

ACCEPTED
OCT 10 1973
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 979-2567

should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to such animals.

SOYBEANS: For control of Leafhoppers, Climbing Cutworms, Cabbage Loopers, Stink Bugs, Three-Cornered Armyworms, Corn Earworm or Bollworm, Green Cloverworm, Bean Leaf Beetle — Use 1-1/3 quarts per acre in sufficient water to provide uniform coverage. Alfalfahopper, Blister Beetles, Velvetbean Caterpillars, and Thrips — Use 1½ pints per acre. Repeat applications as required to maintain effective control, but do not apply within 21 days of harvest, nor make more than 2 applications after pods begin to form. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

KEEP AWAY FROM FEED OF FOOD PRODUCTS
WARNING
POISON
CAUTION—DO NOT DROP
IF LEAKING DON'T NOT DROP
BREATHE FUMES
DO NOT TOUCH CONTENTS
SWALLOW CONTENTS
This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation
Shipper's name required hereon for shipments by EXPRESS

METHYL PARATHION MIXTURE, LIQUID

SEE LABEL FOR FURTHER DIRECTIONS