

**CODE
20418**



**Net Contents
GALLONS**

PARATHION 3 TOXAPHENE 5 E. C.

INSECTICIDE

DIRECTIONS FOR USE

This material is a concentrated liquid formulation containing 5 pounds of Toxaphene and 3 pounds of Parathion per gallon.

Unless otherwise indicated dosage recommendations are given in terms of the amount of this material to use per acre. Use sufficient water to give thorough coverage of the plant. To mix, slowly add the required amount of this material to the partly-filled tank, with agitator running finish filling tank with water. Continue agitation while applying. Do not use in undiluted form.

When applying this material by conventional ground equipment, mix the recommended amount with sufficient water to provide a minimum of one gallon of finished spray per acre.

Unless otherwise indicated, applications should be made when insects first appear and be repeated as required. Observe days interval between last application and harvest.

CABBAGE, CAULIFLOWER, BROCCOLI, BRUSSELS SPROUTS: Climbing cutworms, Imported cabbage worm, Diamond-back caterpillar, Flea-beetle, Thrips - Use 1-1 1/4 pints per acre. Repeat applications regularly at 7-10 day schedule. Do not apply after heads or other edible parts begin to form.

CORN: European corn borer, Spider mites, Armyworms, Budworms and Earworm. Use 1-1 1/2 to 2 pints per acre. Do not apply within 12 days of harvest. Do not feed treated forage to dairy animals or animals being finished for slaughter. Do not ensile treated corn.

EGGPLANT: Aphids, Spider mites, Thrips, Climbing cutworms, Flea-beetle, Leafminers. Use 1-1 1/2 to 2 pints per acre. Do not apply after fruits are present.

PEPPERS AND TOMATOES: Armyworms, Climbing cutworms, Corn earworm, Hornworms, Flea-beetle, Colorado potato beetle, Thrips - Use 1 qt. per acre. Do not apply within 15 days of harvest.

U. S. D. A. Reg. No. 279-2719

ACTIVE INGREDIENTS:

*Parathion -----	28.0%
**Toxaphene -----	46.3%
Xylene base aromatic petroleum solvent -----	15.2%

INERT INGREDIENTS: ----- 10.5%
100.0%

*O, O-Diethyl O-p-nitrophenyl thiophosphate
**Technical chlorinated camphene 67-69% chlorine
Contains 3 lbs. Parathion and 5 lbs. Toxaphene per gallon.



KEEP OUT OF REACH OF CHILDREN

First Aid Treatment

ANTIDOTE: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician IMMEDIATELY!

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of poisoning take 3 tablets (gr. 1/100) and call physician at once.

PHYSICIAN: Enough atropine must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

WARNING: POISONOUS If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion-toxaphene mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and food-stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Dispose of wastes by burying at least 18" deep in non-crop lands away from water supplies. Do not reuse container. Smash and bury with wastes. **DO NOT BURN.**

Workers entering treated areas within 24 hours of application should wear protective clothing.

Do not use or store near heat or open flame. Do not store below 20° F.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR INTO OTHER AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN THAT INDICATED WITH LABEL DIRECTIONS. BECAUSE ANIMAL, PLANT OR OTHER INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

BUYER'S ACCEPTANCE OF THIS PRODUCT BY BUYER AND USER AGREE TO THE FOLLOWING CONDITIONS:

WARRANTY: Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredients statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGE: Be careful to store and use this material to avoid damage to health. If warranty or negligence shall be held to exist, damages, not exceeding the purchase price paid and shall not include incidental or consequential damages. If a claim for damages must be reported to Niagara within 90 days of purchase.

ACCEPTED

W. H. ...



**NIAGARA CHEMICAL DIVISION
FMC CORPORATION**