

**Code 465** 

# **Net Contents**

# **Tedion® 1.0 Miscil**

# **Miticide**

EPA Reg. No. 279-2886

EPA Est., 279-

**Active Ingredients:** \*Tetradifon (4-chlorophenyl 2,4,5-trichlorophenyl Xylene base aromatic petroleum solvent . . . . 35.0% 

100.0%

\*Tedion-Registered Trademark of N. V. Philips Roxane Contains 1.0 lb. Tedion per gallon

# KEEP OUT OF REACH OF CHILDREN CAUTION

For Emergency Assistance Call 716-735-3765.

See Other Panels for Additional Precautionary Information.

# PRECAUTIONARY STATEMENTS Hazards to Humans (& Domestic Animals)

Avoid breathing vapor. Avoid contact with skin

FMC Corporation **Agricultural Chemical Group** 2000 Market Street Philadelphia Pennsylvania 19103

PA 6 80

### **Environmental Hazards**

This product is toxic to fish, shrimp, crayfish crabs and other aquatic invertebrates. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of was

# Physical or Chemical Hazards

De not use or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner incon-sistent with its lebeling.

# Storage and Disposal

Do not store below 35° F. Do not conteminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsete that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away front storage. plies. Do not reuse container. To dispose of container, triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place. Do not cut or weld this container. Consult Federal, State or local disposal authorities for approved alternative procedures.

## **Directions for Mixing**

Do not use in undiluted form.

Fill the spray tank about one-third full of water, and with the agitator running, pour in the required amount of Tedion 1.0 Miscible, and continue filling. If wettable powders are used in the same spray tank with the Tedion 1.0 Miscible, the wettable powder should be added to the tank first, and after the powder is thoroughly dispersed in the water, the Tedion 1.0 Miscible should be added.

#### Directions for Use

Thoroughly mix in sufficient water per 100 gallons or amounts reacquired to treat one acre. Apply when mites first appear and repeal as required to maintain control. Apply to both upper and lower-leaf surfaces. Observe use limitations. Observe days interval between last application and harvest indicated by number in ( ) \*\*Ollowing crop\*\*

 $\frac{1}{2\pi^2} \approx 2.47$ 

\*\*\*

•

í

į

1 .

Apple (8), Crubesple (8), Peer (8), Guines (8): European Red Mite, Twospotted Spider Mite, McDeniel Mite, Fourspotted Mite, Yellow Spider Mite, Schoenii Mite—Use 1 pt. to 1 qt. per 100 gals. Spray trees thoroughly. Apply at pink and petal fall and during cover aprays as necessary to maintain control. Do not make more then 4 applications after petal fall per season and not more then 500 gals. of spray per acre application. Pomace from treated apples should not be fed to livestock.

Apricot (8), Cherry (8), Nestarine (8), Peach (8), Pic.m (8), Preme (8): European Red Mite, Twospotted Spider Mite, McDaniel Mite—Apply 1 qt. per 100 gals. of water immediately after bloom. Apply during cover sprays as necessary to maintain control. Use 1 pt. to 1 qt. per 100 gals. of water in summer applications. Do not apply more than 400 gals. of apray per acre per application. After shuck split, do not make more than two applications to Apricots, Cherries, Nectarines, Peaches or three applications to Plums or Prunes.

Cubumbers (0) (Greenhouse and Field): Twospotted Spider Mits—1 qt. per 100 gals, for greenhouse use; 2 qts, per acre for field use. Do not make more than 3 applications during the fruiting season.

Heps (14): Twospotted Spider Mite—Use 1 gal. in sufficient water to treat 1 acre. Apply when mites first appear. Do not make more than 2 applications during fruiting period. Do not feed straw to livestock.

Molone (0): Twospotted Spider Mite-2 qts. per acre.

Ornamentals (Greenhouse and Out-of-Doors): Citrus Red Mite, Twospotted Spider Mite—1 qt. per 100 gals. For standard rose plantings in the greenhouse, apply 30 to 35 gals, of spray per 1000 sq. ft. of bench space depending upon size of plants. Caution: Application of Tedion to White Butterfly and Cinderella roses may cause leaf drop. Do not apply Tedion 1.0 Miscible to open chrysanthemum blossoms (any variety) as slight injury may occur.

Peppermint (10): Twospotted Spider Mite—5'k pts per acre. Do not make more than 2 applications per season. Do not feed mint hav or spent mint hay to livestock.

Pumpkins (0): Twospotted Spider Mite-2 qts per acre

Strawberries (3): Twospotted Spider Mite- 4 qts, per acre. During the fruiting period, do not make application at intervals of less than 35 days.

Tomatoes (0): Tropical Mite, Twospotted Spider Mite - 1 to 2 qts. per acre. Do not make more than 3 applications during the fruiting period

Winter Squash (0): Twospotted Spider Mite 2 qts per acre

# Dealers Should Sell in Original Packages Only.

All the property of the property

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Resemmendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically resummended and other influencing factors in the use of this product are beyond the central of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the menufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established selepractice.

Demages: Buyer's or user's exclusive remedy for demages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

(465-PA 6/80)