

CODE
851

ENDRIN MISCIBLE

NET CONTENTS
GALLONS

RODENTICIDE

DIRECTIONS FOR USE

To prepare the spray mixture, measure out the required amount of this material and add it to the proper amount of water. Mix thoroughly and apply, agitating continuously. In cold weather this material may deposit a precipitate in the container. Before mixing in such cases, the material should be warmed gently and agitated until redissolved.

ORCHARDS: Pine Mice, Meadow Mice - For Pine Mice - Use 1 1/2 quarts per 100 gallons of water. For boom application, spray in band 11 feet wide and 670 feet long on each side of a tree row (350 to 400 gallons per acre). For hand-gun application apply 11 gallons of spray to each under-tree area (5 1/2 gallons per side). To penetrate ground cover to reach pine mice trail systems apply at 500 p.s.i. pressure. Specific directions concerning nozzles should be obtained from your State Agricultural Extension Service or Experiment Station. Do not disturb trail systems by cultivation before spraying. Allow minimum of 2 months before cultivating after applying spray. Make post-harvest application during cool periods of autumn. For Meadow Mice - Use 1 quart per 100 gallons of water. Apply 300 to 350 gallons of spray per acre as directed above. Make post-harvest application in October or November. Post treated areas for 30 days following treatment. Do not treat areas where runoff will contaminate water used for domestic purposes, lakes, streams or ponds containing fish. Do not graze treated orchards, cut forage for hay or allow drop fruit to be utilized for any purpose. Application may cause some injury to birds and certain small animals.

DO NOT USE. POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT USE IN UNDILUTED FORM
DO NOT STORE AT TEMPERATURES BELOW 0° F.

 **DANGER-POISON** 
KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 279-2887

ACTIVE INGREDIENTS:

†Endrin 19.50%
Xylene base aromatic petroleum solvent 74.00%

INERT INGREDIENTS: 5.50%

100.00%

†Hexachlorocyclohexaendo, endo-dimethanonaphthalene

Contains 1.6 Pounds Endrin Per Gallon

FIRST AID TREATMENT

Antidotes: If swallowed, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately! If on skin, Wash immediately with soap and water.

DANGER: Poisonous by Swallowing, Inhalation, or Skin Contact! Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Bureau of Mines for endrin protection. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

For Emergency Assistance Call
716-735-3765

ENVIRONMENTAL AND DISPOSAL CAUTIONS

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

IMPORTANT: Do not use this container for any other purpose. Rinse the recently emptied container with cold water, pouring rinsings into the spray tank. Then smash and bury the container.


Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE On purchase or use of this product buyer and user agree to the following conditions:


WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

DAMAGES: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to FMC within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by buyer or user or over which FMC has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release FMC from liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.



MANUFACTURED IN U.S.A. BY
FMC CORPORATION
AGRICULTURAL CHEMICAL DIVISION
MIDDLEPORT, N. Y. 14105



FMC Chemicals