Terraclor[®] 6.5 Thimet 6.5 Granular

100.00%

Fungicide - Insecticide

For Commercial or Agricultural Use Only EPA Reg. No. 279-2938 AA EPA Est., 279-

Active Ingredients:	By Wt.
*Phorate	
Pentachtoronitrobenzane	
	. <u>07.00 A</u>

*O.O - Diethyl S-(ethylthio)methyl phosphorodithioate

met[®] Trademark American Cyanamid Company erraclor[®] Trademark Olin Corporation Thimet is a systemic insecticide.

KEEP OUT OF REACH OF CHILDREN

文 DANGER—POISON 文

٠¥,

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

If on skin, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED Thimet (phorate) POISONING: If symptoms or signs of poisoning (See Physician's Note) include blurred vision, abdominat cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 grains) at once. Remove patient immediately from the area where Thimet (phorate) is present. emove contaminated clothing and wash the skin clean with


nty of soap and water to remove all traces of Thimet (phorate). Have patient lie down and keep quiet.

Note To Physician: Warning symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Give atropine, preferably by injection, grains 1/100 Treatment: Give alropine, preferably by injection, grains 1/100 three or more tablets at once and every hour as required until pupils dilate. Thirty or more tablets may be required during the first 24 hours. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by cholinesterase regeneration has been allowed as determined by

For Emergency Assistance Call 716-735-3765 See Other Panel for Additional Precautionary Information

FMC Corporation Agricultural Chemical Group 2000 Market Street Philadelphia Pennsylvania 19103



PAGE 10F 2 (PA -12/22)

PA 5 80

PRECAUTIONARY STATEMENTS

Hazards To Humans (and Domestic Animals)

Danger

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes, on skin or clothing. Wear natural rubbar gloves, protective clothing and Do not get in eyes, on skin or clothing. Wear natural rubber gloves, protective clothing and goggles. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Wash thoroughly with soap and hot water after handling and before eating or smoking. Wash all clothing thoroughly before reuse. Keep away from children and domestic animals.

During the mixing and loading process, wear goggles, gloves, long-sleeved shirt, long pants, socks and shoes.

Environmental Hazards

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on the label.

This product is toxic to bees and should not be applied when bees are actively visiting the

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide spray mixture or rinsate that cannot be used according to lauel instructions must be disposed of a according to applicable Federal, state or local procedures. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

Not for use or storage in or around the home.

Terraclor® 6.5 Thimet® 6.5 Granular is an effective preplanting treatment for protection against certain seedling diseases and insects of cotton.

Cotton: Rhizoctonia, early season Thrips, Aphids, Mites and Leafminers — Use 10 to 15 pounds per acre for a 40 inch row spacing (0.8 to 1.16 pounds per 1000 feet of row). On above disease control plus control of Mites, Thrips, Aphids, Black Cutworms, Leafhoppers, Whiteflies and Leafminers use 15 pounds per acre for a 40 inch row spacing (1.16 pounds per 1000 feet of row). Distribute the granules evenly in the furrow at planting time. Soit temperature and tilth should be favorable for good germination and emergence. Under adverse planting conditions plant stand may be affected. Do not allow the feeding or grazing of cotton foliage by livestock. Do not plant any root crop not registered for Terraclor® in rotation on Terraclor® treated soil.

Dealers Should Sell in Original Packages Only.

Terms of Sales or Use. On purchase of this product buyer and user agree to the following

Werranty: FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is Buyer and user assume all risk of use and/or handling and/or storage of to s material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages

EPA 86 46.279-2938 PAGE 2 OF 2

(PA -12/82)

FMC Corporation Agricultural Chemical Group 2000 Market Street Philadelphia, PA 19103

Gentlemen:

Subject: Terraclor 6.5 Thimet 6.5 Granular EPA Registration No. 279-2938 Your Letter Dated December 17, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

- 1. In the Environmental Hazards Statement change "Keep out of.... streams" to "Do not apply directly to water."
- A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry M. Jacoby Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767)

Enclosure

TS-767:HMJACOBY:DCR-03334:WANG-2361C:lwy:Raven:479-2013:2/2/8

CONCUMBENCES MA Form 1320-1 (4-81)

OFFICIAL FILE COPY