

Code: 31174

[279-2959]

Net Weight

50 Pounds

SULFUR 50 FERBAM 5 MALATHION 5 DUST

DIRECTIONS FOR USE

Make thorough, full coverage application when insects and disease first appear and repeat as necessary. Ground application preferred.

DATES: Nitidulid Beetles and Alternaria - Use 38 pounds per acre. Do not apply within 7 days of harvest.

FUNGICIDE-INSECTICIDE

EPA REG. NO. 279-2959 AA

ACTIVE INGREDIENTS:	BY WT.
Ferbam; Ferric dimethyl dithiocarbamate ..	5.00%
Malathion; 0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate	5.00%
Sulfur	50.00%
INERT INGREDIENTS:	40.00%
	<u>100.00%</u>

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke

CAUTION

KEEP OUT OF REACH OF CHILDREN

May cause irritation of eyes, nose, throat and skin. Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing; wash thoroughly after using. In case of contact, flush with plenty of water. For eyes get medical attention. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal.

For Emergency Assistance Call
716-735-3765

Applications of materials containing Sulfur should not be made just prior to or during periods of excessively high temperatures or within 10 days to two weeks of an oil spray.

Keep Packages or Dust Away From Sparks, Flames or Hot Surfaces.

