

U S ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Avenue N W
Washington D C 20460

EP: g Number 279-3453	Date of I	ssuance	201
Term of Issuance Unconditional			
Name of Pesticide Product	t		

NOTICE OF PESTICIDE

X Registration
Reregistration

Ho	meG	uard	R) Co	ollars
		·uuiu	-	mu

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code)

FMC Corporation

1735 Market Street

Philadelphia, PA 19103

Note (Changes) milabeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Laguerration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration numbers.

On the basis of information furnished by the registrant the above named pesticide is hereby registered/reregistered under the Federal Insecticide Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is <u>unconditionally</u> registered in accordance with FIFRA sec 3(c)(5) Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)

- 1 You will make the following label changes before you release the product for shipment
 - a) Revise the EPA Registration Number to read "EPA Reg No 279-3453"
- 2 Generate and submit the results of an one year storage stability (830 6317) and corrosion characteristics (830 6320) study to the Agency on completion. It is required that the observations be made at 0, 3, 6, 9, and 12 months intervals
- 3 Per 40 CFR 156 10(a)(6), submit one copy of your final printed labeling before releasing the product for shipment. As defined in 40 CFR 152 3, "final printed labeling" means the "label or labeling of the product when distributed or sold." Clearly legible reproductions or photo reductions will be accepted for unusual labels. Note that a clean copy of the master label in most cases does not meet the definition of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e)
- Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions A stamped copy of the label is enclosed for your records

If you have any questions regarding this action, please contact BeWanda Alexander at www alexander bewanda@epa gov or (703) 305-7460

www alexander bewanda@epa gov or (703) 305-7460
Signature of Approving Official
Signature of Approving Official ADD WONDO CLUB NOON SON Richard Gebken Product Manager
Richard Gebken Product Manager
Insecticide Branch/Registration Division (7505P)

September 24,2012

HomeGuard® Collars

For the protection of service penetrations in residential, institutional, public, commercial, industrial structures from concealed termite entry

For use by individuals/firms licensed or registered by the state or territory to apply termiticide products States or territories may have more restrictive requirements regarding qualifications of persons using this product Consult the pest control regulatory agency of your state or territory prior to use of this product

Active Ingredient Bifenthrin* Other Ingredients

01% 99 9%

100 0%

*C1s 1somers 97% minimum, trans 1somers 3% maximum US Patent No 4,238,505

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See additional precautionary statements, storage and disposal and directions for use ınsıde booklet

EPA Reg No 279-GULG

EPA Est

[FMC Logo]

FMC Corporation Agricultural Products Group Philadelphia, PA 19103

Net Contents 40 x 4 in (1016 mm) Collars 30 x 3 in (762 mm) Collars 30 x 2 in (508 mm) Collars 50 x 1 5 in (381mm) Collars

ACCEPTED SEP 2 4 2012 Under the Federal Insecticide Fungicide and Rodenticide Act as amended, for the pesticide Registered under EPA Reg No.

FIRST AID				
(Pyrethroid)				
IF ON SKIN OR	Take off contaminated clothing			
CLOTHING	Rinse skin immediately with plenty of water for 15-20 minutes			
	Call a poison control center or doctor for treatment advice			
HOT LINE NUMBER				
(Pyrethroid)				
Have the product container or label with you when calling a poison control center or doctor, or				
going for treatment You may also contact 1-800-331-3148 for Emergency Assistance				
Note to Physician This product is a pyrethroid If large amounts have been ingested, milk, cream				
or other digestible fats	and oils may increase absorption and so should be avoided			
For Information Reg	arding the Use of this Product Call 1-800-321-1FMC (1362)			

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Caution

Harmful if absorbed through skin Avoid contact with skin, eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet Remove and wash contaminated clothing before reuse Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear gloves when handling this product

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate any water by disposal of this product

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Precautions and Restrictions

Do not use for remedial treatment of pre-existing termite damage

Do not use a collar with inside diameter size that does not exactly match the penetration outside diameter

Do not use in situations where service penetrations do not enter a structure via a concreted section

HomeGuard Collars must be installed prior to the concrete pour

Do not glue collars to service penetrations

HomeGuard® Collars

Not recommended as sole protection against termites For active infestations, get a professional inspection

For specific details on installation of collars, see instructions below

Product information

HomeGuard Collars provide protection from concealed entry via service penetrations of subterranean termites. Collars may be used in combination with other products intended for pre-construction applications, including FMC's termite management products. HomeGuard Collars cannot be used as a remedial treatment for existing termite damage.

HomeGuard Collars contain an active ingredient that is dispersed fully throughout the plastic collar. This means that there is no top or bottom of the collar – it may be installed equally effectively no matter which end is up. Collar size must match service penetration ensuring a snug fit occurs.

HomeGuard Collars are to be used for protection of service penetrations in combination with a concrete slab acting as physical termite barrier, and/or in combination with other products intended for pre-construction applications. When used in combination with a concrete slab acting as a physical barrier, the slab must be poured in accordance with local slabs and footings requirements.

One collar per penetration

Critical application details

Pre-Installation

Prior to installing HomeGuard Collars, it is suggested that a site inspection is performed and the following precautions are carried out. Elimination of any active colony of economically important wood feeding species of subterranean termite found within the property boundary up to a distance of 164 ft (50m) from the proposed new building work. All tree stumps, logs, and roots, shall be excavated and removed from the building footprint. All timber off-cuts, building debris, removable framework and other waste materials shall be removed from the area where the HomeGuard Collars are to be installed. All structural material below the ground is to be made from termite resistant material such as masonry, concrete, steel, etc.

Installation

To install HomeGuard Collars, position the similarly sized collar over the penetration pipe and push down until it makes contact with the pre-laid moisture membrane. No sticking or gluing is required as the fit is snug over the pipe. Installations are always made prior to pouring of the concrete slab. Reinforcing mesh is to be cut clear of the penetration pipe to allow the collar to be positioned so it is contained entirely with the slab.

Termites have been shown to be able to gain access via extremely small openings (greater than 0 04 in (1mm) For this reason HomeGuard Collars are designed to provide a snug fit over service penetration pipes and are fully encased in concrete after the concrete is poured. If a snug fit cannot be guaranteed and gaps are present HomeGuard collars are not to be used. In

HomeGuard® Collars

such a case, use other products intended for pre-construction applications applied as per the product label for protection of the service penetrations

Multiple penetrations in the perimeter

Clusters of penetrations in close proximity are termed multiple penetrations or cluster penetrations. In cases where multiple penetrations do not allow HomeGuard collars to be fitted as per the above installation instructions, use other products intended for preconstruction applications for protection of these service penetrations.

Service Requirements

HomeGuard Collars contain an insecticide, which will both kill and repel termites that come into contact with it. The objective of HomeGuard Collars is to prevent concealed access from subterranean termites entering via service penetrations. Termites can still enter a structure via other routes.

Regular competent inspection is suggested as part of an ongoing termite management program. Service requirements are to be determined as a result of at least an annual inspection by a licensed Pest Management Professional (PMP). More frequent inspections may be required in high-risk termite areas. In determining the need for service, factors such as local termite pressure, breaches of the barrier and termiticide longevity are to be considered.

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal **Pesticide Storage** Keep out of reach of children and animals Store in original containers only Store in a cool, dry place and avoid excess heat Carefully open containers After partial use, close tightly

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons Confine spills Call FMC (800) 331-3148

To confine spill If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay If dry material, cover to prevent dispersal Place damaged package in a holding container Identify contents

Pesticide Disposal Pesticide wastes are toxic Improper disposal of excess pesticide or rinsate is a violation of Federal law Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Handling [Plastic Bags] Non-refillable container Do not reuse or refill this container Triple rinse (or equivalent) Completely empty bag. Then offer for recycling, if available or dispose of empty bags in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning If burned, stay out of smoke

Conditions of Sale and Limitation of Warranty and Liability

HomeGuard® Collars

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of FMC or Seller All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT Any warranties, express or implied, having been made are inapplicable if this product has been contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use

To the extent consistent with applicable law, FMC or seller shall not liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement

FMC & HomeGuard - Trademarks of FMC Corporation

Formulated and packaged in Australia

Container Label

HomeGuard® Collars

For the protection of service penetrations in residential, institutional, public, commercial, industrial structures from concealed termite entry

For use by individuals/firms licensed or registered by the state or territory to apply termiticide products. States or territories may have more restrictive requirements regarding qualifications of persons using this product. Consult the pest control regulatory agency of your state or territory prior to use of this product.

Active Ingredient

Bifenthrin* 0 1% **Other Ingredients** 99 9%
100 0%

*Cis isomers 97% minimum, trans isomers 3% maximum U S Patent No 4,238,505

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements and directions for use in the attached booklet

EPA Reg No 279-XXXX Batch No **EPA Est**

[FMC Logo]

FMC Corporation Agricultural Products Group Philadelphia, PA 19103

Net Contents 40 x 4 m (1016 mm) Collars

30 x 3 in (762mm) Collars 30 x 2 in (508 mm) Collars 50 x 1 5 in (381mm) Collars

	FIRST AID	
(Pyrethroid)		
IF ON SKIN OR	Take off contaminated clothing	
CLOTHING	Rinse skin immediately with plenty of water for 15-20 minutes	
	Call a poison control center or doctor for treatment advice	
HOT LINE NUMBER		
(Pyrethroid)		
Have the product container or label with you when calling a poison control center or doctor, or		
going for treatment Y	ou may also contact 1-800-331-3148 for Emergency Assistance	
Note to Physician Thi	s product is a pyrethroid If large amounts have been ingested, milk, cream	
or other digestible fats	and oils may increase absorption and so should be avoided	

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

Caution

Harmful if absorbed through skin Avoid contact with skin, eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet Remove and wash contaminated clothing before reuse Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear gloves when handling this product

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362)

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate any water by disposal of this product

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal **Pesticide Storage** Keep out of reach of children and animals Store in original containers only Store in a cool, dry place and avoid excess heat Carefully open containers After partial use, close tightly

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons Confine spills Call FMC (800) 331-3148

To confine spill If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay If dry material, cover to prevent dispersal Place damaged package in a holding container Identify contents

Pesticide Disposal Pesticide wastes are toxic Improper disposal of excess pesticide or rinsate is a violation of Federal law Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Handling [Plastic Bags] Non-refillable container Do not reuse or refill this container Triple rinse (or equivalent) Completely empty bag. Then offer for recycling, if available or dispose of empty bags in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning If burned, stay out of smoke

Formulated and packaged in Australia

HomeGuard® Collars