



UNDER THE FEDERAL INSECTICIDE ACT
REGISTERED AND PATENTED

PET-D-TICK

NEW, IMPROVED FORMULA CONTAINS

SEVIN

TO CONTROL

LICE, TICKS AND FLEAS ON DOGS AND CATS

CONTENTS: 4 OUNCES

CAUTION: Keep Out of Reach of Children
SEE BACK PANEL FOR OTHER CAUTIONS.

Active Ingredient:

Carbaryl, 95% (95.00%)
Ampicillin, 5% (5.00%)

4.0

DIRECTIONS FOR USE:

Dogs and Cats: For ticks and fleas, dust liberally over the entire animal, avoiding the eyes, and rub thoroughly into the skin. Comb out dead ticks a few hours after treatment. Repeat at weekly intervals if needed. Avoid treatment of kittens less than 4 weeks of age.

In and around quarters: for fleas and ticks, dust liberally in and around sleeping quarters, kennels and dog houses by means of a shaker can or dust gun.

HARMFUL IF INHALED OR SWALLOWED. Do Not Breathe Dust. Do Not Take Internally. Avoid Breathing of Spray. Skin contact may be harmful. Avoid Unnecessary Skin Contact. Wash Hands after using. Avoid contamination of feed and feed stuff.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase inhibitor. Atropine is antidote.
U.S.D.A. Reg. No. 299-119

C. J. MARTIN & SONS, INC.

Austin, Texas

Dec 31, 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT



Martin's

PET-D-TICK

NEW, IMPROVED FORMULA CONTAINS

SEVIN

TO CONTROL

LICE, TICKS AND FLEAS ON DOGS AND CATS

CONTENTS - 4 OUNCES

CAUTION: Keep Out of Reach of Children
SEE BACK PANEL FOR OTHER CAUTIONS.

Active Ingredient:

Carbaryl (Insecticide, N-methylcarbamate)

5.00%

Inert Ingredient: (Total)

95.00%

Total

100.00%

Registered in U.S. Patent Office, U.S. Patent No. 2,811,111

C. J. MARTIN & SONS, INC.

Austin, Texas

DIRECTIONS FOR USE:

Dogs and Cats: For ticks and fleas, dust liberally over the entire animal, avoiding the eyes, and rub thoroughly into the skin. Comb out dead ticks a few hours after treatment. Repeat at weekly intervals if needed. Avoid treatment of kittens less than 4 weeks of age.

In and around quarters: for fleas and ticks, dust liberally in and around sleeping quarters, kennels and dog houses by means of a shaker can or dust gun.

HARMFUL IF INHALED OR SWALLOWED. Do Not Breathe Dust. Do Not Take Internally. Avoid Breathing of Spray. Skin contact may be harmful. Avoid Unnecessary Skin Contact. Wash Hands after using. Avoid contamination of feed and feed stuff.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase inhibitor. Atropine is antidote. U.S.D.A. Reg. No. 299-119