

10% HEPTACHLOR GRANULES

CONTROLS

FOR USE ON:

Imported Fire Ants
Chiggers - Ticks
Armyworms - June Beetles
Crickets - Sod Webworms
White Grubs - Fleas

Lawns
Park Areas
Golf Courses
Cemeteries
Nurseries

NET WEIGHT: 5 POUNDS

WARNING: KEEP OUT OF REACH OF CHILDREN.

See Back Panel For Other Warnings.

ACTIVE INGREDIENTS:



ACCEPTED

JUN 25 19/1

Acad rate e tapa" beton man

TERIES, NURSERIES, OTHER NON-CROP AREAS IMPORTED FIRE ANTS. Broadcast Treatment - At, Production of Martin's 10% Heptachion Granules, en acre on a point per 1900 square feet. Wash or more into some Mound Treatment - Andly 1 to 2 caps to entrance of the next as well as to area a feet or adnest. Repeat fieldment in 2 weeks if necessary. Do not apply to pasture or crop land.

CHINCH BUGS, CHIGGERS, FIEAS, SOD WEBWORMS, ARMY-WORMS. TICKS: Broadcast Martin's 10% Heptachlor Granules at a rate of 12½ pounds per acre or ½ pound per 1000 square feet. Work or wash into the soil. Do not apply to pasture or crop land.

SOIL INSECTS: WHITE GRUBS, JAPANESE BEETLE LARVAE, WHITE FRINGED BEETLE LARVAE, EUROPEAN CHAFER LARVAE, ASIATIC GARDEN BEETLE LARVAE, GREEN JUNE BEETLE LARVAE: Broadcast 20 to 30 pounds of Martin's 10% Heptachlor Granules per acre. Work or wash into soil.

FOR USE ON CORN.

ROUGH HEADED CORN STALK BEETLES, SOUTHERN CORN ROOTWORM: Breadcast Martin's 10% Heptachlor Granules at a rate of 20 pounds per acre just before final preparation for planting, and work into the soil thoroughly

WARNING

Persons or pets should be excluded from treated areas until the Heptachlor has been worked or washed into the soil and the grass is thoroughly dry.

This product is toxic to fish and wild life. Birds feeding in treated areas may be killed. Keep out of lakes streams, and ponds. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

WARNING

May be total if swallowed. Do not bre the valor or dust. Do not get on skin. In case of contact, wash immediately with soap and water. Do not contaminate feed and feedstuffs.

ANTIDOTE

FXTERNAL - In case of spillage on skin, wash promptly with soap and water.

INTERNAL - Emetic of 1 tablespoonful mustaid in tumbler of water. Call a physician.

U.S.D A. Reg. No. 299-152

1726

606 W. MAIN ST.

NACOGDOCHES, TEXAS 75961