(60% C14, 30% C16, 5% C12, 5% C18) DIMETHYL BENZYL AMMONIUM CHLORIDE, N-ALIXYL (50% C12, 30% C14, 17% C16, 3% C18) DIMETHYL ETHYL BENZYL AMMONIUM CHLORIDE.

> WERT 12 GATO 1ENTS 87.49 %

WATER, DISODIUM SALT OF 1-CARBOXYMETHYL-1-ETHOXYCAI2BOXYMETHYL-2-UNDECYLIMIDAZOLINIUM HYDROXIDE

* for all acid resistant surfaces

Commission of the

TOWN DAY OUR NOTHING A STATE OF

be fatal if swallowed. Do not breathe vacer or fumes. May produce chemical burns. Do not get in eyes, on skin, or on clothing. See antidote statement on side panel.

ACCEPTED

OCT 1 01968

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODE MICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.334-30- SUBJECT TO ATTACHED COMMENTS.

remain on the surface at least 3 minutes until all rust, stains and scale are loosened. Clean upper part of bowl, under the Rush rim and down into the trap. To remove ador and incrustations in trap, pour 2 ounces into urinal and allow to remain for as long as possible.

To clean both tubs, sinks, wash basins and after enamelled and plated surfaces, always dilute with 3 parts water.


Apply with Sponge or Porcelon Mop Do not allow Porcena to remain on fixture without thoroughly rinsing with water.

for cleaning of shower stalls, drinking fountains, coffee urns, sterilizers, brass rails, ceramic tile floors, dilute with 3 parts of water then apply to the surface, and finally rinse with water. For subborn stains, 2 or 3 such applications will be necessary. Do not allow Parcena to remain on the fixture without thoroughly rinsing it with water.

USDA REG. NO. 334-2022

Cameraman's Note

Poor Copy



This powerful hospital disinfectant and deodorant acts quickly on germ laden surfaces such as: Refuse Cans, Toilet Seats, Telephones, Wash Basins, Urinals, Laundry Chutes, Door Knobs, Metal Beds and Springs, Wheel Chairs, Linen Carts, Hampers, Dressing Carts, Clean-Up Carts, Air Ducts, Light Switches, Office Machinery, and other equipment, after the surface has been properly cleaned. Will reduce the hazard of cross infection by bacteria.

Nc.1-selective odor suppressant for space odor conditioning and deodorizing surgical dressings. Molecular aerosol deodorant. Attacks malodor at the source. Does not cause anosmia. Suppresses and eliminates odors by chemically neutralizing odor-producing materials.

Effective on odors from any source in hospitals, nursing homes, ambulances, from post-colostomy, post-ileostomy dressing and bags, malignant diseases, homes, kitchens, bath rooms, industrial plant processes, food processing and packaging plants and food stores.

Acts instantly and remains effective for long periods on unpleasant odors from fecal matter, urine, burns, smoke, mildew and mold, decay, garlic, onions, food putrefaction, perspiration, stale air, tobacco, sick rooms, musty closets, fish.

WARNING— CAUSES EYE IRRI— TATION. Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use adequate ventilation. Avoid contact with food.


CONTENTS UNDER PRESSURE: Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. DO NOT USE NEAR HEAT OR FLAME.

TUBERCULOCIDAL-STAPHYLOCIDAL BACTERICIDAL

FUNGICIDAL-PSEUDOMONICIDAL

Disinfects Influenza A2/Hong Kong Virus on inanimate environmental surfaces.

NUMBER



WARNING: KEEP OUT OF REACH OF CHILDREN.

CEE SIDE PANEL FOR EURTHER PRECAUTIONS

1 1 0 0 0 0 1 1 1 0 0 0 0

CORPORATION, CHICAGO, ILLINOIS 60609

This Product Will Control the Following Organisms:

ASPERGILLUS NIGER
ESCHERICHIA COLI
MYCOBACTERIUM SMEGMATIS
PENICILLIUM GLAUCUM
PSEUDOMONAS AERUGINOSA
SALMONELLA CHOLERAESUIS
SALMONELLA SCHOTTMUELLERI
(PARATYPHOID B)
SALMONELLA TYPHOSA
SHIGELLA PARADYSENTERIAE
STAPHYLOCOCCUS AUREUS
STREPTOCOCCUS PYOGENES
TRICHOPHYTON INTERDIGITALE
TUBERCLE BACILLI

Controls mildew (mold or fungi). Completely inhibits growth on cloth.

DIRECTIONS:

SHAKE WELL BEFORE USING.

FOR DISINFECTING:

Hold dispenser upright about 6 to 8 inches from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING:

Hold dispenser upright—point the opening away from face. Spray into air towards the center of room for about 4 seconds.

FOR MILDEW CONTROL:

Clean surface. Spray surface until wet. Repeat application every week to maintain control.

IMPORTANT:

Do not use on polished wood, furniture or rayon fabrics.

EPA Reg. No. 334-316 AB

ACTIVE INGREDIENTS:	.53.680°
Ortho-phenylphenol 0.176°	•
Para-tertiary-amylphenol 0.044%	
Alcohol	
INERT INGREDIENTS	.46.320 。
	100.0003