DIRECTIONS FOR USE

For use in Hotels, Motels, Homes, Institutions, Packaging and Processing Plants, Seed Houses and Horse Stables. In horse stables, not for application if horses will be used for food. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

SPACE SPRAY: To kill flies, mosquitoes and gnats: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corner of the room. Fill the room with a fine mist space spray at the rate of 3 fluid ounces per 5,000 cubic feet. Leave room closed for onehalf hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAYS: To kill roaches, ants, earwigs, grain mites, sowbugs, spiders and centipedes: Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant

trails and hills.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, sawtoothed grain beetles, shiny spider beetles: Remove infested grain cereal or flour and destroy. Avoid contamination of other load and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and . thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed

before using. Repeat as necessary.

EPA Reg. No. 334-461 AA

AQUAKIL—50 INSECTICIDE

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING HOUSEHOLD FLYING AND CRAWLING INSECTS: Housfles, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Saw Toothed grain beetles, Shiny spider beetles), Grain Mites, Sowbugs and centipedes.

ACTIVE INGREDIENTS:

*Resmethrin [5-(Phonylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) Aromatic petroleum hydrocarbons0.662% 100,000%

*cis/trans isomers ratio: max.:30% (±) cis and min. 70%

ACCEPTED

MAY 5 1981

the coderal inescribite. Fangi t'e and Rodendalto Aut, and dad to the pessicide

334-461

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional Proceetionary Statements

Net Weight



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist.

FIRST AID

In case of contact, immediately flush skin and eyes. with plenty of water for at least 15 minutes. For skin and eyes, call a physician.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. A container size of 30 gals, or more may be reseated and offered for recondition-

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.