

Approved by
UNITED STATES FEDERAL GOVERNMENT
FUNGICIDE AND FUNGICIDES ACT
FOR ECONOMIC PESTICIDES
E. NUMBER NO. 35736

ALGAECIDE B

FOR CONTROLLING ALGAE AND SLIME IN RECIRCULATING COOLING WATER SYSTEMS. FOAM AND DUSTING CONTROLLED.

ACTIVE INGREDIENTS:

Sodium pentachlorophenate	_____	75.8%
Sodium salts of other chlorophenols	_____	10.6%
INERT INGREDIENTS	_____	13.6%

DIRECTIONS

INTERMITTENT METHOD

Apply at a point in the system where the product will be uniformly mixed.

INITIAL DOSE: When the system is noticeably fouled, apply 1/3 lb. to 2/3 lbs. of ALGAECIDE B per 1,000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 1/6 lb. to 1/3 lb. of ALGAECIDE B per 1,000 gallons of water in the system as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply

SUBSEQUENT DOSE: When microbial control is evident, add 1/6 lb. to 1/3 lb. of ALGAECIDE B per 1,000 gallons of water in the system as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelating solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

E.P.A. Registration No. 337-36

Manufactured By

LESTER LABORATORIES

INCORPORATED

ATLANTA, GEORGIA, U.S.A. 30344

**FOR CONTROLLING ALGAE AND SLIME IN RECIRCULATING
COOLING WATER SYSTEMS. FOAM AND DUSTING CONTROLLED.**

ACTIVE INGREDIENTS:

Sodium pentachlorophenate _____	75.8%
Sodium salts of other chlorophenols _____	10.6%
INERT INGREDIENTS _____	13.6%

DIRECTIONS

INTERMITTENT METHOD

Apply at a point in the system where the product will be uniformly mixed.

INITIAL DOSE: When the system is noticeably fouled, apply 1/3 lb. to 2/3 lbs. of ALGAECIDE B per 1,000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 1/6 lb. to 1/3 lb. of ALGAECIDE B per 1,000 gallons of water in the system as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelating solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

E.P.A. Registration No. 337-36

Manufactured By

LABORATORIES
DELTA, GEORGIA, U.S.A. 30344