

NOTICE OF WARRANTY

Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of the seller. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

2% Bromacil Liquid should be used only in accordance with recommendations on this label, or in separate published manufacturer's recommendations available through local dealers.

Seller will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by seller. User assumes all risk associated with such nonrecommended use.

Apply 2% Bromacil Liquid Weed Killer just before or during the period of active growth of plants to be controlled when rainfall can be expected for soil activation. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to uniformly apply the product. Use a fixed-boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a hand-gun sprayer, be careful to obtain even distribution of the herbicide to the soil. For treating small areas, a tank-type hand sprayer may be used.

WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as RAILROAD, HIGHWAY AND PIPE-LINE RIGHT-OF-WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, AND INDUSTRIAL PLANT SITES:

Apply 15 to 35 gals. 2% Bromacil Liquid Weed Killer per acre to control ANNUAL WEEDS and GRASSES such as brome grass, cheatgrass, crabgrass, foxtail, lambsquarters, orchardgrass, puncturevine, ragweed, ryegrass, turkey mullein, and wild oats. When applied just prior to or after emergence of annuals, rates as low as 10 gals. per acre control many annual weeds and grasses in low rainfall areas and give short-term control in higher rainfall areas.

Apply 35 to 65 gals. 2% Bromacil Liquid Weed Killer per acre to control PERENNIAL WEEDS and GRASSES such as aster, bahiagrass, bluegrass, broomsedge, dandelion, dogfennel, goldenrod, plantain, purpletop, quackgrass, redtop, smooth brome, and wild carrot. In areas with low or seasonal rainfall, rates as low as 25 gals. per acre control many perennial weeds and grasses.

CONTINUED ON RIGHT PANEL

ACCEPTED

OCT - 4 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 352-416

2% BROMACIL LIQUID WEED KILLER

WATER SOLUBLE LIQUID

Active Ingredient: Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil) 2%
 Inert Ingredients 98%
 S. Pats. 3,352,862 & 3,235,357
 EPA Reg. No. 352-416

Keep out of reach of children. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE IRRITATION. MAY IRRITATE NOSE, THROAT, AND SKIN. Do not get in eyes. Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
 If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

IMPORTANT — Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Thoroughly clean all traces of 2% Bromacil Liquid Weed Killer from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

GENERAL INFORMATION — 2% Bromacil Liquid Weed Killer is a water soluble liquid to be sprayed undiluted on noncropland areas. It is an effective general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

2% Bromacil Liquid Weed Killer is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

NET 5 GALS.

AG 692 0585

MADE FOR

Made in U.S.A. Printed in U.S.A.

JHN DOE CHEMICAL CO. • ANYPLACE IN THE U.S.A.

ANIMALS
STATE NOSE, THROAT, AND SKIN.
Wash with soap and water after
IRITATION
Irritation persists.
Wash by cleaning of equipment or

may result from failure to
near desirable trees or
ns where the chemical may
ns, walks, driveways, tennis
Do not contaminate domes-
des and seeds. Thoroughly
on equipment immediately
es of water after removing

a water soluble liquid to be
ral herbicide for control of
eful for control of perennial
until the chemical has been
ontrol and duration of effect
ind other conditions.

and non-corrosive to metals

Made in U.S.A. Printed in U.S.A.
MADE IN THE U.S.A.

For small areas: 10 qts. of 2% Bromacil liquid weed killer per 1,000 sq. ft. is approximately 54 gals. per acre.

BRUSH CONTROL: To control undesirable woody plants on noncrop-land areas such as RAILROAD RIGHT-OF-WAYS, STORAGE AREAS, INDUSTRIAL PLANT SITES, AND DRAINAGE DITCHES:

Apply in spring or summer as a broadcast or basal (soil) treatment; for use on drainage ditches, apply as a basal (soil) treatment only.

Note: For effective brush control and prevention of damage to desirable vegetation: do not apply to brush standing in water; do not use water from treated ditches for irrigation; do not use in irrigation ditches nor on right-of-ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

Broadcast Treatment: Apply 25 to 55 gals. per acre to control oak, pine, sweet gum, and willow; apply 65 to 130 gals. per acre to control brush such as American elm, cottonwood, hackberry, sumac, and winged elm. Use the higher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

Basal (Soil) Treatment: Apply at the rate of 2 to 4 fl. oz. per stem 2" to 4" in basal diameter; wet base of stem to run-off. Treatment controls woody plants such as cottonwood, hackberry, maple, oak, poplar, red bud, sweet gum, wild cherry, willow, and winged elm.

NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the United States.

STORAGE AND DISPOSAL

Storage: Product will freeze at temperatures below 32°F. Keep container closed when not in use. Store product in original container only, away from other pesticides, fertilizer, food, or feed.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke