THIRAM 65W

CONTROLS FRUIT AND VEGETABLE DISEASES

CAUTION! KEEP OUT OF REACH OF CHILDREN.

DIRECTIONS FOR USE

Put one-half the recommended amount of water in the spray tank; add the required amount of Thiram-65W directly to the water in the tank; then add the remainder of the water to the tank while mixing. Good agitation should be provided to prevent settling to the bottom of the spray tank.

RECOMMENDED DOSAGES

APPLES

Scab - Use 1½ to 2 pounds per 100 gallons of water on a protective schedule at 5 to 7 day intervals from delayed dormant through the early cover sprays. Use 1 to 1½ pounds 100 gallons in later cover sprays.

<u>Udar-Apple Rust</u> — Use 1½ to 2 pounds per 100 gallons of water on a protective schedule at 5 to 7 day intervals from full pink through the third cover spray.

Black Bot (leaf and fruit), Sooty Blotch, Fly Speck, Bitter Rot and Botryosphaeria Rot — Use 1½ to 2 pounds per 100 gallons of water on a protective schedule at 5 to 7 day intervals from delayed dormant through the early cover sprays. Use 1 to 1½ pounds per 100 gallons in later cover sprays. PEACHES

Blossom and Twic Brown Rot Blossom Blight — Use 1½ to 2 pounds per 100 gallons of water at 3 to 4 day intervals beginning at the pink bud stage and continuing through shuckfall.

Brown Bot of Fruit - Use 1½ to 2 pounds per 100 gallons of water at 7 day intervals beginning about one month before harvest and continuing until 7 days before harvest.

Scab — Use 1½ to 2 pounds per 100 gallons of water at 10 to 14 day intervals beginning at petal fall and continuing until 7 days before harvest.

DO NOT APPLY THIRAM-65W WITHIN 7 DAYS OF HARVEST

STRAWBERRIES

Gray Mold (Botrytis) — Use 2 to 2½ pounds per 100 gallons of water and apply about 200 gallons of spray per acre. Make first application as new growth starts and repeat applications at full bloom, calyx and every 10 days until harvest.

REMOVE RESIDUES BY WASHING IF APPLICATIONS ARE MADE WITHIN 3 DAYS OF HARVEST

TOMATOES

ASP 5072

Gray Mold (Botrytis) — Use 1½ pounds per 100 gallons of water at 3 to 5 day intervals beginning when plants are 3 to 4" high and continuing as long as disease is present in area. Thorough and uniform coverage of all plant parts is essential.

CELERY (Plant Beds)

Farly Blight and Rhizoctonia — Use 1½ pounds per 100 gallons of water and apply about 15 gallons of spray per 1200 square feet of seedbed. Make first application when the young plants take root and repeat applications at 3 to 4 day intervals until all usable plants are drawn.

UNIROYAL CHEMICAL Division of UNIROYAL, Inc. Naugatuck, Connecticut 06770

FISH AND WILDLIFE

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

CAUTION!

Handling — Avoid inhaling dust or spray, harmful if swallowed. In case of contact, wash skin thoroughly with soap and water. Do not get in eyes. In case of contact with eyes flush immediately with running water and get medical attention. Keep away from food products. Care must be exercised in handling of treated seed. Consumption of alcoholic beverages increases the possibility of harm.

COMPATIBILITY

Thiram-65W is compatible with most of the commonly used fungicides, insecticides, acaricides and antibiotics. Use an arsenical safener when mixing with lead arsenate. Use caution when mixing with copper compounds. DO NOT USE WITH LIME SULFUR.

CONTAINER DISPOSAL

Burn or bury container eighteen inches below soil surface at safe disposal site. Never reuse for food or water. When burning pesticide container, keep out of smoke.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET WEIGHT 4 POUNDS

25	COMPOSITION
Active	Ingredient iran (Tetramethylthiuram disulfide 65%
J & Inert I	rigredients
TOTAL	

