


Registrant OMITE-4D
(Product)

UNIROYAL CHEMICAL
DIVISION OF UNIROYAL, INC.
NAUGATUCK, CONNECTICUT

WARNING! KEEP OUT OF REACH OF CHILDREN.

(For other warning statements see below)

OMITE®-4D
AGRICULTURAL MITICIDE



A dry dust formulation used to control two-spotted spider, Pacific spider, strawberry spider and Willamette mites.

Omite-4D is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces is necessary for effective control.

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT PER ACRE	AREA	TOTAL NUMBER OF APPLICATIONS PER YEAR	DAYS BEFORE HARVEST (LAST APPLICATION)
<u>Grapes</u>	two-spotted spider Pacific spider strawberry spider Willamette	40 lbs.	California only	2	14

CROP	MITES CONTROLLED	AMOUNT PER ACRE	AREA	TOTAL NUMBER OF APPLICATIONS PER CROP SEASON (BLOOM TO HARVEST)	DAYS BEFORE HARVEST (LAST APPLICATION)
<u>Strawberries</u>	two-spotted spider Pacific spider strawberry spider	40 lbs.	West of Rockies only	3	3

CAUTION:

1. Do not apply Omite-4D before or following spring and summer foliar spray oils or leaf injury and fruit spotting may occur.
2. Do not use Omite-4D mixed with alkaline materials such as lime, lime sulfur or Bordeaux mixture. The effectiveness of Omite will be reduced.
3. Strawberries (California) - Do not apply at day temperatures above 80° F as fruit burn may occur.

WARNING

HANDLING: Avoid inhaling vapor or dust. Do not get in eyes. May cause eye damage. The wearing of goggles is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with warm water and soap. May be harmful if swallowed.

AGRICULTURAL MITICIDE

FOR USE IN THE UNITED STATES
 FOR EXPORT TO OTHER COUNTRIES
 TO APPLY TO OTHER COUNTRIES

A dry dust formulation used to control two-spotted spider, Pacific spider, strawberry spider and Willamette mites.

Omite-4D is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces is necessary for effective control.

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT PER ACRE	AREA	TOTAL NUMBER OF APPLICATIONS PER YEAR	DAYS BEFORE HARVEST (LAST APPLICATION)
<u>Grapes</u>	two-spotted spider Pacific spider strawberry spider Willamette	40 lbs.	California only	2	14

CROP	MITES CONTROLLED	AMOUNT PER ACRE	AREA	TOTAL NUMBER OF APPLICATIONS PER CROP SEASON (BLOOM TO HARVEST)	DAYS BEFORE HARVEST (LAST APPLICATION)
<u>Strawberries</u>	two-spotted spider Pacific spider strawberry spider	40 lbs.	West of Rockies only	3	3

CAUTION:

- Do not apply Omite-4D before or following spring and summer foliar spray oils or leaf injury and fruit spotting may occur.
- Do not use Omite-4D mixed with alkaline materials such as lime, lime sulfur or Bordeaux mixture. The effectiveness of Omite will be reduced.
- Strawberries (California) - Do not apply at day temperatures above 80° F as fruit burn may occur.

WARNING

HANDLING: Avoid inhaling vapor or dust. Do not get in eyes. May cause eye damage. The wearing of goggles is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with warm water and soap. May be harmful if swallowed.

FISH AND WILDLIFE: This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the vines listed on this label.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty or merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET WEIGHT 50 POUNDS

COMPOSITION

Active ingredient (% by weight)	
2-(p-tert-butylphenoxy) cyclohexyl	
2-propynyl sulfite *	4.0%
Inert ingredients	96.0%
Total	100.0%

* U.S. PATENT NOS. 3,272,854; 3,463,859

another product of



LOT NO. _____

EPA Registration No. 490-88-AA

4-23-73-50P UNIROYAL CHEMICAL - Division of UNIROYAL, Inc. - Naugatuck, Conn. 06770

© 1973 UNIROYAL, Inc. All Rights Reserved