PM-23

Front Panel

137

3.73% PRAMITOL R IMPERIAL VEGETATION KILLER EMULSIFIABLE

For non-selective weed control on non-cropland areas such as parking lots, fence rows, railroad sidings, storage yards, around buildings or industrial sites.

ACTIVE INGREDIENTS:

Prometon: 2,4-bis (isopropylamino)-6-	
methoxy-s-triazine*	3.73%
INERT INGREDIENTS	
Petroleum distillate	
Total	

Contains .26 lb. Prometon per gallon *Pramitol R trademark of CIBA-GEIGY Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 407-376 EPA Est. 407-IA-1 H-77-84-1

A-Ciù

NET CONTENTS 1 QUART

Manufactured by IMPERIAL INC. SHENANDOAH, IA 51601

Not Reviewed. Registrant closure to be in accordance with for elistration of Pacific to Fig. 1 in for Pacific 2 Paulantess, Page 2.40, Acc. 1 in Targle 1 in accordance with four elistration for Pacific 2.40 in the Pacific Access 1 in Access 1 in

5-28-92

Side Left Panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes and skin. In case of skin contact, wash with soap and water. Avoid inhalation of spray mist. Avoid contamination of food and feed.

ENVIRORMENTAL HAZARDS

Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label. Do not contaminate water used for irrigation or domestic purposes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in original container, in a cocl, dry, secure area away from fertilizer, food, or feed. Keep container closed. Store at temperatures above 32°F.

PRODUCT DISPOSAL: Securely wrap criginal container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

Uniformly spray 1 quart Vegetation Killer mixed in 2 1/2 gallons water over 250 sq. ft. or 1 gallon in 10 gallons water over 1,000 sq. ft. of soil surface. Thoroughly wet all foliage to insure contact action. Pest results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1 gallon of Vegetation Killer in 10 gallons of water per 666 sq. ft. For control of hard-to-kill perennial weeds and grasses such as Johnsongrass, bindweed, and wild carrot, use 1 gallon per 333 to 222 sq. ft. Although Vegetation Killer has considerable activity through foliar contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary. Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees, or woody ornamental plants. Only apply herbicide outside of the drip line of trees. Avoid drift to desirable plants.

NOTICE

Since weather and other conditions under which this product may be used will vary, the seller makes no warranty of any kind, express or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with directions or suggestions.