

PM 17 432-526 1/2 10-24-89

SBP-1382® INSECTICIDE AQUEOUS PRESSURIZED SPRAY 0.25% FOGGER WITH REPELLENT

This formulation contains an insecticide and a repellent.
Kills and Repels Mosquitoes, Flies, Gnats and Wasps

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.25%w/w
2-Hydroxyethyl n-octyl sulfide	0.95%
INERT INGREDIENTS:	99.75% 98.80%
	100.00%w/w

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.
 •Roussel Bio's SBP-1382- brand of resmethrin insecticide.
 Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Not for indoor use. Avoid smoking while spraying. Cover food before spraying. Direct spray away from people or animals. Allow spray to disperse for several minutes before entering the treated area.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Keep in a locked storage area.
CONTAINER DISPOSAL: Replace cap and discard container in trash.

EPA Est.: See Lot No. For Correlation
 EPA Reg. No. 432-526 G 42545-MO-1 P-2/15/88
 H 5905-AR-1 P 655-GA-1



PO Box 1077 400 Sylvan Avenue
 Englewood Cliffs New Jersey 07632

NET WEIGHT:

SHAKE WELL BEFORE USING

For outdoor areas of the yard, patio and campground: Spray where there is no breeze, or spray in the direction of a slight breeze. Point spray nozzle away from face and in the direction of the space to be treated. Press down valve button and allow spray fog to fill the air where flying pests linger. This fog nozzle allows application of product to areas up to 21 feet (6.4 m) away. For larger areas, best results are obtained by spraying in the direction of a slight breeze that allows the fog to drift into the areas of infestation. Spray while moving away from the treated areas. Allow spray to dissipate before occupying the treated area.

DIRECTIONS FOR USE (Continued on Reverse side)

AA 43

00 01

DIRECTIONS FOR USE (Continued)

EPA Reg. No. 432-526

FLYING INSECTS: Flies, mosquitoes, sn... flying moths and gnats (midges): Reduce annoyance from these insects by directing spray from a distance of 4 to 6 feet (1.2 to 1.8 m) towards flowering plants, shrubbery and grass where the insects may be resting. Avoid heavy wetting of plant foliage. Also spray around garbage cans and other breeding areas. Repeat as necessary.

Wasps, hornets, yellow jackets and bees: Application should be made in late evening when insects are at rest. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around nest openings. Contact as many insects as possible. Repeat as necessary.

CRAWLING INSECTS: Ants, centipedes, millipedes, crickets, beetles, sowbugs, and spiders: Spray directly on insects. Treat areas around garbage cans, picnic sites, and campground which are infested by these pests. Also thoroughly spray ant hills for best results.

To Control Brown Recluse Spiders, Black Widow Spiders and Scorpions: Spray in short bursts of 2 seconds at a distance of 4 to 6 feet (1.2 to 1.8 m). Repeat application as necessary.

To Kill Fleas and Ticks on Premises: Hold spray nozzle about 18 inches (46 cm) from area to be treated. Apply until area is moist. **DO NOT SPRAY PETS WITH THIS PRODUCT.**

To Kill Tent Caterpillars: Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening, when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.

To Kill Gypsy Moths: Hold container to direct spray to all sides of foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

MANUFACTURING FORMULA:

SBP-1382 Concentrate 12.5.....	2.0% w/w
Repellent 874.....	1.0%
Deionized Water.....	67.0%
Propellant A-46 (87% Isobutane and 13% Propane).....	30.0%
	<u>100.0%</u>

Not for sale. Registrant to be in accordance with
Guidance for Pesticide Labels for Pesticide 2
Federal Insecticide, Fungicide, and Rodenticide Act

5050