


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A)		United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number
		Application for Pesticide:	<input checked="" type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	188498

Section I

1. Company/Product Number 432-611	2. EPA Product Manager J. Tavano	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) 3-6-10 Fogging Concentrate	PMP 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

BEST AVAILABLE COPY

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-3



Revised Environmental Hazards Statement as per PR Notice 93-3.

DATE: 7/1/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	* Certification must be submitted.	* Certification must be submitted.		<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
	Unit Package wgt.	No. per container.	Package wgt.	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (Specify) _____		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sharon M. Johnston	Title Registration Specialist	Telephone No. (Include Area Code) (201) 307-9700
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Copy Application Received (Stamped) 
2. Signature 	3. Title Registration Specialist	
4. Typed Name Sharon M. Johnston	5. Date 5-19-93	

3-6-10 FOGGING CONCENTRATE

Contains the active ingredients:

	(lb/gal)	(g/L)
3% Pyrethrins	0.20-0.21	24-25
6% Piperonyl Butoxide	0.41-0.42	49-50
10% MGK-264	0.68-0.70	81-84

FOR APPLICATION BY TRAINED PERSONNEL ONLY

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

For use in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations, Mushroom Production, and Outdoors.

ACTIVE INGREDIENTS:

Pyrethrins.....	3% w/w
*Piperonyl butoxide, technical.....	6%
N-octyl bicycloheptene dicarboximide.....	1%
INERT INGREDIENTS:.....	81%
	100%w/w

* Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether and 1.2% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Est.: See Lot No. For Correlation
A 42545-MO-1

P-3/1/91

EPA Reg. No. 332-611

F 10370-TX-1

P 655-GA-1

NET CONTENTS:

LOT NO.

NOTIFICATION
LABEL NOT REVIEWED
PER PA NOTICE 88-8
DATE: 7/1/93

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

PRECAUTIONARY HAZARDS TO HUMANS & CAUTION

Harmful if swallowed. Food should not be eaten during treatment. All food products should be covered during treatment or the facility is not in operation. Remove fish and aquariums before spraying. Do not use a mask or respirator of a type recommended by the manufacturer to give adequate protection. Wear protective clothing. Wash hands and water after handling and wash off contaminated clothing before re-use.

STATEMENT OF PRACTICE

If swallowed: Do not induce vomiting. Do not use aromatic petroleum solvent. Aspirin should be given by a physician at once. If in eyes or on skin, wash with water for at least 15 minutes. Get medical attention if persists.

PHYSICAL AND CHEMICAL

Do not use or store near heat or open flame. MINIMUM 150°F (65.5°C).

ENVIRONMENT

This product is toxic to fish. Do not apply directly to water, or to areas where runoff is likely to occur. Do not apply in conditions favor drift from areas where run-off is likely to occur. Clean water by cleaning of equipment or product only as specified on this label.

NOTE: This spray, when diluted and applied per the directions, and conforms with Food Additive Regulations 121.1205 and the food additive regulations thereunder.

When diluted with oil, as specified, for indoor space spray or contact application in facilities operating under USDA inspection and rabbit and egg products inspection.

Directions For Use (cont)

BEST AVAILABLE COPY

DIRECTIONS FOR USE

EPA Reg. No.432-611

Directions For Use (continued)

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size such as the LECO Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

SPACE SPRAY-Undiluted in Aerosol Generators- To Kill Houseflies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 ounce (29.57 ml) of undiluted Concentrate per 1000 cu. ft. (28.3 cubic meters) of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

SPACE SPRAY-Diluted for Ordinary Mechanical Fogging Equipment- To Kill Houseflies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl oz diluted spray (1.48 liters) per 25,000 cu ft (708 cu meters) of space. Direct fog upward toward upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

TO KILL BEDBUGS & LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestation, consult professional applicator.

CONTACT SPRAY-Dilute for Use with Sprayers that give Large, Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Gnatcatchers, Grain Mites and Saw-toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes and other insect harborages, using 1 gallon (3.79 liters) per 1000 sq ft (28.3 cu meters) of space. Force spray into all cracks and crevices. Repeat applications as necessary.

CONTACT AND SPACE SPRAY- Undiluted- To Kill Cockroaches, Silverfish, Earwigs, Ants, Spiders, In Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl oz (14.7 ml) per 1000 cu ft (28.3 cu meters) of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

To Kill Flies, Mosquitoes and Gnats in and around Feedlots and Other Outdoor Areas: When properly used, this formulation will control houseflies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool, 75°F (24°C) or less, and the wind velocity is between 5 and 15 mph (8-16 kph). Using the recommended equipment, spray at a dosage rate of 6 ounces (177.4 ml) per minute upwind of the area to be controlled. Also, good sanitation practices must be maintained in addition to spraying.

In Mushroom Production and Processing: To control mushroom flies or fungus gnats in growing houses, dilute 1 part Concentrate plus 29 parts of oil and mix well. Apply at a rate of 1 ounce (29.574 ml) per 1000 cu ft (28.3 cu meters) of space. Fogger should be operated 8 to 10 feet (2.5-3 meters) away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce (29.574

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store at temperatures below 40°F (4.5°C). If this material has been exposed to temperatures below 40°F (4.5°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY

3
2
3