

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer to recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not transport or store below 32°F. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed or foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. Do not use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IN ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands. Drift runoff from treated areas may be hazardous to aquatic organisms in treated areas.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

DEC 17 1990

Roussel Bio Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

Gentlemen:

Subject: NoxFire Insecticide w/Rotenone E.C. 5% Formula II
EPA Registration No. 432-677
Your Submission Dated March 26, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

57697:1:A-4:Nelson:C.Disk:KENCO:10/17/90:de:vo:ek:de

CONCURRENCE							
SYMBOL							
SURNAME							
DATE							

NOX FIRE® INSECTICIDE with ROTENONE EC 5%

FORMULA II

Contains 0.39 lb/gal (47 g/L) of Active Ingredient
KILLS COLORADO POTATO BEETLES, FIRE ANTS

432-677

ACTIVE INGREDIENTS:

Rotenone.....	5.0%w/w
Other Cube Extractives.....	10.0%
INERT INGREDIENTS:	85.0%
	100.0%w/w

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May cause eye injury. Causes skin, or on clothing. Wear protective goggles, faceshield with soap and water after handling. Remove contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Call a physician promptly a large quantity of milk, egg whites, gelatin solution or large quantities of water. Avoid alcohol. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention. If in eyes: Flush with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Keep out of lakes, streams or creeks. Clean up equipment or disposal of wastes.

PHYSICAL HAZARDS

Flammable. Do not use or store near heat or open flame.

**KEEP OUT OF REACH OF CHILDREN
WARNING-AVISO**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** If container is damaged: Stop any leaks by patching or otherwise repairing the leaks. Take care to use protective gear. On cleanup of spilled liquids: Wear protective gear. Prevent contact with the products of wastes as below. Do not burn. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal is a violation of Federal law. If these wastes are not disposed of according to label directions, contact your State Health Agency, or the Hazardous Waste representative at the local health department for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then recycle or puncture and dispose of in a sanitary landfill, or by other means approved by local authorities.

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-677 G 42545-MO-1 P-5/9/88
H 5905-AR-1 P 655-GA-1


NET CONTENTS:
GALLONS (Liters)
LOT NO.:

ROUSSEL BIO
CORPORATION

P.O. Box 107, 400 Sylvan Avenue
Englewood Cliffs, New Jersey 07632

DIRECTIONS FOR USE (Continued on next page)


NOXFIRE® INSECTICIDE with ROTENONE
EC 5% Formula II
EPA Reg. No. 432-677



DIRECTIONS FOR USE (continued)

FIRE ANT DRENCH:

For use in lawns, gardens, grounds, ground buildings, fields, agricultural land, wasteland, golf courses, recreational areas, campgrounds.



For control of an individual fire ant mound measuring 2-9 inches (5-25 cm) high and 5-21 inches (12-60 cm) in diameter, mix 1 tablespoon (14.6 ml) of Rotenone 5% EC in 2 gallons of water (7.57 L) and thoroughly agitate until completely mixed.

Apply this mixture to the undisturbed mound by first using some on the dome to soften the crust. Then use some to completely soak the perimeter. The remainder should be poured from a height of about 3 ft (1m) so as to break into the dome and allow the mixture to flow into the underground ant tunnels. Repeat in 7-10 days or as necessary. For larger mounds, apply greater volumes of diluted material.

TANK MIX DIRECTIONS
AGRICULTURAL USE

For use on agricultural potatoes, eggplants, and tomatoes to combat the Colorado Potato Beetle

Tank mix 82 fl. oz. (2.42 L) (0.25 lb. a.i., rotenone) of Noxfire and 8 fl. oz. (237 ml) (0.50 lb. a.i., piperonyl butoxide) of Piperonyl Butoxide Emulsifiable Concentrate 92% (EPA Reg. No. 432-673) with the volume of water to cover one acre.

Application should be made as late in the day as possible.

Treatment may continue up to and including the day before harvest. Do not apply the day of harvest.

HOME GARDEN USE

For use on potatoes, eggplants, and tomatoes in the home garden to combat the Colorado Potato Beetle.

Mix 3 Tablespoons (1.5 fl. oz.) (45 ml) of Noxfire and 1 (one) teaspoon (5 ml) of Piperonyl Butoxide Emulsifiable Concentrate 92% (EPA Reg. No. 432-673) with 1 (one) gallon of water. Spray on crops to the point of runoff.

Application should be made as late in the day as possible.

Treatment may continue up to and including the day before harvest. Do not apply the day of harvest. Do not apply this product through any type of irrigation system.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.