

Reg # 432-720

PM-18

192

ACCEPTED
FEB 03 1994
 This is a copy of the pesticide label.
 It is not to be used for any other purpose.
 432-720

NOXFIRE® INSECTICIDE with ROTENONE EC 2.5%

Contains 0.21 lb/gal (245g/L) of Active Ingredient

BEST AVAILABLE COPY

ACTIVE INGREDIENTS:

Rotenone.....	2.5%w/w
Other Associated Resins.....	4.8%
INERT INGREDIENTS:*	92.7%
	<hr/>
	100.0%w/w

*Contains Petroleum Distillates

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
 WARNING**

SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS AND
 STATEMENT OF PRACTICAL TREATMENT

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS & DOMESTIC ANIMALS
 WARNING**

May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters. Do not feed treated foliage to livestock. Do not apply rotenone in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried or dust has settled.

PHYSICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Flashpoint minimum 55°F (13°C).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: For containers one gallon and under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse empty container. Wrap container and put in trash.

For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

EPA Est.: See Lot No. For Correlation
 EPA Reg. No. 432-720 A 42545-MO-1 P- 3/21/90
 F 10370-TX-1 P 655-GA-1

NET CONTENTS:
GALLONS
 (Liters)

ROUSSEL UCLAF
 Roussel Uclaf Corporation
 95 Chestnut Ridge Road
 Montvale, New Jersey 07645

292

EPA Reg. No.432-720

Page 2 of 2

NOXFIRE® INSECTICIDE with ROTENONE EC 2.5%

DIRECTION FOR USE (continued)

For use in lawns, gardens, grounds around buildings, fields, agricultural land, waste land, golf courses, recreational areas, campgrounds.

For control of an individual fire ant mound measuring 2-9 inches (5-25 cm) high and 5-21 inches (12-60 cm) in diameter, mix 2 tablespoons (29.2 ml) of Rotenone 2.5% EC in 2 gallons of water (7.57 L) and thoroughly agitate until completely mixed.

Apply this mixture to the undisturbed mound by first using some on the dome to soften the crust. Then use some to completely soak the perimeter. The remainder should be poured from a height of about 3 ft. (1m) so as to break into the dome and allow the mixture to flow into the underground ant tunnels. Repeat in 7-10 days or as necessary. For larger mounds, apply greater volume of diluted material.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

