

10 191 432-747 P. 17
OCT 30 1995

5491374 301
17

Christina M. Lawes
AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Dear Ms. Lawes:

Subject: Vengeance® Rodenticide Bait Packs
EPA Registration No. 432-747
Amendment dated June 30, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Submit one copy of your final printed labeling before you release the product for shipment.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

PEdwards A:432/747.1 10/27/95

234

[Front Panel]

VENGEANCE®

RODENTICIDE BAIT PACKS

- * FOR CONTROL OF COMMENSAL RODENTS
- * KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE
- * RATS AND MICE CONSUME A LETHAL DOSE IN A SINGLE FEEDING WITH DEAD RODENTS APPEARING TWO TO THREE DAYS AFTER TREATMENT BEGINS. RODENTS CEASE FEEDING AFTER CONSUMING A LETHAL DOSE IN A SINGLE-NIGHT'S FEEDING. VENGEANCE BAIT IS EFFECTIVE AGAINST ANTICOAGULANT-RESISTANT RATS AND MICE.

ACTIVE INGREDIENT:

Bromethalin: N-methyl-2, 4-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl)

benzenamine 0.01%

INERT INGREDIENTS: 99.99%
100.00%

VENGEANCE® is a registered trademark of AgrEvo Environmental Health, Inc.
U. S. Patent No. 4,815,923

EPA REG. NO. 432-747

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

May Be Harmful Or Fatal If Swallowed

[Second Panel]


STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or local Poison Control Center. Drink 1-2 glasses of water and induce vomiting by touching the back of throat with finger. Do not try to induce vomiting or give anything by mouth to an unconscious person. In case of accidental contact with eyes or skin, flush with plenty of water, and seek medical attention if irritation persists. Wash all contaminated clothing thoroughly. If bait is eaten by animals or pets contact a veterinarian.

NOTE TO PHYSICIAN: Vengeance bait is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

See Side Panel For Additional
Precautionary Statements

NET CONTENTS 4 Pounds
(Contains 64 X 1 oz.
Bait Packs)



747 111594In

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Keep away from humans, domestic animals, and pets. May be harmful or fatal if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly after handling Vengeance bait.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. [Third Panel]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non target wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related ports or terminal buildings. Do not use Vengeance bait in sewers. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

[Fourth Panel]

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners, and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain and snow. Remove as much food as possible.

APPLICATION DIRECTIONS

NORWAY AND ROOF RATS: Place 1 to 8 bait packs per placement (usually at intervals of 20 to 30 feet). Adjust the number of packs applied to the level of rat feeding expected at each bait placement.

For burrow baiting, apply 1-2 bait packs per burrow.

When baiting burrows, insert each bait pack into the burrow far enough so that only a person who knows that bait is there would be likely to see it. Do not bait burrow in any location accessible to children or nontarget animals unless there is no other way to bait the target population effectively. If burrows in such an area are baited, check burrows every morning and evening to make sure that baits have not become more accessible to children or nontarget animals in any way. Remove packs that become more accessible to nontarget animals. Remove packages of bait from burrow if the bait has not been touched by target rodents for seven days. Intact bait packs may be relocated. Damaged packs or packs no longer needed must be properly disposed.

HOUSE MICE: Apply 1 to 3 bait packs per placement. Space placements at 8 to 12 foot intervals. Adjust the amount of bait applied to the level of mouse feeding expected at each bait placement.

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Normally, volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed. Collect and properly dispose of all dead rodents and leftover bait.

[Fifth Panel]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store only in original container, in a cool, dry place inaccessible to children and pets and away from other chemicals. Keep containers closed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty containers. Triple rinse container, and then dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this limited warranty and liability before buying or using this product. If the terms are not acceptable, return it at once unopened.

It is critical that this product be used only as specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy to the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages, whether indirect, special or consequential, when such claim is not reported to this company within one year of discovery and: (i) arises from any use of this product in a manner or for a purpose not recommended in its label directions or; (ii) arises from handling or storage in violation of label instructions. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.

AgriEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Labeling for Individual Bait Packs

VENGEANCE

Rodenticide Bait Packs

For Control of Commercial Rodents

Kills Norway Rats, Roof Rats and House Mice

Active Ingredient:

Bromethalin: N-methyl-2,4-dinitro-N-(2,4,6-tribromo-phenyl)-6-

(trifluoromethyl)benzenamine.....0.01%

Inert Ingredients:.....99.99%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

May be harmful or fatal if swallowed.

See outer package for additional Precautionary Statements and complete Directions for Use.

EPA Reg. No. 432-747

EPA Est. No.

Net Contents: 1 ounce

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a Physician or local Poison Control Center. Drink 1-2 glasses of water and induce vomiting by touching back of throat with finger. Do not try to induce vomiting or give anything by mouth to an unconscious person. In case of accidental contact with eyes or skin, flush with plenty of water, and seek medical attention if irritation persists. Wash all contaminated clothing thoroughly. If bait is eaten by animals or pets contact a veterinarian.

NOTE TO PHYSICIAN: Vengeance bait is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS

Hazards to Humans: Caution. Keep away from children. May be harmful or fatal if swallowed. Avoid contact with skin, eyes, or clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using this product individually.

