

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
*(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)*

Conditional  
NAME OF PESTICIDE PRODUCT  
Turbocide with SBP-1382 Insecticide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  
Reg # 432-798 PM-10 195  
Roussel Uclaf Corporation  
95 Chestnut Ridge Road  
Montvale, New Jersey 07645

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Add the phrase "EPA Registration Number 432-798" to the label.
2. Make the following revisions to the product label prior to releasing this pesticide for shipment.
  - a. Revise the statement "Harmful is swallowed", which appears in the **PRECAUTIONARY STATEMENTS** section of the product label, to read "Harmful if swallowed".
  - b. Expand the statement "Avoid contact with skin" to read as follows: Avoid contact with skin, eyes, and clothing.
  - c. Include the following text in the **PRECAUTIONARY STATEMENTS** section of the product label:

In hospitals, nursing homes, or other facilities where people may be confined, remove patients from the room prior to treatment. Ventilate area for 2 hours prior to returning patients. Avoid contamination of food and feedstuffs. Do not apply while food processing plant is in operation. Food should be removed or covered in such a way as to prevent contamination during treatment. Food contact surfaces, utensils, and equipment should be covered or removed prior to treatment, or washed with an effective cleaning compound followed by a potable water rinse prior to use. Remove pets, birds, and cover fish aquariums prior to treating the surrounding area.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL  
Mr. Marion J. Johnson, Jr., Acting Product Manager, Team 10  
DATE  
October 28, 1994

295

2. You may wish to include the following text in the **STATEMENT OF PRACTICAL TREATMENT**:

**IF IN EYES:** Flush with a gentle stream of water for 15 minutes. Get medical attention if irritation persists.

**IF ON SKIN:** Wash affected area with soap and warm water.


e. Revise the statement which begins "Do not contaminate water when cleaning..." to read as follows: Do not contaminate water when disposing of equipment washwaters.

f. The *nominal concentration*, the *% by weight* (column 13b), and the *label claim* for the active ingredient should each be the same number. Make the appropriate corrections to the label and/or the **Confidential Statement of Formula**, and submit the revised documents to the Agency for the record.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

  
for Mr. Marion J. Johnson, Jr.  
Acting Product Manager 10  
Insecticide-Rodenticide Branch  
Registration Division

# Turbocide with SBP-1382 Insecticide

- \* For Use in Turbocide® Pest Control Systems.
- \* This Unique Aerosol System Employs Liquid Carbon Dioxide as a Solvent Propellant.
- \* Do not Dispose of Container.
- \* Return Containers for CO<sub>2</sub> and Active Ingredient to Manufacturer(s) for Refilling.

### ACTIVE INGREDIENT:

* † Resmethrin: [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate.....	40.00%
‡ INERT INGREDIENTS:.....	60.00%
	100.00%

\* cis/trans isomers ratio max. 30%(+) cis and min 70% (+) trans.  
 † Roussel Uclaf's SBP-1382® brand of resmethrin insecticide.  
 ‡ Contains aromatic petroleum solvent.

**ACCEPTED**  
 with COMMENTS  
 in EPA Letter Dated  
**28 OCT 1994**

**GOLD - Gas Operated Liquid Dispenser**  
 Turbocide Gold - Trademark of Roussel Uclaf Corporation  
 SBP-1382 is a Registered Trademark of Roussel Uclaf Corporation  
 US Patent Nos. 5,020,689; 5,150,822

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under EPA Reg. No.

EPA Reg. No. 432-

EPA Est. No.

432-798

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician of Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.  
**IF ON SKIN:** Wash with soap and water. Get medical attention of irritation persists.

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

#### Caution

Harmful if swallowed or absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling.

See side panel for additional Precautionary Statements

Net Contents:

475

**Environmental Hazards**

This product is toxic to fish. For Terrestrial Uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when cleaning of equipment or disposal of wastes.

**Physical and Chemical Hazards**

Do not use or store near heat or open flame. Flash point minimum 100° F (38°C).

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing, is worn or is distorted should be replaced immediately. Store upright in a cool and dry area.

**Pesticide Disposal:** Pesticide that cannot be used according to label instructions must be returned to the point of purchase in its original container.

**Container Disposal:** This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders, valves and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without written consent of the manufacturer.

**READ ENTIRE LABEL FOR DIRECTIONS**

**TURBOCID® GOLD® PEST CONTROL SYSTEM**

SBP-1382 Insecticide may be used as a space spray for the control of flying insects such as house flies, fruit flies, and moths, or as a contact spray for the control of crawling insects such as ants, beetles, cockroaches and spiders.

For use around food and feed processing and handling sites, commercial transportation facilities, private and commercial dwellings, animal shelters, schools and daycare, hospices, hospitals, and nursing homes, nonresidential buildings, and other commercial, industrial and government sites.

Turbocide with SBP-1382 Insecticide is to be used as a space spray applied using apparatus designed or approved by Roussel Uclaf Corporation.

Apply Turbocide with SBP-1382 Insecticide at an application rate not to exceed 0.89g/1000 ft<sup>3</sup> (12.5 mg resmethrin/m<sup>3</sup>), diluting as required following the instructions of the spraying equipment.

For optimum performance, close all doors and windows, shut off all HVAC equipment and keep the area closed for a minimum of 2 hours. The frequency of application should be determined by the degree of infestation and should be sufficient to interrupt the life cycle of the target species. The application of insecticide should also be timed to coincide with the peak activity of the target species. The dosage rates given below, pertain to exposure periods of 2 hours. Where exposure

periods are in excess of 2 hours (i.e. up to 6 hours), then the application may be adjusted downwards to achieve the same level of control.

For control of flying insects such as house flies, fruit flies and moths, apply Turbocide Gold SBP-1382 Insecticide at an application rate up to 0.89 grams per 1000 cubic feet (12.5 mg of resmethrin/m<sup>3</sup>). Ventilate before reoccupying the treated area.

For control of crawling and flying insects, apply at an application rate up to 0.89 grams/1000 cubic feet (12.5 mg of resmethrin/m<sup>3</sup>). Turbocide with SBP-1382 Insecticide may only provide an aid to the control of Flour Beetles. Ventilate before reoccupying treated area.

Application rate for target species are as follows:

Target Species		Dose Rates:	
		g SBP-1382(40%) / 1000ft <sup>3</sup>	mg a.i./m <sup>3</sup>
House Fly	<i>Musca domestica</i>	0.34	4.8
Fruit Fly	<i>Drosophila</i> sp.	0.34	4.8
Indian Meal Moth	<i>Plodia interpunctella</i>	0.34	4.8
German Cockroach	<i>Blattella germanica</i>	0.68	9.5
Oriental Cockroach	<i>Blattella orientalis</i>	0.98	12.5
Saw-toothed grain beetle	<i>Oryzaephilus surinamensis</i>	0.98	12.5
Cigarette beetle	<i>Lasioderma serricorne</i>	0.98	12.5
*Confused flour beetle	<i>Tribolium confusum</i>	0.98	12.5
*Red flour beetle	<i>Tribolium castaneum</i>	0.98	12.5
Warehouse beetle	<i>Trogoderma variabile</i>	0.34	4.8
Ants	Formicidae	0.68	9.5
Spiders	Araneida	0.34	4.8

\*Aid in control only.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.