Reg # 432-823



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Progra Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

Date of Issuance:

DECEMBER 11, 1996

432-823

EPA Reg.

Number-

Term of Issuance: Conditional

Name of Pesticide Product:

DELTA 920 DUST INSECTICIDE 60,505743

_x__ Registration Reregistration

NOTICE OF PESTICIDE:

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

AgrEvo Environmental Health 95 Chestnut Ridge Road

Montvale, New Jersey Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above SPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

- Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 432-823."
 - b. Delete the phase "New Technology Provides Powerful, etc.. " Vague or non-specific terms implying unstated benefits related to concentrations or active ingredient are not acceptable.
 - c. Delete use on "Home Garden Tomatoes" and its associated pests wherever it appears on the labeling. Deltamethrin is not registered for use on tomatoes in the United States.

Signature of Approving Official:

DECEMBER 11, 1996

George T. LaRocca

Product Manager (13)

EPA Form 8570-6

- e. In the use directions for cockroaches, delete the phase "Including both resistant and non-resistant strains" or submit data supporting such a claim.
- f. Under alternate directions add the following precaution:

"Food utensils such as tablespoons and measuring cups should not be used for food purposes after use with pesticide."

3. Submit three (3) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (7505C)

DELTA 920 Dust Insecticide

- * For Indoor/Outdoor Residential Use Only
- * Household & Ornamental Garden Insect Control
- * New Technology Provides Powerful Control Using Less Active Ingredient
- * Non-Staining and Odorless
- * For Household Use
- * Long-Lasting Residual Action
- * Kills Insects for up to 8 Months
- * Does not Clump or Absorb Moisture
- * For Use on Ornamentals
- * Use on Roses, Flowers and Ornamentals
- * Controls Many Different Insect Pests
- * For Use on Home Garden Tomatoes and Ornamentals
- * Easy to Use
- * Convenient

ACTIVE INGREDIENT:

EPA Reg. No. 432-IEG

EPA Est. No.

ACCEPTED

with COMMENTS in EPA Letter Dated

DEC | 1 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

See Side Panel For Additional Precautionary Statements

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store product in original container in a cool, dry, locked place out of the reach of children. Containers Disposal: Do not reuse empty containers. Wrap in several layers of newspaper and discard in trash.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

DELTA 920 is a ready-to-use insecticide dust which exhibits effective knockdown and long-lasting control against the pests listed when used according to label directions.





DELTA 920 can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include but are not limited to:

- *ornamentals
- *tomato gardens
- *animal quarters
- *apartments
- *household greenhouses
- *houses
- *mobile homes and recreational vehicles

This product is intended for applications with a hand duster or from the shaker can, with a paint brush or by other suitable means, to hiding and runway areas and other places where insects are found.

INDOOR USE

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air.

To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 2-3 grams of product per square yard (or 0.5 lbs per 1000 square feet). Repeat as necessary to maintain adequate control.

Ants, boxelder bugs, cockroaches (including both resistant and non-resistant strains), crickets, fleas, firebrats and silverfish: Apply Delta 920 thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and formosan termites at a rate of 0.5 lb per 1000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed. Retreat if necessary.

The purpose of such applications of Delta 920 is to kill workers or winged forms which may be present in the treated channels at the time of treatment and to impart a temporary resistance at these places to attack which may aid in the prevention of immediate reinfestation. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. This supplemental treatment can be particularly supportive of new construction.

Centipedes, ground beetles, millipedes, scorpions, spiders and sowbugs: Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas which these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster (Actisol® or similar equipment) or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use Delta 920 as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture, and in closets.

Bedbugs: Apply dust thoroughly to all areas where these pests are typically found including: folds and tufts of mattresses, coils of springs, cracks and hollow posts of bedsteads, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in the room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.

Stored Product Pests: To aid in the control of the exposed stages of:

cadelles
cheese mites
cigarette beetles
confused flour beetles
dark meal worms
drugstore beetles
grain mites
granary weevils
lesser grain borers

merchant grain beetles
red flour beetles
rice weevils
rusty grain beetles
saw-toothed grain beetles
spider beetles
tobacco moths
yellow meal worms

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Clean up waste materials, dust, dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or on areas where food is stored.

ORNAMENTAL PLANT PESTS

For the control of:

aphids
beet armyworms
blister beetles
boxelder bugs
certain leafminers
(Boxwood, Holly, Oak, Spruce Needle)
elm leaf beetle
flea beetles
Japanese beetle
leafhoppers

leafrollers
orange tortrix
periodical cicada
plant bugs
rose chafer
rose midges
rose slugs
tent caterpillars
thrips
weevils

Shrubs and Ornamentals: Apply when insects or their damage first appear and repeat at weekly intervals or as necessary. Apply 8 ounces per 1000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

Roses, Petunias, Chrysanthemums, Geraniums, Carnations and other related flowers: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

OUTDOOR USE

Home Vegetable Gardens: Use Delta 920 in home vegetable gardens on tomatoes only, to control cutworms, flea beetles, green peach aphids, tomato fruitworm and hornworms. Apply when insects or their damage first appear. Shake dust from the shaker can to lightly cover the upper and lower surfaces of leaves and stems, approximately 8.0 ounces per 1000 square feet. Repeat at 7 day intervals or as long as insects continue to appear.

Perimeter Treatment: Use Delta 920 as a residual treatment for control of ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas and Ticks in Rodent Burrows: To control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense. Apply as needed for control.



USE DIRECTIONS FOR FIRE ANT TREATMENT

Imported Fire Ant Mound Treatment: Apply Delta 920 with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. DO NOT DISTURB THE MOUND PRIOR TO APPLICATION. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

[Alternate directions - Evenly sprinkle one tablespoon (approximately ½ oz.) of Delta 920 over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control, then repeat as necessary.]

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645