

432-1483

04-07-2011

1/2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY
AND POLLUTION PREVENTION

Mr. Jan Brill
Bayer Environmental Science
P.O. Box 12014 2 T.W. Alexander Drive
Research Triangle Park, NC 27709

Dear Mr. Brill:

Subject: Labeling Amendment to Temprid SC Insecticide to extend expiration date of supplemental label
EPA Registration No. 432-1483
Submission Date: April 6, 2011

The labeling referred to above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy of the supplemental label is enclosed for your records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Venus Eagle".

Venus Eagle
Product Manager 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

APR 07 2011

2/2



Bayer Environmental Science

Bayer Environmental Science
 A Division of Bayer CropScience LP
 P.O. Box 12014, 2 T. W. Alexander Drive
 Research Triangle Park, North Carolina 27709
 1-800-334-7577

Temprid™ SC Insecticide

EPA Reg. No. 432-1483

For Bed Bug control

***Expiration Date: October 14, 2012**

Supplemental Label

TEMPRID™ SC INSECTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read this label and the product package label before using this product. This Supplemental Label must be in possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the registered product label for TEMPRID™ SC INSECTICIDE.

DIRECTIONS FOR SPECIFIC USE

Bed Bug Control

Restrictions	<ul style="list-style-type: none"> Do not spray bed linens or other materials which come in direct contact with occupants of the bed. Do not apply more than 5 gallons of diluted product indoors per individual applicator per day
APPLICATION FOR INDOOR PESTS	
Bed bugs	<p>Use Rate: 0.075% - 0.27 fl oz (8 milliliters) of Temprid SC Insecticide per gal of water.</p> <p>Controls bed bug populations that are resistant to pyrethroid insecticides. Spray bugs and eggs directly wherever possible following site directions below.</p> <p>For infested mattresses, remove linens and wash before reuse. Apply to tufts, seams, folds, and edges until moist. Allow to dry before remaking bed.</p> <p>Apply to bedsprings, box springs, and the interior of bed frames or headboards, including all cracks and joints.</p> <p>When bed bugs are found in upholstered furniture, apply only to the infested tufts, seams, folds and edges, but do not apply to flat surfaces where prolonged human contact will occur. If bugs heavily infest furniture (inside cushions and/or batting) apply a labeled insecticide dust or consider fumigation.</p> <p>Apply as a crack and crevice treatment to all baseboards, moldings, beneath floor coverings and carpets, closets, shelves, curtains, furniture and picture frames that may provide harborage to bed bugs.</p> <p>Re-apply every 7 to 10 days, as needed, until infestation is eliminated.</p>

***This supplemental label expires on October 14, 2012 and must not be used or distributed after this date.**

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

Temprid is a trademark of Bayer.

