

[451-1]

Insect

1 GAL.

Infested

ATOMITE HYGENE

"TRADE MARK"

Pest USDA REG. NO. 451-1 Control

**Specially Fortified
Powerful "Liquid"**

INSECT SPRAY

| | |
|-------------------------------|--------|
| Active Ingredients | 100% |
| Pyrethrins | 0.05% |
| Piperonyl Butoxide, Technical | 0.19% |
| Petroleum Distillate | 99.76% |

Equivalent to 0.152% of (butylcarbitol) (2-propyl) piperonyl ether and to 0.038% of related compounds.

**CAUTION —
KEEP OUT OF REACH OF CHILDREN.**

Harmful if swallowed. Do not spray near or toward an open flame. Avoid contamination of food and foodstuffs. Do not reuse container. Destroy when empty.

ATOMITE HYGENE is highly effective against Red Mites & Lice. When used externally in any good hand sprayer, vaporizer or difuser as directed.

Manufactured by

LOUIS HERSHEY COMPANY, INC.

41 North Moore Street • New York, New York 10013

[451-1]

DIRECTIONS FOR USE

For most effective results, treat infested areas thoroughly and whenever possible, keep doors and windows closed for 15 minutes after spraying. Spray the entire room, birds, cages, floor, ceilings, wall closets, cracks and crevices, also all hiding or breeding places. Do not remain in treated areas and ventilate the area after treatment is completed.

MITES and LICE on CAGE BIRDS: Stand about 5 feet away from cages and birds, spray forward and directly into cages, with sprayer adjusted to deliver a fine mist. This application will control Red Mites and Lice in your bird rooms, cages and on the birds if the application is repeated at least once every two weeks.

Repeat applications as often as necessary to maintain desired control.

— CAUTION —

Harmful if swallowed. Keep out of reach of children. Do not contaminate or store near feed or foodstuffs. Remove cover from fish bowls before spraying.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

451-16 1971

451-1