

RESTRICTED USE PESTICIDE



**TORDON 10K  
PELLETS  
HERBICIDE**

For the control of Unwanted Woody Plants and various broadleaf weeds on Permanent Grass Pastures and Rangeland

**ACTIVE INGREDIENT:**  
Picloram (2-amino-3,5,6-trichloropicolinic acid)

**INERT INGREDIENTS:**  
Potassium Salt  
Picloram acid equivalent

E.P.A. Registration No. 464-320 E.P.A. Est. 464-M

**KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION**

In case of an emergency involving the use of this product, call collect toll-free 517-836-4400.

**AGRICULTURAL CHEMICAL**  
Do Not Store or Store With Food, Feed, or Drugs of Origin

**4.54 KG / 10 LB**

Precautionary Statements  
Environmental Hazards

Keep out of lakes, ponds, and streams. Do not contaminate water. Cleaning of equipment must be done in a safe disposal of wastes.

86-1402 PRINTED IN U.S.A. IN AUGUST, 1978.  
REPLACES SPECIMEN LABEL 86-1402 PRINTED IN MARCH, 1978.  
DISCARD PREVIOUS SPECIMEN LABELS.  
REVISIONS INCLUDE: REQUIREMENT FOR APPLICATOR TRAINING PROGRAMS DELETED.

**SPECIMEN LABEL**  
86-1402-1017

**PRECAUCION AL USUARIO:** Sustenido no leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**TRANSLATION: (TO THE USER)** If you cannot read English, do not use this product until the label has been fully explained to you.

TORDON 10K Pellets is a highly effective brush killer. It is applied to the soil for the control of unwanted woody plants and broadleaf weeds on permanent grass pastures and rangeland. TORDON 10K Pellets may be applied as a pre-emergent or post-emergent application method. The pre-emergent application method is the most effective method of control. The post-emergent application method should not be expected to give the same level of control. Pellets do not become apparent until after they have been applied. Moisture into the soil is necessary for TORDON 10K Pellets to be non-corrosive to application equipment.

**USE DIRECTIONS**

**TORDON 10K Pellets** may be applied as a pre-emergent or post-emergent application. Best results are obtained from application in the spring or fall. Do not apply during periods of vigorous growth when a rapid response is expected. Do not apply TORDON 10K Pellets to areas that have been treated with herbicides. Do not apply to areas that are being grazed. **READ AND FOLLOW ALL USE PRECAUTIONS ON THIS LABEL.**

**FOR PERMANENT GRASS PASTURE AND RANGELAND, USE** TORDON 10K Pellets in West Virginia, Virginia, North Carolina, South Carolina, Georgia, Kentucky, Tennessee, Alabama, Mississippi, Missouri, Arkansas, Louisiana, Kansas, Oklahoma, Texas, Colorado, and New Mexico.

Use TORDON 10K Pellets to control unwanted brush, trees, and vines on permanent grass pastures and rangeland. Do not apply to areas that are being grazed. Do not apply to areas that are being treated with herbicides. Do not apply to areas that are being treated with fungicides. Do not apply to areas that are being treated with insecticides. Do not apply to areas that are being treated with rodenticides. Do not apply to areas that are being treated with molluscicides. Do not apply to areas that are being treated with nematocides. Do not apply to areas that are being treated with acaricides. Do not apply to areas that are being treated with miticides. Do not apply to areas that are being treated with antifeedants. Do not apply to areas that are being treated with growth regulators. Do not apply to areas that are being treated with plant hormones. Do not apply to areas that are being treated with plant nutrients. Do not apply to areas that are being treated with plant growth stimulants. Do not apply to areas that are being treated with plant growth retardants. Do not apply to areas that are being treated with plant growth enhancers. Do not apply to areas that are being treated with plant growth inhibitors. Do not apply to areas that are being treated with plant growth promoters. Do not apply to areas that are being treated with plant growth suppressors. Do not apply to areas that are being treated with plant growth regulators. Do not apply to areas that are being treated with plant growth stimulants. Do not apply to areas that are being treated with plant growth retardants. Do not apply to areas that are being treated with plant growth enhancers. Do not apply to areas that are being treated with plant growth inhibitors. Do not apply to areas that are being treated with plant growth promoters. Do not apply to areas that are being treated with plant growth suppressors.

**ACCEPTED**

**OCT 21 1982**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 464-M

Do not use this product in a manner inconsistent with its labeling.

Do not apply during hot, dry periods as not advised.

Do not apply to areas that are being grazed.

Do not apply to areas that are being treated with herbicides.

Do not apply to areas that are being treated with fungicides.

Do not apply to areas that are being treated with insecticides.

Do not apply to areas that are being treated with rodenticides.

Do not apply to areas that are being treated with molluscicides.

Do not apply to areas that are being treated with nematocides.

Do not apply to areas that are being treated with acaricides.

Do not apply to areas that are being treated with miticides.

Do not apply to areas that are being treated with antifeedants.

Do not apply to areas that are being treated with growth regulators.

Do not apply to areas that are being treated with plant hormones.

Do not apply to areas that are being treated with plant nutrients.

Do not apply to areas that are being treated with plant growth stimulants.

Do not apply to areas that are being treated with plant growth retardants.

Do not apply to areas that are being treated with plant growth enhancers.

Do not apply to areas that are being treated with plant growth inhibitors.

Do not apply to areas that are being treated with plant growth promoters.

Do not apply to areas that are being treated with plant growth suppressors.

TORDON 10K Pellets Herbicide  
 Proposed Revised Labeling  
 10/4/82  
 INSERT A

APPLICATION RATES

Species	Broadcast Treatment		Spot Treatment
	Aerial	Ground	Ounces of product per 1,000 sq. ft.
Broom snakeweed (Perennial broomweed, Turpentine weed)	5-10	20 <sup>1</sup>	3.75
Pricklypear, Tasajillo, and Cholla cactus	5-10	5-10 <sup>1</sup>	3.75
Whitebrush reduction	10-15	10-15	5.5
Sand shinnery oak supression	10-20	10-20	7.5
Junipers (cedars)	20	20	7.5
South Texas mixed brush Huisache and shallow-rooted woody plants, e.g. Blackbrush, Granjeno, Guajillo, Large pricklypear (Mesquite not controlled).	25-30	25-30	11
Macartney rose	30-40 <sup>2</sup>	30-40 <sup>2</sup>	16
Multiflora rose	40	40	16
Ceanothus species	40	40	16
Shrub live oak, Gambel oak	40	40	16
Locust	40	40	16
Kudzu	40	40	16
Sumac	40	40	16

<sup>1</sup>Difficult to distribute less than 10 lb. uniformly by ground equipment.

<sup>2</sup>Use higher rate on heavy clay soils.

TORDON 10K Pellets Herbicide

Proposed Revised Labeling

9/27/82

INSERT A (continued)

Broom snakeweed (Perennial broomweed, Turpentine weed):

Apply TORDON 10K Pellets Herbicide during or prior to periods of rainfall or when moisture in the form of snow is sufficient to move the chemical into the soil profile. Do not apply to frozen soils. Apply liquid formulations in early spring (following winter snow or rainfall) or in fall following normal rainfall.

Pricklypear, Tasajillo, and Cholla Cactus: Use the higher rate of application for the control of large pricklypear species (nopal) in South Texas. Control of cactus species is slow and may require two years or longer for maximum response. Uniform product distribution is essential. The higher application rate may be required to obtain adequate coverage, especially when applying with ground equipment.

Juniper (Alligator, Redberry, Blueberry and other Junipers); Eastern Red Cedar and Pinion Pine: For individual trees, use 2 tsp. product per 5 square feet of area within the dripline. Apply out to dripline on level ground and on uphill side of plants growing on slopes. Results with Blueberry juniper over 3 feet tall are variable. Utah, Western and one-seed juniper and Pinion pine can be controlled when under 12 feet tall.

South Texas Mixed Brush: TORDON 10K Pellets is recommended where mesquite is not the major problem, but mixed brush species and prickly pear control is desired. Whitebrush can be reduced with product rates of 10 to 15 pounds per acre. Improved control can be obtained at 25 to 30 pounds product per acre. TORDON 10K Pellets is not effective for mesquite control.

McCartney Rose and Multiflora Rose: Uniform product distribution over root zone is required. For McCartney Rose, 30 pounds product per acre is sufficient except for heavy clay soils where the 40 pound rate should be used. Consult your Agricultural Extension Service for local recommendations.