DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage. Causes skin burns, May be fatal if swallowed or absorbed through skin. Harmful if inhaled.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes asthmatic signs and symptoms in hyper-reactive individuals.

Do not get in eyes, on skin, on clothing.

Avoid breathing vapor. Do not swallow.

Wear goggles, protective clothing, and butyl or nitrile gloves.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

STORAGE AND HANDLING


PIRORTM 842 Slimicide solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. These solutions can be stored and handled in baked phenotic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about 7°F (-13.9°C). Therefore, unless the storage tank is inside or underground. neating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 100°F (37.8°C) can be tolerated but the preferred maximum storage temperature is about 80°F (26.7°C). A stainless steel centrifugal pump is suggested for transfer service. Spiral-wound stainless steel with TEFLON® is suitable for paskets and packing.

LIMITED WARRANTY AND DISCLAIMER

Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

BEFORE HANDLING OR USING, READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT.





Alkyl C₁₄ 50%, C₁₂ 40%, C₁₆ 10%) dimethyl benzyl ammonium chloride Inert Ingredients: 50.0% 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

f swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
- DO NOT INDUCE VOMITING.
- Do not give anything to drink.

- Hold eye open and rinse slowly and cently with water for 15-20 minutes.
- After at least 15 minutes of rinsing or after it is judged that nearly all of the contamination has been removed, contact an Ophthalmologist before attempting to remove the contact lens(es).
- Call a poison control center or a doctor immediately for treatment advice.

f on skin or clothing:

- Take off contaminated ciothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh an
- If person is not breatherd, call 911 or an ambulance, and then give artificial resolution, preferably mouth-to-mouth if possible,
- Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of pastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



THE DOW CHEMICAL COMPANY

Midland, Michigan 48674 U.S.A. 1-800-258-CHEM

*Trademark of THE DOW CHEMICAL COMPANY

EPA Reg. No. 464-EPA Est. No. 10352-WV-2 L72107 (C 07/01) Made In USA PE0701

Net Contents: 5 or 55 gaillons	CONTAINER SIZE	CONTAINER SIZE 5 GALLONS	SHIPPING NAME	CORROSIVE LIQUID, ACE/C. ORGANIC, N.O.S. (CONTAINS GLUTAFALDEHYDE)	
	505 POUNDS	43 POUNDS	HAZARD CLASS	ID NUMBER	PG II
	NET WEIGHT	NET WEIGHT		UN 3255	FG 11

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 989-636-4400.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PAPER MILLS AND PAPER MILL PROCESS WATER SYSTEMS

PIRORTM 842 Stimicide should be added to a paper making system at a point of uniform mixing such as the thin or thick stock chest, save-all tank, process tank or white-water tank.

Initial Dose: When the system is noticeably contaminated, add 0.5 to 3.0 lbs. of PIRORTM 842 Slimicos per ton or 0.25 to 1.5 kg of PIROR TM 842 Slimicide per metric ton of pulp or paper (dry basis) as a continuous or slug dose. Repeat until control is achieved. Heavily fouled systems should be boiled out prior to initial treatment

Subsequent Dose: When microbial control is evident, add 0.3 to 2.0 lbs. of PIRORTM 842 Slimicide per ton or 0.5 to 1.0 kg of PIROR TM 842 Slimicide per metric ton of pulp or paper (dry basis) as necessary to maintain control.

WATER BASED COATINGS, PIGMENTS AND FILLER SLURRIES FOR PAPER AND PAPERBOARD

Note: For use in non-food coatings only.

Use from 0.1 to 0.6 lbs. of PIRORTM 842 Stimicide per 1,000 lbs. dry powder to produce a concentration of 100 to 600 ppm as product (based on slurry solids) in the mixed slurry.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsere is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructors. contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers or Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities. Plastic Containers: May be incinerated, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Metal Containers: Must not be incinerated. Do not cut or weld on or near metal containers.

