

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND
 DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

**FOR HOUSEHOLD USE ONLY
 DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors in area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 8,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hearing the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before being out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying at two weeks or when necessary.

To Kill Ticks: Destroy and pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control products prior to re-entry.


To Kill Fleas: Follow directions for ticks but use one unit per 2,000 cubic feet of room space.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty containers. Wrap container and put in trash collection.

BOYLE-MIDWAY, INC., NEW YORK, N.Y. 10077
 5 Boyle-Midway Dr. NY TRF-1-9
 EPA Reg. No. 475-215A
 EPA Est No. 475-CA-1, NJ-1, IL-1, GA-1
 (See code on label)



ACTIVE INGREDIENTS:

o-tert Butyl	0.20%
Parathion	0.05%
2-Phenylphenol 0-alk and	
base 2,2-dimethyl-3-(2-methylpropyl)	0.10%
propylphosphorothioate	0.00%
Other inert	
NET WEIGHT:	99.477%
TOTAL	99.82%
* 0-tert. Butyl phenol max. 20% in 100	
** 2,2-Dimethyl-3-(2-methylpropyl) max. 75% in 100	

**CAUTION KEEP OUT OF REACH
 OF CHILDREN**
 See back panel for additional precautionary statements

NET WT 9 OZ (255g)

Use in Rooms, Apartments, Homes, Aides, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

- KILLS**
- FLIES**
- MOSQUITOES**
- SPIDERS**
- CENTIPEDES**
- FLEAS**
- WASPS**
- TICKS**
- BLACK CARPET BEETLES**
- SAW-TOOTHED GRAIN BEETLES**
- RICE WEEVILS**
- SMALL FLYING MOTHS**
- FILL BOGS***
- CRICKETS AND SILVERFISH**
- Aids in control of ectoparasites**

Registered. Registrations to be in accordance with guidelines for Phase 2 to their Change in Status.

BEST AVAILABLE COPY