

DANGER - POISON - PRECAUTIONS ☒




POISONOUS IF SWALLOWED

Even in small amounts!



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothes (liquid goes through clothes).



POISONOUS IF BREATHED

Poisonous if vapor or mists from sprays are breathed. Vapors are not visible. Never work with parathion or in parathion treated areas without protective clothing and equipment.

THIS PRODUCT IS TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. KEEP OUT OF LAKES, STREAMS AND PONDS.

POISON

See Side Panels for Antidote & Precautions

EPA Reg. No. 476-1710

TECHNICAL

METHYL PARATHION

ORGANOPHOSPHORUS INSECTICIDE

NOT FOR HOME USE

Active Ingredients:


O,O-dimethyl O-p-nitrophenyl phosphorothioate 80%

Xylene range aromatic hydrocarbon solvent 16%

Inert Ingredients: 2%


DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

MADE IN U.S.A. BY



STAUFFER CHEMICAL COMPANY
WESTPORT, CT 06880

STOP - READ THE LABEL



DANGER

Keep Out of Reach of Children

FOR MANUFACTURING USE ONLY

USE ONLY WITH EFFECTIVE CLOTH proof pants, coat (2) Wear safety goggles provided by the U.S. Dept. of Labor (4) Wear helmet

Do not rub eyes. Before removing, if you feel sick in away. Tell foreman, physician, clinic or

ALWAYS wash hands before smoking

AFTER WORK, Take Shower, using soap when leaving job clothing.

All protective clothing with soap and water be cleaned and fire included with respirator

POISON
METHYL Parathion is a very toxic substance. It can be absorbed through the skin by contact with it. It shows signs of the following immediate medical

Signs and Symptoms: Headache, vomiting, cramps, tightness of chest, weakness, sweating, watering of mouth and nose

Handwritten notes:
Methyl Parathion
10/1/68
10/1/68

LABEL

DANGER

Keep Out of Reach of Children

FOR MANUFACTURING

USE ONLY

PARATHION

FOR HOME USE

See panels for poison precautions, symptoms, and treatment, information for physician.

NOTE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular use concerning this material, except those which are contained on Stauffer's label. ARC 730-109

STAUFFER CHEMICAL COMPANY

ST 06880

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: (1) Wear water-proof boots, coat, hat, rubber gloves and rubber overalls. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

Do not rub eyes or mouth with hands. Do not sneeze. Before removing gloves, wash them with soap and water. If you feel sick in any way STOP work and get help right away. Tell foreman or have someone call him. Call a physician, clinic or hospital immediately.

ALWAYS wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. DO NOT wear contaminated work clothing.

All protective clothing and equipment should be washed with soap and water after each use. Respirators should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

METHYL
Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces, eyes and by contact with skin through wet clothes. Worker who shows any of the following poisoning signs must receive immediate medical treatment or he may die.

Signs and Symptoms of Poisoning Are: Headache, nausea, vomiting, cramps, blurred vision, pin-point pupils, tightness of chest, labored breathing, weakness, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

If it is essential to stop absorption of poison — If possible, the victim should make telephone call while another begins treatment.

Call a physician immediately in all cases of suspected poisoning. If possible, victim exposed to parathion, describe his condition. Until medical help is available take following steps.

IF BREATHING HAS STOPPED, start artificial respiration immediately and continue until physician sees victim.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. First, give soapy water or strong salty water to drink, then stroke back of throat with finger to make victim vomit. Repeat by giving more water and make vomit again until vomit fluid is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet.

IN CASE OF SKIN CONTACT, immediately remove wet clothing and shoes and wash skin with water for at least 15 minutes.

EYE CONTACT: If splashed in eyes, immediately flush eyes with water for at least 15 minutes.

NOTE TO PHYSICIAN

ANTIDOTE—Administer atropine sulfate in large doses, 2.0 to 4.0 mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Do not give morphine or tranquilizers.

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system, producing cardiac and respiratory depression.

At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close supervision is indicated for at least 48 to 72 hours.

NOTICE TO DRUM HANDLERS:

EXTREMELY POISONOUS ON CONTACT

LEAKY &/or DAMAGED DRUMS

INSTRUCTIONS: Report at once any evidence of leaking or damaged drums.

TELEPHONE COLLECT NIGHT OR DAY TO:

STAUFFER CHEMICAL COMPANY

Mt. Pleasant, Tennessee • Area Code 615/379-3257

STORAGE: Do not store or heat this compound above 130°F. Keep away from open flames. To prevent crystallization, do not store at temperatures below 65°F. Keep container closed. Use with adequate ventilation.

DRUM HANDLING: Handle carefully to prevent damage and leakage. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly, to release internal pressure. Then fit both bungs with valves.

To empty drums, connect one valve to an open vent pipe and the other to a closed storage or impregnation system.

In case of spillage cover with an absorbent such as soda ash, lime, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

EMPTY DRUM DISPOSAL: Never re-use empty drums. Decontaminate by washing with hot 5% caustic solution and a small amount of household detergent. After washing, perforate top, bottom and two sides to prevent re-use. Discard in safe place.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

Lot No. _____

Made in U.S.A.

