

DIRECTIONS FOR USE

IMPORTANT: Read all label directions before using. Use only for recommended purposes at recommended rates (DO NOT OVERDOSE).

A single preplant application of TILLAM-DASANIT 6.65-13.35 G will provide effective control of wireworms, nematodes and certain weeds in tobacco. The product will not control established weeds. All weed growth and crop stubble should be thoroughly worked into the soil before treatment.



WEEDS CONTROLLED

ANNUAL GRASSES

Crabgrass (*Digitaria spp.*)
Foxtails (Yellow, Giant, Green) (*Setaria spp.*)
Barnyardgrass (Watergrass) (*Echinochloa spp.*)
Bermudagrass (*Cynodon dactylon*)
Goosegrass (*Elaeusine indica*)
Signalgrass (*Brachiaria piligera*)
Wild Oats (*Avena fatua*)
Millet (*Setaria spp.*)

ANNUAL BROADLEAF WEEDS

Deadnettle (Henbit) (*Lamium amplexicaule*)
Lambsquarters (*Chenopodium album*)
Purslane, Common (*Portulaca oleracea*)
Florida Purslane (*Richardia scabra*)
Redroot Pigweed (*Amaranthus retroflexus*)
Prostrate Pigweed (*Amaranthus gracizans*)
Hairy Nightshade (*Solanum villosum*)
Nettleleaf Goosefoot (*Chenopodium murale*)
Black-Eyed-Susan (Sweet Suzy) (*Rudbeckia serotina*)
Shepherdspurse (*Capsella bursa-pastoris*)

The above broadleaf weeds will be controlled only if TILLAM is applied when conditions are favorable for germination.

PERENNIAL WEEDS

Yellow Nutsedge (Yellow Nutgrass) (*Cyperus esculentus*)
Purple Nutsedge (Purple Nutgrass) (*Cyperus rotundus*)
Existing stands of nutgrass must be turned under and chopped up thoroughly before treatment.

APPLICATION: (Recommended on flue-cured and light air-cured tobaccos) Uniformly broadcast TILLAM-DASANIT 6.65-13.35 G at the rate of 60 pounds per acre using equipment designed for application of granular pesticides. Equipment should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase TILLAM dosage above recommended limits because plant injury may occur.

SOIL INCORPORATION (MIXING): TILLAM-DASANIT 6.65-13.35 G must be mixed (incorporated) into the soil immediately after application to prevent loss of the herbicide by evaporation.

Use power-driven cultivation equipment set to cut to a depth of 3" in light soil and 3 to 4" in heavy soil or a tandem disc set to cut to a depth of 4 to 6".

Cross disc at right angles for thorough mixing.

The bedding operation should follow incorporation as soon as practical. Planting may be done immediately after bedding or at a later date; however, to insure long term weed control, the crop should be planted as soon as possible after application and bedding.


USE RESTRICTIONS

Do not use in or near human dwellings. Do not use on plants other than those recommended. Do not apply to plant foliage. Use only according to label directions. Application of rates above those shown may result in illegal crop residues. Do not treat food crops grown in the greenhouse.

Do not apply this product with hand-operated or similar equipment that is placed on the user's body.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. In cleaning of equipment or disposal of wastes, do not contaminate water.



TILLAM-DASANIT®

6.65-13.35 G

INSECTICIDE, NEMATICIDE, AND SELECTIVE HERBICIDE FOR USE ONLY BY COMMERCIAL GROWERS AND APPLICATORS

One Application Provides 3-Way Crop Protection For Tobacco

- *WIREWORM CONTROL
- *NEMATODE CONTROL
- **CONTROL OF ANNUAL GRASSES AND BROADLEAF WEEDS

ACTIVE INGREDIENTS:

S-propyl butylethylthiocarbamate**	6.65%
O,O-diethyl O-[p-(methylsulfinyl)phenyl] phosphorothioate*	13.35%

INERT INGREDIENTS:	80.00%
	100.00%

**U.S. PATENT NOS. 3,175,897; 3,185,720

*U.S. PATENT NO. 3,042,703



DANGER — POISON



KEEP OUT OF REACH OF CHILDREN

(SEE ADDITIONAL PRECAUTIONS, FIRST AID TREATMENT, NOTE TO PHYSICIAN AND ANTIDOTE ON RIGHT PANEL)

LB. NET WT.

EPA Reg. No. 476-2147

A-1

MADE IN U.S.A. BY

STAUFFER CHEMICAL COMPANY

WESTPORT, CT 06880

DANGER POISON

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES OR ON SKIN. DO NOT BREATHE DUST. Wear protective clothing and cotton or natural rubber gloves. If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Rubber gloves should be washed with soap and water after each use.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

FIRST AID TREATMENT

IN CASE OF POISONING call a physician immediately. Have patient lie down and keep quiet. **IF SWALLOWED**, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. **IF ON SKIN**, remove contaminated clothing and wash skin immediately with soap and warm water. **IF EYES ARE CONTAMINATED**, flush immediately with water for at least 15 minutes.

NOTE TO PHYSICIAN

Antidote — Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER — Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay away from the smoke.

Do not use container in any connection with feed, food, and drinking water.

NOTICE: Stauffer Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Stauffer's label.