

491-173

PM-15

1/22/90

181



Manufactured especially for the control of cockroaches, ants, silverfish--and brown dog ticks and fleas (outdoors) in motels, hotels, institutions, garages, warehouses and nonfood areas of restaurants and food/feed processing plants.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COCKROACHES, ANTS & SILVERFISH--Apply as a coarse spray or with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. Under conditions of heavy cockroach infestation, repeat the application within twenty-four hours, then set up monthly application schedule or as needed.

BROWN DOG TICKS & FLEAS ON PREMISES--Thoroughly spray localized infestations in outdoor areas where there is no vegetation; repeating the applications as infestations warrant and as re-infestation occurs. Do not apply to animals directly.

NONFOOD/NONFEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS--Including garbage rooms, lavatories, floor drains (to sewars) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). As a spot treatment, apply **TORNADO PLUS** as a coarse low pressure fan spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar areas where cockroaches, ants, spiders, and silverfish hide.

Do not use in food areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas include those where prepared food are served such as dining rooms but excludes areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. **NOT FOR USE IN USDA MEAT AND POULTRY PLANTS.**

STORAGE AND DISPOSAL

- Do not contaminate water, food or feed by storage or disposal.
- Open dumping is prohibited.
- Do not re-use empty container.

PESTICIDE DISPOSAL:

Waste resulting from use of this product may be disposed of on site or at an approved waste facility.

CONTAINER DISPOSAL:

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SELIG'S TORNADO PLUS

ACTIVE INGREDIENTS

Diazinon (0,0-Diethyl O-(2-Isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	0.500%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Piperonyl Butoxide, Technical*	0.100%
Pyrethrins	0.050%
INERT INGREDIENTS**	99.184%
	100.000%

*Consists of 0.02% (butylcarbityl)(C-propylpiperonyl) ether and 0.02% related compounds.

**Contains Petroleum Distillates

For Industrial and Institutional Use Only KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center immediately. Drink one or two glasses of water. **DO NOT INDUCE VOMITING.** Product contains petroleum distillates and aspiration pneumonia is a potential hazard.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a Physician if irritation persists.

Note to Physician--Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.


SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

RESTRICTED USE PESTICIDE

Due to Avian and Aquatic Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

Manufactured By:



840 Selig Drive, S.W. * Atlanta, GA 30336 * (404)691-9220

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May cause skin sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Causes substantial but temporary eye damage. Do not get into eyes or on clothing. Wear goggles or safety glasses. Do not apply this pesticide in the immediate area when occupants are present. Use only in a well-ventilated area. Do not use as a space spray. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not apply to animals. Remove pets and cover fish bowls before spraying.

Do not store near feed or food products. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish, and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended apply a minimum of 0.25 inch of water immediately after application. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries (except for effluence from treated watercross beds). Do not apply to water that will be used for recreational purpose and human and livestock consumption. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

WARRANTY STATEMENT

This product is designed exclusively for industrial and institutional use by trained professional maintenance personnel. Prior to using this material, read complete label and Material Safety Data Sheet on file at your place of work. Label directions and precautions must be followed exactly. Selig Chemical Industries will not be responsible for injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

3410
EPA Reg. #431-73-AA

11/89
EPA Est. #491-GA-1

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidance for Phase 2
Guidance, Page 2.12, Active to Inert Change in Status.