

DIRECTIONS FOR USE

DILUTION INSTRUCTIONS

For an emulsion containing 0.35% 93-SX-80 dilute:

Concentrate Fluid Ounces	To Volume Below With Water
1 1/2	8 fluid ounces
3	16 fluid ounces
6	32 fluid ounces
11.5	1/2 gallon
23	1 gallon

MIX WELL BEFORE USING.

APPLICATIONS:

INSTRUCTIONS FOR CONTACT SPACE AND RESIDUAL SPRAYS

FOR INDOOR USE: In non-food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, ANTS, CARPET BEETLES, CENTIPEDES, EARWIGS, FLOUR BEETLES, GRAIN MITES, MILLIPEDES, SOWBUGS, SPIDERS: Apply as a contact spray. Fill spray tank with 93-SX-80 Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insect where possible. Repeat as necessary.

ANTS: To kill ants: Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

FLEAS: Aids in the control of fleas on dogs and cats, on pet bedding in horse stalls. Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, or mouth of animal. To reduce reinfestation, thoroughly spray the animals bedding and other resting areas. Treat those areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then, spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

RESIDUAL SPRAY: Aids in the control of: COCKROACHES, CRICKETS, SILVERFISH, ANTS, CENTIPEDES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS: Kills for up to 4 weeks: Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch bank until area is thoroughly wet but not to the point of run-off. Repeat as necessary.

FRUIT FLIES, HOUSEFLIES, MOSQUITOES, MOTHS, GNATS: Apply as a space spray. Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1,000 cu. ft. of

93-SX-80 TRANSPARENT EMULSION** CONCENTRATE

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER.
KILLS AS CONTACT AND RESIDUAL SPRAY
KILLS ROACHES UP TO 4 WEEKS.

ACTIVE INGREDIENTS:

1* resmethrin (15-(phenylmethyl)-3-furanyl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) . 2.000% W/W
Related compounds 0.274%
INERT INGREDIENTS: 97.726%
100.00% W/W

Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

*U.S. Patent Nos. 3,465,007 and 3,542,928.

• Penick's SBP-1382[®] brand of resmethrin insecticide.
Penick Corp. 1050 Wall Street West, Lyndhurst, N.J. 07071.

**U.S. Patent No. 3,683,078.

Contains 0.17 pounds resmethrin per gallon

KEEP OUT OF REACH OF CHILDREN WARNING

HAVE CLEAN WATER SUPPLY AT HAND
IN CASE OF AN EYE EMERGENCY
WHEN DILUTING THIS CONCENTRATE.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

CAN BE USED IN NON-FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS

EPA Reg. No. 491-247

EPA Est. No. 491 Ga 1

DALLAS
HOUSTON
LOS ANGELES
LOUISVILLE



MIAMI
NEW ORLEANS
SAN FRANCISCO
SAN JUAN

space. Then leave the treated area. Keep the room ventilated for 15 minutes. Ventilate the room when treatment is complete before re-entry.

OUTDOORS - To control nuisance pests on paved areas. Apply as a contact spray. Avoid spraying turf or plants.

ANTS and FLEAS: Same as directed for indoor use.
WASPS, YELLOW JACKETS, HORNETS: Apply in late evening when insects are at nesting and breeding places contacting as much as possible. Repeat as necessary.

CENTIPEDES, EARWIGS, MILLIPEDES: Apply as a contact spray, as for indoor use.

WARRANTY STATEMENT

Our recommendations for use of this product are believed to be reliable. The use of this product is the responsibility of the manufacturer, no guarantee, express or implied, is made as to the effects of such or the results to be obtained in accordance with directions or established practices. The user must assume all responsibility, including injury to property from its misuse as such, or in combination with other products.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING
Harmful if swallowed. Avoid contact with skin and eyes. Irritation. Do not get in eyes. Wash after contact with skin. Do not spray on humans. Do not use if exposed or being consumed.

ENVIRONMENTAL HAZARDS
Keep out of lakes, streams or ponds. Do not clean or wash equipment or disposal of wastes in water. Do not wash or flush freshly sprayed surfaces in water.

PRACTICAL TREATMENT
If swallowed, induce vomiting by sticking finger down the back of the throat. Get medical attention. Flush with water for 15 minutes and see a doctor with plenty of soap and water. If irritation occurs, get medical attention.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL OR STORE NEAR OPEN FLAME. FLASH POINT MINIMUM

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

REQUIRES CHILD-RESISTANT CONTAINER IF SOLD FOR HOUSEHOLD USE IN QUANTITIES OF MORE THAN 5 GALLONS

STORAGE AND DISPOSAL
Store at temperatures above 32°F. Do not use if container is damaged. Wrap container and put in trash collection.

Do not use in edible product areas of food preparation or other areas where food is commercially prepared. Do not use in serving areas while food is exposed. Remove exposed foods. Avoid contamination of food preparation surfaces.

FOR USE

DIRECTIONS

95% 93-SX-80 dilute:

- Volume Below With Water
- 8 fluid ounces
- 16 fluid ounces
- 32 fluid ounces
- 1/2 gallon
- 1 gallon

INDOOR AND RESIDUAL SPRAYS

of food handling establish-
 mental, public, institutional
 cabins and hospitals. In hos-
 treatment. Also for use in
 of trucks, boxcars and ship
 equipment or on surfaces that
 use indoors in dog kennels
 application if horses will be

REDUCES INFESTATIONS:

**FISH, ANTS, CARPET
 FLOUR BEETLES, GRAIN
 PESTS:** Apply as a contact
 Emulsion Spray for-
 2 inches from surface to be
 deliver a coarse wet spray.
 reduce infestations. Spray
 cracks, crevices, moist areas,
 refrigerators and other appli-
 spray until area is moist,
 on insect where possible.

and points of entry within
 possible. Repeat as necessary.

dogs and cats, on pet bedding
 along back, under forelegs
 and insure good coverage.
 spraying. Apply until hair is
 in eyes, or mouth of animal.
 the animals bedding and other
 of two seconds per linear
 18 inches. Also spray entire
 necessary.

treatment to cracks and crevices
 and walls. First, thorough-
 Then, spot treat only areas
 on tufts, folds and seams.
 stations, consult professional

of: **COCKROACHES, CRICK-
 EARWIGS, GRAIN MITES,
 4 weeks: Spray baseboards,
 window frames, and other hiding
 ber appliances, sinks and cup-
 placements, spray hiding places
 work places. Apply as a coarse
 is thoroughly wet but not to**

BITES, MOTHS, GNATS:
 and nozzle to deliver a fine
 Point nozzle upward, direct
 daily windows and other light
 to the spray nozzle at all times
 being or staining. Fill the room
 1 ounce per 1,000 cu. ft. of



93-SX-80

TRANSPARENT EMULSION**

CONCENTRATE

A SYNTHETIC PYRETHROID

**DUAL ACTION INSECT KILLER
 KILLS AS CONTACT AND RESIDUAL SPRAY
 KILLS ROACHES UP TO 4 WEEKS.**

ACTIVE INGREDIENTS:

- 1• resmethrin (16-(phenylmethyl)-3-furanyl methyl 2,2-
 dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) . 2.000% W/W
- Related compounds 0.274%
- INERT INGREDIENTS: 97.726%
- 100.00% W/W

Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

- U.S. Patent Nos. 3,465,007 and 3,542,928.
- Penick's SBP-1382[®] brand of resmethrin insecticide.
- Penick Corp. 1050 Wall Street West, Lyndhurst, N.J. 07071.
- **U.S Patent No. 3,683,078.

Contains 0.17 pounds resmethrin per gallon

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**HAVE CLEAN WATER SUPPLY AT HAND
 IN CASE OF AN EYE EMERGENCY
 WHEN DILUTING THIS CONCENTRATE.**

**SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS.**

**CAN BE USED IN NON-FOOD AREAS
 OF FOOD HANDLING ESTABLISHMENTS**

EPA Reg No. 491-247

EPA Est. No. 491-Ga 1

DALLAS
 HOUSTON
 LOS ANGELES
 LOUISVILLE



MIAMI
 NEW ORLEANS
 SAN FRANCISCO
 SAN JUAN

space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before re-entry.

OUTDOORS — To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

ANTS and FLEAS: Same as directed for indoor use.

WASPS, YELLOW JACKETS, HORNETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

CENTPEDES, EARWIGS, MILLPEDES, SOWBUGS, SPIDERS: Apply as a contact spray, as for indoor use.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces in to adjacent waters.

PRACTICAL TREATMENT

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac: get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. FLASH POINT MINIMUM 140°F.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**REQUIRES CHILD-RESISTANT PACKAGING.
 IF SOLD FOR HOUSEHOLD USE IN QUANTITIES LESS
 THAN 5 GALLONS.**

STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container. Wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.